

Index

- abdomen 68, 122, 198, 215, 236
- abdomen gluteal regions 235–236
- absorption 38–39, 104
- acclimation 80, 143–145, 148, 229, 235, 246
- acclimatization 64, 132, 144, 235, 248
- acetylcholine 45, 50, 111–112, 118, 120
- acromion 206–207
- adenosine-tri-phosphate (ATP) 48, 107, 131, 133–134
- adrenaline 50, 105, 120
- air humidity 123–124
- air velocity 123–124
- alpha adrenoreceptors 130
- ambient air 41, 70, 115
- ambient temperature, choice of 228
- anaesthesia 127
- ankle 201–202, 220, 236
 - lateral 217–218
 - left 220
- ankle region 217–218
- anterior axillary fold 206
- anterior forearm 79–80, 208
- anterior knee 81
- antimonide 3
- anxiety 119, 126
- apocrine glands 118, 121
- arms 79, 194–199, 230–231, 233
 - crossing 230
 - upper 122, 196–197, 208–209
- arterio-venous anastomoses (AVAs) 132
- arthritis 193, 230–231, 236–237
- ATP, *see* adenosine-tri-phosphate
- autonomic responses 68, 110, 128–130
- autonomic temperature regulation loop 53
- AVAs, *see* arterio-venous anastomoses
- axillary fold 197–198, 208–209
 - anterior 206
- axons 60, 62
- basal 64, 97–98, 101, 115, 131
- basal metabolic rate (BMR) 45, 57, 64, 67, 97–98, 102–103, 133
- basic thermal physics 9–10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38
- basic thermal physiology 45–46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74
- biology 6, 32, 163, 174
- biometeorology 144
- black body radiators 35
- blackbody emissivity 38
- blackbody reference 177, 180
- blackbody source 181
- bladder 55, 60, 71–73
- blood 98, 111, 114, 142
- blood flow 53, 64, 91, 111, 113, 131–132, 142
- blood flow rate 145
- blood pressure 137–138
- blood vessels 52, 111–112, 223
- blood volume 111, 130, 140
- BMR, *see* basal metabolic rate
- BMR measurements 102
- body cooling 130–131
- body functions 137, 247

- body heat 85, 147
- body heat balance 63
- body heat balance equation 84–86, 96, 100–101, 139
- body heat equation 83–84
- body heat loss 78, 147
- body movement 27
- body positions
 - maintaining 108
 - provocative 229
 - vertical 140
- body posture 88
 - changing 129
- body region
 - lower 235–236
 - symptomatic 226
- body size 97, 102, 105, 135
- body surface
 - human 193
 - total 27, 34, 85, 96, 100
- body sweat loss 125
- body temperature 47, 52, 64, 66, 68, 71, 77, 85–86, 126–128, 141
 - cooler 145
 - elevated deep 68
 - increased 128
- body temperature deviation 63
- body temperature measurements 52, 75
- body temperature regulation 66–67
- body temperature threshold values 64
- body trunk 193
- body weight 85, 100, 102
- boundary layer, natural convective 94
- brain 50, 55, 63, 70, 72, 92, 132
 - human 61
- brain temperatures 72
- breast cancer 5
- breath-holding periods 233
- brown adipose tissue 62, 105–106, 133
- brown fat 92, 95–96, 105–106, 133
- brown fat temperature 106
- calcitonin gene related peptide (CGRP) 45, 113
- calorimetric bomb 18
- camera lens 194
- camera systems 1, 165, 168, 170, 177, 179, 188
- camphor 55
- carbohydrates 16, 49, 133–135
- cardiac arrest 139, 141–142
- cardiac output 111, 137–138
- cardiovascular system 70, 111, 137
- carpal tunnel syndrome 230, 239
- carpo-metacarpal joint 210–215
- cell membrane 50, 130
- cells
 - endothelial 112, 114, 131
 - myoepithelial 118–119
 - secretory 119–120
 - smooth muscle 111–114
 - white fat 105–106
- central nervous system 45, 54–55, 130
- CESM, *see* Cold Exposure Survival Model
- CGRP, *see* calcitonin gene related peptide
- circadian rhythms 77
- circadian variations 77
- clothing 67, 89–91, 104, 110, 125–126, 129, 136, 148, 191, 246
- clothing insulation 91
- clothing layers 125
- cold exposure 88, 95, 98, 132, 134, 139, 148
- Cold Exposure Survival Model (CESM) 45, 139

- complex regional pain syndrome (CRPS) 230, 236–237, 248
- consciousness 136–137
- constant temperature gradient 83
- contact temperature
 - measurements 81
- convection 23, 26, 30, 41, 83–84, 88, 93, 110, 115
 - forced 27–28, 30
- convection coefficient 26–27, 30, 123
- cool temperatures, non-painful 55
- core stability, common challenges
 - to maintaining 94–95, 97, 99, 101, 103, 105, 107, 109
- core temperature 47, 53–54, 64, 68–69, 72–74, 76–77, 83, 86, 107, 111–113, 126–128, 130–131, 134–139, 141, 146–148
 - elevated 127
 - estimating 75–76
 - extra-cerebral 72
 - maintaining 109
 - threshold 64
- core temperature measurement 136
- core temperature monitoring 69, 73
- CRPS, *see* complex regional pain syndrome
- cubital fold 208–209
 - popliteal 217–218
- cutaneous vascular conductance (CVC) 111, 113–114
- cutaneous vasodilation, active 112, 130
- CVC, *see* cutaneous vascular conductance
- cystic fibrosis 45, 117–118
- cytokines 128
- deep body heat 147
- deep body temperature 52–53, 56, 64, 68, 77–78, 128, 147
- deltoid muscles 197–198, 208–209
- dermal ducts 117, 120
- diagnosis 118, 139, 226, 248
- distal interphalangeal joint 82, 211–215
- DMH, *see* dorsomedial hypothalamus
- dorsal hands 80, 221, 239, 248
- dorsal horn 59–60
- dorsal neck 229
- dorsal root ganglia (DRGs) 60
- dorsal surface 202, 235
- dorsomedial hypothalamus (DMH) 62–63
- DRGs, *see* dorsal root ganglia
- drowning 140
- DuBois area 85–86, 100–101
- DuBois formula 85, 100
- eccrine 116, 118, 121
- eccrine sweat glands 117–120
- EDHFs, *see* endothelial derived hyperpolarization factors
- elbow 196–198, 208–209, 233
 - lateral 209
 - left 206–207, 215
 - medial 208
 - right 206–207, 215
- endothelial derived
 - hyperpolarization factors (EDHFs) 46, 113
- energy
 - kinetic 9, 17
 - potential 15, 17, 21
 - radiant 30, 33–35, 37
- energy exchange 9, 19, 48
- energy release 16–17
- energy transfer 19, 39
- energy transformations 16, 20–21
- entropy, negative 21–22

- evaporative heat loss 57, 64, 78, 84, 88, 115, 123
- exercise, lower body 74
- exercise oesophageal temperatures 73
- fever screening 5, 76–77
- finger movements 230, 235
- fingers
 - index 211–212, 239, 241
 - little 214–215, 238–239, 241
 - middle 198, 212–213 ring 213–214
 - thumb 210–211
- fingertip 210–215, 240, 245–246
- fluid displacement 28–29
- focal heat accumulations 93
- focal plane array IR imager 168
- folding hands 230
- forearms 79, 113, 230–231, 235, 241
 - anterior 79–80, 208
- forehead 69, 122, 204
- free enthalpy 21
- gastrointestinal temperatures 73
- germanium 168–169
- glabrous skin 119, 132
- glands 92, 117–119
 - apo-eccrine 116, 119–120
 - sudoral 116–117
- gluteal fold 217
- Grashof number 27–28
- greenhouse 40
- grey body 37–38
- grey body radiator 37
- groin 198, 216
 - left 215
 - right 215
- hand arm vibration syndrome (HAVS) 222
- HAVS, *see* hand arm vibration syndrome
- heart 55, 60, 111, 140
- heart rate 111, 137–138, 146
- heat
 - circulatory convection of 64, 66
 - conductive 23
 - dark 1
 - metabolic 68, 87, 90
 - natural 192
- heat absorption 84
- heat acclimation 145–147
 - isothermal 145
- heat accumulation 93
- heat adaptation 145–146
- heat balance 63, 66, 81, 84, 86
- heat balance equation 83, 101
- heat capacity 12, 26, 56, 86, 91–93
 - molar 12
 - total 86
 - volumetric 25
- heat conduction 23, 93
- heat conductivity 27, 93
- heat conservation 141
- heat defence mechanisms 65, 126
- heat dissipation 25, 53, 83, 110, 112, 125–126, 128–129
 - active 127
- heat exchange 128
- heat exchange calculations 94
- heat exhaustion 126
- heat flows, convective 85
- heat flux 12, 15, 26, 34, 96
- heat flux density 12
- heat gain 66, 83, 94, 128
 - external 114
- heat generation, biological 106
- heat production
 - basal body 78
 - facultative 133
 - involuntary 132
 - obligatory 95
 - shivering-induced 148
 - spontaneous 25
 - total skeletal muscle 109

- heat sensation 92, 226
- heat shock protein 46, 146
- heat shock response (HSR) 46, 146
- heat stimuli 57
- heat stroke
 - classic 127
 - exertional 127
- heat training 146
- heat transfer 9, 16–17, 19, 21–27, 29–31, 33, 35, 37, 39–41, 83–84, 87, 89–91, 93, 110, 129
 - conductive 27, 46, 84, 91
 - convective 26, 41, 84
 - evaporative 46, 84
 - latent 40
- heat transfer coefficient 35, 46
- hip 200, 236
 - lateral 217–218
- hormones 49–50
- HSR, *see* heat shock response
- human body imaging 192
- human body temperature 9, 52
- human physiology 48–49, 51
- human skin 1, 56, 169
- humidity 123–124, 144, 191
- hydrogen atoms 16–17
- hyoid bone 195–196
- hyperabduction 233, 238–239
- hyperpolarization 114
- hyperthermia 126–127, 228, 248
 - induced 126, 136
 - regulated 127
- hypothalamus 55, 58, 61–64, 70, 133–134
- hypothermia 135–137, 139–141, 228
 - accidental 136–137, 139
 - forced 135–136
 - induced 141–143
 - mild 137
 - moderate 137
 - severe 138–139
 - therapeutic 141–143
- hypothermic cardiac arrest 139
- hypothermic treatment 142
- hypothetical body 35
- hypothyroidism 133
- iliac crest 199–200
- image acquisition 169, 185, 191
- image analysis 174, 202
- image capture 229, 237
- image composition 188
- image content 172
- image deterioration 168
- image evaluation 237, 239, 241, 243, 245
- immersion
 - cold 139–140
 - cold-water 139–140
- index finger 211–212, 239, 241
- indium 3
- indium antimonide 1–2, 164, 167
- infrared equipment operation 185, 187
- infrared imaging 1–2, 76, 164, 171, 192
- infrared radiation 1, 9, 39–40, 76, 83, 94, 110, 163, 168, 177
- infrared thermal imagers 163–164, 166, 168, 170, 172, 174
- infrared thermography 36, 81, 171
- ingestible telemetric temperature sensors 74
- inhomogeneous heat distribution 93
- injuries 222, 226
 - acute short sub-lethal heat 146
- inner canthi 76–77, 205
- insulating floor mat 236–237
- IR cameras 77, 172, 180, 183
- ischaemia 141
- knee 81, 201, 217–218
 - anterior 81

- posterior 81
- medial 217–218
- latent heat 115, 125
- latent heat of fusion 40
- latent heat of vaporization 41, 115
- layers
 - dynamic boundary 30
 - thermal boundary 30
- least observed metabolic rate (LOMR) 46, 97–99
- lipids 49, 121, 133–134
- liquid nitrogen 2, 165, 180
- local cooling 130–132, 223
- local heating 113
 - rapid 113–114
- local temperature 131
- LOMR, *see* least observed metabolic rate
- lower legs 79–80, 200–202, 218–219, 236–237
 - left 218–219
 - right 218–219
- man-made heat sources 110
- medial malleolus 220
- medical thermography 172, 174, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215
 - standard protocols for 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219
- medicine, veterinary 6
- mercury cadmium telluride 166–167
- metabolic body size 96–97
- metabolic heat production 46, 57, 64, 78, 85, 99–100, 125, 133
- metabolic heat rate 115
- metabolic rate 96–99
- metacarpal 242, 245
- metacarpal bones 240, 246
- metacarpophalangeal joint 82, 88, 210–211
- metacarpus 210–215
- midbrain 59, 62–63
- middle finger 198, 212–213
- minerals 49, 116
- modified Adson's manoeuvre 232–233, 238–239
- muscular contractions 107–108
- natal cleft 199, 216
- natural convection 26–27, 30
- natural fevers 128
- navicular bone 220
- neural pathways 63, 129
- neurons
 - motor 61
 - second order 59–60
 - sensory 60–61
- neurophysiology 57, 143
- neurotransmitter 50, 130
- Newton's law 22–23
- nitric oxide 46, 112–114, 131
- non-black body radiator 37
- non-glabrous skin 129, 132
- non-shivering thermogenesis 62–63, 66–67, 95, 105, 132–133, 147
- oesophagus 70–71, 73, 76
- Ohm's law 23–24
- osteoarthritis 230, 236–237
- PACAP, *see* pituitary adenylate cyclase-activating peptide
- papillary regions 130
- paraventricular nucleus 47, 62–63
- patient preparation 191, 229, 231, 233, 235
- peak metabolic rate (PMR) 47, 98–99
- peripheral nervous system 55

- peripheral thermoreceptors
 - 54–56, 58, 134
- phalanx, basic 241
- photon detectors 164
- pituitary adenylate cyclase-activating peptide (PACAP)
 - 47, 112
- Planck's law 36
- PMR, *see* peak metabolic rate
- POA, *see* pre-optic area
- post-rescue death 140–141
- posterior axillary fold 207
- posterior forearm 209
- posterior knee 81
- Prandtl's number 30
- pre-optic area 47, 61–62, 133–134
- pre-optic area (POA) 47, 61–63
- proteins 49–50, 56, 105, 121, 133–134
- proximal interphalangeal joint 211–215
- pulmonary artery 70–72
- quality assurance procedures
 - 177, 179, 181, 183
- radiant exitance 33, 35
- radiant flow 33–34
- radiation terms, glossary of 33
- Raynaud's phenomenon 221–222, 234, 240–246
- raphe/peripyramidal area 47, 62–63
- rectal measurements 73, 75
- rectal temperature 48, 69, 72–76, 78, 137
 - true 75
- rectal temperature measurements 75
- rectal temperature monitoring 73
- REHL, *see* respiratory evaporative heat loss
- repetitive strain injury (RSI) 222
- respiratory evaporative heat loss (REHL) 47, 84–85
- resting metabolic rate (RMR) 47, 64, 99, 104, 134–135
- Reynolds number 28, 30
- rheumatology 5
- rib cage 196–197
- RMR, *see* resting metabolic rate
- RSI, *see* repetitive strain injury
- sarcoplasmic reticulum 107, 127
- second law of thermodynamics 20
- secretory coil 118
- Shapiro's equation 125
- shivering 62, 66–67, 107–108, 132–135, 137, 139, 147, 193
 - cold-induced 132–133, 135
- shivering heat production 65
- shivering thermogenesis 95, 108, 128, 132–134
- shoulders, right anterior 206–207
- silicon, amorphous 167
- skeletal muscles 94–95, 106, 108, 127, 133, 140
- skin blood flow 113, 130
- skin perfusion 132
- skin temperature 1, 5–6, 48, 58, 64, 68, 79–81, 86–88, 94, 113–114, 123, 130–131, 145–146, 221, 247
 - mean 88
 - radiometry-based 1
 - thermo-neutral 58
- skin temperatures, regional 79
- skin vasomotor tone 62–63
- skin vessels 61–62, 64, 112, 130
- SMR, *see* standard metabolic rate
- sodium 121
- somatosensory cortex 60–61
- spinal cord 50, 55, 59, 62–64, 132
- standard metabolic rate (SMR)
 - 47, 95, 97–99
- Stefan-Boltzmann constant
 - 35–36

- surface skin probes 78
- sweat 115–116, 119–124
 - eccrine 118, 121
 - secreted 124
- sweat evaporation 65, 122, 124
- sweat glands 63, 110, 116–121
 - apo-eccrine 119–120
 - apocrine 118–119, 121
- sweat rate 120, 124, 146
 - resting whole-body 122
- sweat secretion 115, 118–121, 123, 145
- sweating rates
 - absolute whole-body 122
 - relative whole-body 122
- sympathetic ganglia 47, 62–63
- temperature
 - axillary 75–76
 - body core 132, 139, 148
 - body skin 88
 - ear-based 75
 - epidural 72
 - finger 221
 - intestinal 73–74
 - intra-articular knee 81
 - intracranial 72
 - intramuscular 107
 - intraventricular 72
 - knee 81
 - muscle 109
 - oesophageal 47, 73
 - oral 73
 - pulmonary artery 69, 71–73
 - spinal cord 59
 - thermodynamic 9–10, 13–14
 - thermoneutral 57, 95, 132
 - tissue 148
 - urine 73
- temperature acclimation 145
- temperature distribution, recording 171
- temperature gradients, calculation of 243
- temperature regulation 52–53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81
 - autonomic 66–68
 - behavioural 63, 67–68
 - physiological 66
- temperature regulators
 - ectothermic 68
 - endothermic 67–68
- temporal artery 76
- therapeutic temperature modulation 134
- thermal adaptation 144–145
- thermal balance 78, 115, 122–124
- thermal conductivity 12, 23–24, 26, 91–93
- thermal detectors 164
- thermal diffusivity 24–25, 27
- thermal homeostasis 124
- thermal image analysis 81
- thermal imagers 2, 225, 227, 246
- thermal images
 - evaluation of 238–240
 - recording 191
- thermal imaging
 - history of 2, 4, 6
 - infrared 79, 93, 246
- thermal inertia 92
- thermo-effector gain 63–64
- thermo-effector output 63–64
- thermo-effector threshold temperature 63–64
- thermo-effectors 53, 56, 63–64, 68, 127
 - heat-conserving 128
- thermogenesis
 - adaptive 95, 132–133
 - cold-induced 132
 - diet-induced 95, 104–105
 - non-exercise activity 95, 108–109
- thermography, diagnostic 5–6
- thermoneutral zone 57, 64, 97

- thermoreceptors 54–56, 58–60, 110, 132
- thermoregulation 50, 52–53, 56, 65, 77, 94, 107, 132
- thermoregulatory behaviour 66
- thermosensors 54, 60, 86
- thermotropism 66
- thoracic outlet syndrome 230, 238–239
- thyroid hormones 133
- tissues, deep body 52, 83
- transient receptor potentials (TRPs) 48, 55, 60
- trapeze muscles 205
- TRP Ankyrin (TRPA) 48, 55–56
- TRPA, *see* TRP Ankyrin
- TRPs, *see* transient receptor potentials
- turbulent flow 28–30, 93
- tympanic membrane 70, 75
- tympanic temperature 75–76
- uncooled bolometric imager 178
- vapour pressure 40–41
- vasoactive intestinal peptide (VIP) 48, 112
- vasoconstriction 52, 65, 111, 130–132
 - cold-induced 91, 131–132
- vasodilation 52, 65, 110–114, 131
 - active 112–113
 - cold-induced 132, 148
 - heat-induced 91
 - temperature-induced 112
- vasomotor responses 113, 130
- ventral tegmental area (VTA) 48, 62
- VIP, *see* vasoactive intestinal peptide
- viscosity, kinematic 27–28, 41
- VTA, *see* ventral tegmental area
- waterfall analogy of heat transfer 87
- whole-body sweat losses 121
- whole-body sweat rates 121
- wrist 197–198, 208–210, 234–235, 240–242

“There is no way to study thermal imaging and not learn from the writings of Francis Ring and Kurt Ammer. Pioneers of the application of infrared thermography in medicine, the authors unveil the direction for a sensible use of the method. Luck for us—students, professionals and enthusiasts—because we can be grateful to receive a differentiated material that shortens the learning path. No doubt a remarkable book.”

Prof. Danilo Gomes Moreira

Federal Institute of Education, Science and Technology of Minas Gerais, Brazil

“This book is set to become essential reading for anyone who wants to perform reliable thermal imaging of the human body, whether it be in medicine, clinical practice, sports science or research.”

Prof. Graham Machin

National Physical Laboratory, UK

“This book is a wonderful practical guide that takes the reader through all the main stages required and will be of special interest for those interested in entering the fascinating field of clinical thermal imaging.”

Professor Emeritus James B. Mercer

UiT—The Arctic University of Norway, Norway

This book describes where and how an infrared equipment can be used in a strictly standardized way and how one can comprehensively report the findings. Due to their insight into the complex mechanisms behind the distribution of surface temperature, future users of medical thermal imaging should be able to provide careful, and cautious, interpretations of infrared thermograms, thus avoiding the pitfalls of the past.



Kurt Ammer was trained as a medical doctor in Vienna and was certified in general medicine and in physical medicine and rehabilitation (rheumatology). He was a senior researcher at the Ludwig Boltzmann Research Unit for Physical Diagnostics, Austria, between 1988 and 2004. He became involved in medical thermography in 1988 and was appointed as secretary and treasurer of the European Association of Thermology (EAT)

in 1990 and currently serves as the EAT treasurer. Dr. Ammer received his PhD from the University of South Wales, Pontypridd, UK, where he has been external professor since 2002. His research interests focus on rehabilitation medicine and the application and standardization of thermal imaging in medicine.



Francis Ring gained an MSc in pharmacology and later in 1994 was awarded a DSc at Bath University, UK. He joined the Arthritis Research Unit at the Royal National Hospital for Rheumatic Diseases, Bath, UK, in 1958 and retired as director of Clinical Measurement and Imaging in 2001. Then he became director of Medical Imaging Research at the University of South Wales and retired as emeritus professor in 2017. Prof. Ring is a member of the

Science Council and the Imaging Science Group of the Royal Photographic Society (RPS) of Great Britain, RPS medallist, RPS fellow and accredited senior imaging scientist.



JENNY STANFORD
PUBLISHING

