

Index

- abrasion 3, 15, 66, 134, 339–340
- abrasive-reactive wear 81, 83, 85, 87, 89–91, 93, 95
- abrasive wear 75, 81, 84–85, 90, 92, 94–96
 - of steel grinding media 92
- acids
 - acrylic 134–139, 142–143, 146, 152–156, 164–165, 169, 171–173, 180–181, 183–184, 200, 338, 340–342
 - monosilicic 104–105, 195
 - polysilicic 175, 195–196, 202
 - polystyrene and acrylic 171, 180, 183–184
- activation 163, 171
- activation energy 46–47, 50–51, 112, 277, 288–289, 376, 414
- activation time 87, 124, 126, 128, 158–159, 161–162, 168, 364
- additives, amine-containing 367–368, 374
- adsorbent particles 352–353
- agglomeration 120–121, 124, 130, 218, 236, 241, 301–302, 382, 417, 424
- aluminosilicates 289, 391
- aluminum 297–302, 304–323, 325–331, 384–385, 388, 393, 396, 402–416, 418–420, 422–426, 428
 - activated 403, 405, 420, 423
 - activated mixture of 403, 408
 - activation of 406, 413
 - active 326–329, 425
 - grinding of 406, 413
 - liquid 320, 324, 417, 424
 - mechanical grinding of 298, 330
 - mechanochemical treatment of 298, 304, 403, 405, 410, 413
 - modified 318, 331, 407, 410, 412, 419
 - non-activated 421–425
 - oxidation of 320, 396
 - unreacted 412–413
- aluminum-based powders 313, 315, 317, 319, 321, 323, 325
- aluminum carbide 320, 323
- aluminum crystallites 308, 310
- aluminum melting and complete transformation 320
- aluminum nitride 320, 385, 391, 405–406, 413
- aluminum oxide 304, 308, 314, 316, 318, 390, 407, 424
- aluminum particles 297–299, 301–302, 306–308, 310–311, 313, 326, 328–329, 331, 406, 419, 422–424
 - agglomeration of 302, 420, 426
 - deformed 311, 314
 - dispersible 330
 - distribution of 302, 310
 - modified 318
 - original PA4 301
 - in solid rocket fuels 424
 - surface area of 302, 309
 - treated 298

- aluminum powder 297–299, 301, 303, 305, 307, 309, 311, 314, 323, 325–327, 331, 402–403, 415–417, 419, 424, 426–428
 - particles 299, 307
 - processing 299
 - surface of 310, 315
- amine groups 370–371
- ammonia 229, 232, 238, 241–242, 244, 246, 264–266, 271–273, 366–369, 371, 388, 390, 395
 - aqueous solution of 227, 229, 231, 233–234, 237–239, 241, 244, 247, 365, 382
 - liquid 238, 272–273, 367
- ammonia-modified particles 242
- amorphization 6, 20, 42, 92, 94, 107–108, 123, 128, 171, 195, 346

- bending angle 363–364, 368–369, 371–372
- bending strength index 363
- Brinell hardness 361–362, 366–367
- bulk density 30, 120–122, 134, 229, 231–232, 237, 241, 261–265, 273
- butanol 55, 112, 131–134, 136, 138–139, 141, 146, 150–151, 153–154, 161–163, 169, 171–172, 176, 199, 260, 263–266, 268, 270, 280, 282–284, 286–287, 290–291, 365–369, 374, 392, 396, 415
 - aqueous solutions of 271, 394–397
 - hydroxyl group of 282, 288
- butanol molecules 281, 283, 291

- CaAl₄O₇ 389–390, 396–397
- calcite 2, 235–239, 247–248, 256, 260–264, 356, 380, 385–386, 388, 391–398, 414–415
 - calcite particles, dispersity of 236
- calcium carbonate 235–237, 244, 388–390, 393–397
- calcium cations 288–290
- calcium ions 280, 283–284
- carbon 133–135, 139, 142, 144, 146, 165, 171, 173–174, 177, 179–180, 185–186, 198–199, 201–202, 242, 300, 305, 309, 311, 322, 326, 328, 331, 336–339, 343, 345, 347, 351, 354, 380, 387, 391, 406, 411, 413
 - activated 133–134, 177–178, 182
 - free 198–200, 202
 - solid solution of 171, 173, 179–180, 331
- carbon-containing compounds 186, 219, 331
- carbon-containing structures 144
- carbon modifier 177, 186, 404, 408, 410, 414
- cavitation bubbles 252–253, 255–256
- centrifugal planetary mill (CPM) 228, 345
- chaotic structure 48
- chemically modified silica (CMS) 113–114
- chemisorption 107, 109–110, 285
 - mechanical 10
- CMS, *see* chemically modified silica
- CO 109–110, 240, 365, 393
- CO₂ 109–110, 395
- combustion 298, 376–377, 379–382, 384–393, 395–396, 398–404, 406–410, 412–415, 417, 423, 426–428

- rate of 391, 395, 401, 410, 419, 423
- solid-flame 385
- technological 380, 415
- combustion mechanisms 377, 417
- combustion products 376–378, 390, 396–397, 406, 409, 412, 414–415, 426–428
- condensed 427
- combustion systems 382–383, 386–387, 389, 393, 399–400, 403, 408–412
- combustion thermograms 381, 386, 392, 394–395, 403–404, 408–409
- composite systems 7, 12, 140, 186, 239, 247–248, 272, 298, 336, 355–357, 359, 361, 363, 365, 367–369, 371–374, 379, 391
- composites 193, 235, 239, 300, 302–303, 308–310, 314, 318–319, 321–322, 324–325, 327, 335, 340, 356, 365, 367–372, 374, 392, 402, 408–409, 411, 421–425
- composition systems quartz core-polymer shell 229, 231, 233
- conventional rotating drum mill (CRDM) 66–67, 70–71
- corundum 346, 384–385, 390–391, 402, 406
- CPM, *see* centrifugal planetary mill
- CRDM, *see* conventional rotating drum mill
- crystal lattice 19, 23, 42, 46–49, 51, 55, 124–126, 130, 167, 179, 206–207, 213–214, 268, 278, 291
- crystal structure 5, 9, 20, 27, 84, 87, 206, 266, 277–278
- crystallization 84–85, 93, 149
- crystals, deformed 214, 216
- decomposition 3, 8, 10, 139–140, 173, 181, 201, 295, 379, 391, 395
- deeply disordered unstable structures 6
- deformation energy 20, 46
- deformation mobility 34
- deformation vibrations 107, 147, 149, 151, 156, 314, 326
- deformational transformations 44
- density functional theory (DFT) 276
- DFT, *see* density functional theory
- dielectric constant 208, 210, 258–259, 263, 269–273, 358–361, 363, 366, 372–373, 375
- dielectric permeability 259
- disperse composition systems 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248
- dispersion, ultrasonic 253–255, 379, 392
- ductility 363, 366, 369, 371–372
- elastic deformation 22, 297
- elastic waves 27, 29–30
- electric charges 55, 103, 206, 214, 221, 234, 309, 378–379
- electric field 32, 103, 111, 205, 207, 210–212, 214–216, 220–222, 234, 310, 360
- electric field energy 211
- electrical resistivity 129, 137, 184

- electromagnetic fields 215–216,
219, 221–222, 234
- electromagnetic response 215,
221–222, 234
- electron beam 233, 235, 243–245,
265, 267, 273
- electron emission 31–32, 55, 109,
203–205, 216, 218, 220–221,
378
- electron microdiffraction
140–141, 143–144, 165
- electron paramagnetic resonance
27, 156, 318
- electron paramagnetic resonance
(EPR) 27, 156, 160, 186, 318
- electrophilic addition 286
- electrophysical processes 57
- ellipsoids 67–69, 71
- energy
elastic 29, 33, 214
kinetic 17, 30, 36
potential 2–3, 288
stored 19, 21, 28, 48, 52, 379,
414
- energy dispersion spectrum 298,
307, 312
- energy dissipation 48–49
- epoxy compositions 359–360,
363–365, 367, 369–375
change in dielectric constant of
375
change in hardness and
mechanical properties of
375
- epoxy polymers 358–359, 367
- epoxy resin 357–359, 361–362,
365–368, 371–372, 374
- EPR, *see* electron paramagnetic
resonance
- esterification 194, 287–288,
290–291
- ethanol 131, 161–163, 176, 197,
382
- ethylene glycol 132, 151–152,
161–163, 176, 346
- exothermic reactions 323, 385,
391, 394
- Fe_2O_3 87, 89, 128, 167–169, 179,
181, 254, 343
- Fe_3O_4 85, 87, 89, 169, 173, 179,
181, 254, 349
- ferric chloride 157–161, 163, 165,
173, 347, 349, 351
- ferrite 8, 173, 179–180, 186
- ferromagnetic compounds 174,
183, 185–186, 344–345, 355
- ferromagnetism 165, 175, 178,
186–187, 213, 353
- ferrophase content 162
- fettling layer 77, 79–80
- free radicals 5–6, 8, 10, 53–54, 56,
204–206, 318
- galena 91–96
- gaseous medium 50, 52, 204, 219,
221
- glass, liquid 257–258, 260, 339
- glycerin 176, 264–268, 270–273,
365–369, 371–374, 392, 401,
415
- glycerol 132, 142, 260, 264, 270,
273, 368–369, 372–373
- graphite 9, 12, 143, 254, 298–302,
304, 308–311, 313–314, 318,
320–323, 327, 329–330, 403,
408, 410, 417, 420, 423
- grinding 2–3, 12, 15–17, 19,
21–24, 26–27, 29, 42–45,

- 49–53, 63, 111, 113, 115, 119,
122, 125, 127, 129, 131–132,
135, 163–164, 195–196, 203,
205, 209–210, 212–213, 215,
229, 231, 239, 241, 243, 253,
296, 298, 309–310, 328, 330,
377, 379
- intensive 105–106, 232
- grinding apparatus 37–38, 40, 45,
120
- grinding balls 42, 156, 165, 209,
219, 222, 233–234, 236–237,
417
- grinding bodies 19, 36–37, 40,
64–75, 80–81, 83, 85, 87, 90,
92, 95–96, 229, 379
- grinding devices 15, 17, 37, 40
- grinding machines 15, 18, 21, 38
- helenite 389–391, 394
- Hertz theory 38, 45, 64–65, 71
- heterogeneity, structural 219, 302
- hexane 299, 307, 313–314, 318
- hydrogen atoms 280–284
- hydrogen bonds 104, 107–108,
111, 149, 281–285, 290–291,
315, 357
- hydrometallurgical processes 12
- inorganic materials 16, 18, 20, 22,
24, 26, 28, 30, 34, 36, 38, 40,
42–50, 52, 54–56, 81, 101,
134, 140, 164, 175, 239, 298
- inorganic particles 43, 379
- ionization 8–9, 32, 216, 218, 221
- iron 2, 76, 86–87, 89–90, 92–94,
96, 146, 155–159, 161–165,
167, 169, 171–175, 177,
179–181, 185–186, 195–196,
201–202, 220, 228, 342, 349,
385, 405–406, 413
- ferric 157–158, 164
- metallic 159, 169, 171, 173, 180
- trivalent 159
- ultrafine particles of 220
- iron acrylates 154–156, 174
- iron carbide 165, 177, 186
- iron-containing structures 157
- iron disilicides 406, 413
- iron oxides 92, 95, 128, 168,
180–181, 345–347
- iron particles, non-interacting 171
- iron salts 164, 345, 347
- iron silicates 89–90, 201
- iron sulfides 93, 95
- irreversible processes,
thermodynamics of 4, 49
- linear thermal expansion coefficient
(LTEC) 125, 127–128, 137
- LTEC, *see* linear thermal expansion
coefficient
- macrokinetics 50, 52, 375
- macromolecular compounds 9
- macromolecules 2, 32
- macroradicals 53–55
- magnetic adsorbent 348–354
- magnetic fields 158, 161–164, 166,
168
- magnetic permeability 176–184,
343, 345, 351
- magnetization 165, 175–177,
180–181, 184, 186, 343, 355

- marble 12, 235–237, 247, 356, 388–389
- MCT, *see* mechanochemical treatment
- MCT of aluminum 298–299, 302, 304, 307–309, 311, 313–318, 331, 403–405, 409–410, 412, 422
- MCT of composites 310, 421–425
- MCT of wollastonite 239, 241, 243, 359, 364, 368–369, 372, 375, 387
- mechanical action 2–5, 8, 10, 23, 25–30, 33–34, 36–37, 41, 43–44, 50, 53–54, 56–57, 81, 89–90, 107, 110, 120, 125, 127, 158, 177, 194, 202, 211, 214, 216, 232, 234, 291, 299, 316, 329, 378–379
- mechanical activation 12, 20, 22–23, 27–28, 34, 43–44, 64, 66–67, 69, 71, 73, 75, 77, 79–80, 86–87, 91–92, 95–96, 106, 108, 111, 128, 148, 158–159, 167, 203, 217, 427
- mechanical alloying 8
- mechanical deformations 30
- mechanical destruction 2, 35, 54, 109, 171, 237
- mechanical dispersion 55, 114–115
- mechanical energy 2–3, 26, 74, 208
 - absorption of 8, 10
 - influence of 3, 8
 - transformation of 27–28
- mechanical energy
 - transformations 27
- mechanical grinding 45, 330
 - conventional 253, 255
- mechanical impact 1, 90, 102, 104, 106, 108, 110, 112–114, 122, 143, 229
- mechanical loading 34, 217
- mechanical reactors 120, 122–124, 126, 128, 130, 132, 134, 136, 138–140, 142, 144, 146, 148, 150–154, 156, 158, 160, 162–166, 168, 170, 172, 174–176, 178, 180, 182, 184, 186, 193, 204, 206, 209, 213–215, 222, 234, 309, 326, 331, 345–347, 356, 358
- mechanical transformations 5
- mechanochemical activation 9, 19, 27, 31, 44, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92–96, 175, 186, 289–291, 370, 377, 384
- mechanochemical activation of aluminum powders 309, 311
- mechanochemical methods 8–11, 343
- mechanochemical modification 50, 202, 228, 337, 354–355
- mechanochemical processes 5, 7, 22, 26, 30, 40–41, 48–49, 52–53, 55, 75, 79, 81, 83, 85, 87, 89, 92, 101, 204, 215
- mechanochemical processing 45, 63, 96, 106, 130, 133, 142, 154–156, 173–175, 177, 179, 185–187, 205, 227, 235, 239, 247, 251, 295, 318, 331, 343, 345, 354
- mechanochemical reactions 3, 33, 44
- mechanochemical reactors (MR) 38, 64, 72, 74, 81, 91
- mechanochemical reduction 96
- mechanochemical transformations 5, 8, 52, 101
- mechanochemical treatment (MCT) 11–12, 26–27, 45, 47–51, 54, 65, 67, 69, 119, 137–139,

- 144, 146, 155–156, 164–165, 174–176, 178, 180, 182–183, 185–187, 217–220, 222–223, 227–248, 251, 268, 271, 297–331, 335–340, 342–348, 350, 352–356, 358–362, 364–370, 373–378, 380–386, 388–392, 394, 396, 398, 400, 402–428
- mechanochemical treatment of
aluminum powders
298–299, 301, 303, 305, 307, 428
- mechanochemistry 1–4, 6–12, 22, 52, 106, 193, 195, 197, 199, 201, 203, 205, 251–252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290
- development of 2–3, 5, 7
- mechanochemistry of
macromolecular compounds
9
- mechanochemistry of organic
compounds 53, 55
- mechanocracking 32, 52–54, 56, 139–140
- metal powders, processing 296
- metallic iron nanoparticles 165, 354
- metals 1–2, 32, 54, 111, 114, 156, 186, 196, 201, 203, 254, 302, 335, 376, 379, 416, 420
- heavy 335–336
- metastable atomic structures 295
- metastable structures 48
- microencapsulation 114–115
- mineral raw materials 11–12, 90, 96, 112, 235, 247–248
- processing of 11, 90
- minerals 12, 63, 90–91, 147, 165, 173, 235, 238, 246, 356, 396, 398
- mixed solid rocket fuel (MSRF)
318, 416, 418, 423–426, 428
- modification of metal systems
295–296, 298, 300, 302, 304, 306, 308, 310, 312, 314, 316, 318, 320, 322, 324, 326, 328, 330
- modifiers 130–136, 138–139, 143–144, 146, 151–152, 154–156, 169, 171–172, 174–182, 184, 186–187, 199, 202, 227, 229–230, 232–238, 240–243, 246–248, 258, 260, 268–269, 272, 274, 307–308, 310, 312–313, 326–331, 337–344, 366–371, 374, 384, 386–388, 390–391, 396–397, 405, 411, 413, 417, 419, 425–428
- carbon-containing 142, 387
- destructible 156, 326
- nitrogen-containing 242, 244, 248
- quartz-organic 205
- Mössbauer parameters 167–169
- Mössbauer spectroscopy 155–156, 165–166, 171, 173, 186, 202
- MR, *see* mechanochemical
reactors
- MSRF, *see* mixed solid rocket
fuel
- mullite 323, 343, 384–385, 394
- NGRS, *see* nuclear gamma
resonance spectroscopy
- nitrogen-containing compounds
233, 235, 382, 384, 414
- nuclear gamma resonance
spectroscopy (NGRS) 86–87

- organic compounds 7, 32, 53, 55–56, 104, 110–112, 115, 134, 137, 139–140, 144, 165, 186, 196, 204, 206–207, 209, 211, 213, 220, 222, 234, 237, 274, 295, 309, 336–337, 341, 354, 379–380, 392, 415
- organic modifiers 136, 139, 171, 186, 201, 241, 299, 309–311, 331, 354, 408, 420

- paramagnetic centers (PMCs) 35, 44, 109, 111
- parawollastonite 396–397
- PCM, *see* planetary-centrifugal mills
- PES, *see* potential energy surface
- physicochemical processes 7, 9, 11
- physicochemical processes of substance transformation 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43
- physicochemical transformations 7
- piezoelectric effect 31, 103, 205–207, 211–213, 215, 217, 234
- piezomaterials 203, 207, 213–214, 221, 234
- planetary-centrifugal mills (PCM) 18–19, 21, 37, 221
- plastic deformation 5, 19–20, 25, 29, 33, 41, 43–44, 48, 65, 214, 330
- plasticity 298, 363, 368–371, 374–375
- plasticization 11, 366, 368, 370–371, 374
- PMCs, *see* paramagnetic centers
- polydispersity 121–122, 132, 231, 241
- polymer compositions 52, 112, 357–359, 361–362, 364, 366–367, 374–375
- polymerization 10, 32, 43, 55–56, 111, 113, 135, 195, 198–200, 203, 205–206, 220, 233, 241, 248, 251, 255–256, 339, 347, 355, 358, 361, 379–380
- polymorphic transformations 10, 127, 130
- polystyrene 3, 53, 134–139, 143–146, 152–154, 164–165, 169–173, 178–181, 183, 186, 202, 338–340, 342–344, 346–347, 349–351, 355
- polyvinyl alcohol 227, 229–231, 233, 235–239, 241–242, 245, 247, 298–302, 305–316, 318, 327–329, 383, 386–388, 390, 400, 402–403, 406–407, 409–411, 417, 420, 422, 428
 - destruction of 316, 323
- potential energy surface (PES) 285–288, 290
- powder systems, ultrasonic
 - treatment of 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290

- quantum-chemical calculations 275, 277, 279, 281, 283, 285, 287, 289, 291
- quantum chemistry 275–277, 291
- quartz 125
 - activated 89, 107, 110–111, 121, 123–125, 127, 129, 158, 160, 162–163, 168, 389

- activated and modified 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173
- activation and modification of 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186
- bulk density of 230–231, 262
- combustion of 395
- crystalline 91, 94, 104, 215, 222
- dilatometric curves of 125–126, 138
- dispersible 119, 140
- EPR spectra of 157, 165
- ferromagnetism of 163, 165, 185
- fused 31, 91, 93–96, 203
- grinding 86, 106, 108, 111, 131, 140, 150–151, 174, 186, 210, 233, 382
- magnetization of 164, 176
- measurement of magnetic permeability of 178, 180
- modification 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 384
- modified 141, 143, 145–147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 182–183, 186–187, 338–339, 354–355, 414
- natural 95, 166, 173
- non-activated 381, 393
- treated 146, 155, 173, 179
 - ultrasonic treatment of 392, 395–396, 398
 - unmodified 132, 139
- quartz crystals 83, 206, 215
- quartz impurities 244, 246
- quartz lattice 87–89, 147
- quartz particles
 - activated 87, 90, 175
 - amorphous 95
 - crushed 214
 - crystalline 106
 - deformable 222
 - deformed 196, 234
 - dispersible 165, 384
 - grinding 202
 - ground 81, 124
 - modified 140, 147, 156, 186, 337, 354
- quartz powder 131, 133, 135, 137, 139, 230
 - activated 129
 - electrical resistivity of 138
 - ferromagnetism of 175, 177, 179, 181, 183, 185
- quartz splitting 203
- quartzite 227, 258
- quartzite powders 259
- reduction 159, 164, 171, 173, 186, 194, 306, 347, 370, 388, 395, 403–404, 427
- roll mills 74
- rotating drum mill, conventional 66, 70–71
- Schrödinger equation 274–275, 290

- self-organization 32, 43, 45, 218–219, 221
- SH-synthesis 375, 377, 379, 381, 383, 385, 387, 389, 391–393, 395, 397, 399, 401–403, 405–407, 409, 411, 413
- silanol groups 104, 110, 195, 197–198, 281–288, 290
- silica 11, 35, 89, 101–102, 108–109, 111–113, 115, 146, 159, 182, 186, 196, 201, 246, 280, 282–286, 288–289, 291, 311–312, 322–323, 325, 328, 336, 338, 342, 384, 388–390, 402, 406, 413, 426
 - amorphous 23, 104, 106, 111–112, 336
 - chemical modification of 112, 115, 338
- silica gel 112, 336
- silica quartz 163
- silicate materials 335–336
- silicate structures 104
- silicic acid 151, 195–196, 205, 220, 241–242, 246–247, 257–260, 339, 386, 388, 402
 - aqueous 257, 259–260, 383
- silicon carbide 323, 391, 405–406, 413
- silicon dioxide 55, 81, 83, 85–86, 95, 101–106, 108–112, 114, 124, 133–135, 147, 157, 163, 168–169, 173, 178, 184, 198, 227, 239, 243, 258, 277, 280, 310–313, 318–319, 322–325, 329–330, 335–336, 340, 342–343, 381–401, 403–413, 417, 420, 423–428
- silicon-oxygen tetrahedra 277–278, 291
 - articulated 278, 280
- siloxane bonds 105–106, 110, 149, 156, 174, 193–194, 197, 220, 280, 284, 291, 336
- sodium chloride 134–135, 138, 142–143, 211, 339, 342, 355
- solid fuels 114, 417–420, 422–423, 426–428
- solid-phase combustion 318, 378
- solid rocket fuels 415, 417, 419, 421, 423, 425, 427
- sorbents 7, 114, 184, 335–337, 339–343, 346, 348, 352–354
 - mechanochemical modification of 337, 355
- stretching vibrations 107, 147, 149, 151, 153, 281, 317
- succinic acid 227, 229–231, 233–235, 238, 241, 245, 247, 384, 386–390
- supramolecular structure 6
- technological combustion 376, 378, 392, 395, 398, 411, 414
- thermal expansion 124–126, 130, 137, 212
- thermo-kinetic characteristics 396, 409, 412
- thermograms of combustion systems 403, 408–411
- thermogravimetric analysis of composites 321–322, 324–325
- thermokinetic characteristics 380, 384, 388–389, 392, 398–399, 402, 404, 410, 415
- ultrasonic processing 251, 253, 255, 259, 268, 398

- ultrasonic treatment (UST)
 - 251–274, 276, 278, 280,
 - 282, 284, 286, 288, 290, 297,
 - 356–365, 367–374, 379–380,
 - 392, 394–402, 414–415
- ultrasonic vibrations 253, 255, 357, 380
- ultrasound 8–9, 31, 254–255, 260, 262, 272, 357, 379, 392, 401
- urea 229–231, 233–235, 237–239, 241–242, 245, 247, 260–261, 263–268, 271–273, 280, 282, 284, 289–291, 365–369, 371–373, 392, 395–397, 415
 - aqueous solution of 392, 395–396
- urea adsorption 284–285
- urea-modified powders 241
- urea molecules 281, 284–285, 291
- urea particles, modification of 371
- UST, *see* ultrasonic treatment

- water 9, 11, 43, 104–105, 108, 112, 198, 237–238, 257–258, 260, 262–272, 326, 335–337, 339–343, 347–348, 352–354, 360, 362, 364, 367, 370–371, 383, 392–394, 398–399, 401–402
 - polluted 340
- water molecules 104–105, 107–108, 315, 383
- water purification 335–337, 339–343, 345, 348–349, 351, 353–355

- water resistance 339–340
- water vapor 104, 107–108, 195, 395
- wollastonite 12, 235, 239–241, 243, 246–248, 264–265, 268, 270–274, 277–278, 280, 282–289, 291, 356–375, 380, 385–392, 398–402, 415
 - crystal structure of 278
 - mechanochemical treatment of 247, 375
 - modification of 246, 271, 358, 365, 368, 374
 - modified 271, 277, 368, 371, 374–375, 388, 390–391
 - processed 358
 - structure of 278–280, 291
 - surface of 281, 283–285, 287
 - ultrasonic treatment of 268, 271, 273, 362, 365, 367, 370, 372–373, 375, 400
 - ultrasound processing of 367
- wollastonite crystal lattice 269–270
- wollastonite crystals 239, 277
- wollastonite particles
 - dispersion of 240
 - modification of 274
- wollastonite powder particles,
 - bulk density of 265–266

- X-ray phase analysis 91–95, 150, 156, 162, 171, 173, 305, 341, 405

