

Index

- ABC *see* aneurysmal bone cyst
- abdomen 6, 172, 627, 688
- abduction 4, 6, 7, 161, 162, 370, 378, 381, 383, 386, 439, 446, 560
- active 650
- isometric 477
- passive 494, 496
- abduction contracture 389
- abduction dysfunction 687
- abductor 20, 22, 211, 314, 319–321, 373, 379, 641, 642, 652, 653, 655, 656, 668, 672
- abductor attachment 310, 311, 314
- abductor function 542, 545, 642, 652
- abductor mechanism 230, 237, 542, 549, 644
- abductor muscle 10, 18, 20, 23–25, 52, 250, 290, 292, 641, 643, 652
- abnormality 9, 15, 300, 445, 460, 485, 488, 497, 713
- anatomical 46
- congenital 398
- orientational 450
- pathoanatomical 147
- soft-tissue 476
- acetabular cartilage 69, 404, 437, 452
- acetabular component 138, 139, 141, 158, 159, 161, 163, 224, 225, 510, 514, 520, 540, 556–561, 646, 647, 649
- alumina 95
- cemented 201, 257, 287, 318, 647
- radiographically stable 192
- radiographically unstable 192, 201
- uncemented 284, 286, 517
- acetabular component positioning 161, 230, 560
- acetabular cup 92, 138, 158, 162, 163, 285, 286, 531, 541, 556, 560, 562, 648, 649
- acetabular defect 85, 140, 256
- acetabular deficiency 138–140, 200, 253–255
- acetabular dysplasia 44, 369, 437, 445, 736
- acetabular exposure 235, 241, 243, 248, 249
- acetabular fossa 3, 402, 718
- acetabular labrum 1–5, 8, 161, 315, 438–440, 454, 559, 570, 572–573, 719, 725
- acetabular line 77, 200, 206, 284, 290, 534
- acetabular notch 1, 4, 161, 531, 559, 718, 719, 726
- acetabular rim 68, 69, 197, 404, 438, 451, 452, 454, 457, 572, 577–579, 582, 585
- anterior 350, 447
- anterosuperior 440, 577
- bony 438
- metallic 91
- posterior 249
- posterolateral 249
- superior 65
- acetabular visualisation 163, 241, 561

- acetabulum 1, 7–9, 13–15, 17, 50, 51, 161, 196–198, 233–235, 240, 241, 255, 256, 348, 369, 371, 437, 438, 449–452, 572, 573, 646, 647, 699, 700, 714–718, 724–726
- cup-shaped 14
- deep 450
- deficient 140, 347
- false 50, 270, 271
- left 331, 729
- native 647
- overcovered 450
- posterior 231
- proximal 290
- retroverted 450
- right 748
- uncemented 276
- adduction 4, 6, 7, 234, 240, 241, 446, 448, 449, 453, 455, 456, 461–463, 474–476, 478, 479
- end-range 476
- femoral 460, 462
- femoral head 388
- gravity 697
- neutral 474
- resisted 489, 494, 496
- adductor 6, 441, 447, 448, 459, 462, 467, 479, 482, 486, 487, 489, 492, 493
- adhesion 46, 356, 357, 577
- aetiology 30, 301, 371, 420, 423, 424, 428, 451, 452, 454, 468, 510, 643
- AFF *see* atypical femoral fracture
- AIIS *see* anterior inferior iliac spine
- aneurysmal bone cyst (ABC) 733, 734, 742
- anterior inferior iliac spine (AIIS) 4, 10, 11, 137, 359, 401, 442, 667, 714, 715, 718, 720, 751
- anterior minimally invasive surgery 663
- anterior superior iliac spine (ASIS) 160, 161, 174, 175, 237, 243–245, 292, 344, 345, 401, 531, 558, 559, 576, 666, 667, 670, 671, 714, 715, 720, 751
- anteversion 14–17, 27, 28, 159, 161, 162, 317, 318, 445, 448, 531, 532, 534, 540, 541, 557, 560, 561, 700
- neutral 318
- normal 717
- severe 47
- antibiotics 29, 30, 39–42, 266, 289
- aponeurosis 176, 177, 485, 491
- artery 4, 177, 687
 - deep profunda femoris 7
 - femoral 4, 7, 247, 387
 - foveal 7
 - inferior gluteal 344, 387
 - lateral circumflex 313
 - lateral femoral circumflex 246
 - medial femoral circumflex 351, 387
 - posterior circumflex 304
 - right common iliac 353
 - superior gluteal 7, 232
- arthritis 318, 371, 390
 - early degenerative 377
 - end-stage 71
 - inflammatory 40, 299, 639, 640
 - postseptic 377
 - post-traumatic 191, 280, 639, 657
 - rheumatoid 6, 40, 191, 279, 609, 615, 628
- arthrodesis 44, 280, 640, 643, 653, 655
- arthroplasty 299, 301, 303, 397, 399, 506, 509, 612–614, 618, 620, 621, 623, 703–705, 709, 710
- cemented 323
- elective 618
- failed 307, 321, 323

- optimal 615
- painful resection 309
- primary 290, 291, 686
- robot-assisted 550
- arthroscopic procedure 356, 398, 399, 403, 404, 406, 407, 457
- arthroscopic surgery 351, 359, 402
- arthroscopy 41, 53, 133, 135, 344, 349, 351, 354, 371, 399, 530
- arthrosis 171, 372, 377, 384
- arthrotomy 39–41, 45, 206, 666, 671
- articular cartilage 2, 32, 40, 44, 45, 135, 282, 402, 405, 438, 439, 718, 725
- articular surface 1, 3, 8, 14, 16, 20, 282, 299, 304, 404, 572
- articular surface replacement (ASR) 297, 511
- ASIS *see* anterior superior iliac spine
- ASR *see* articular surface replacement
- athlete 11, 429, 435, 436, 446, 447, 449, 451–456, 458, 462–468, 470–472, 475, 477, 478, 480–493, 497, 498
- atypical femoral fracture (AFF) 133, 627–629
- avascular necrosis 280, 301, 304, 352, 369, 385, 396, 413, 442, 445, 488
- bacteria 30, 32, 40, 44
- Beckmann retractor 176
- BHR *see* Birmingham hip resurfacing
- bioprinting 123, 145, 146
- biopsy 666, 671
- Birmingham hip resurfacing (BHR) 106, 298, 301
- BMD *see* bone mineral density
- BMI *see* body mass index
- BMO *see* bone marrow oedema
- BMP *see* bone morphogenetic protein
- body mass index (BMI) 283, 395, 449, 541, 666
- bone 30–32, 34, 35, 135, 136, 192, 196, 197, 267, 284, 308, 321–323, 373, 395, 396, 398, 417, 493, 517, 518, 625–627, 700–702, 704, 705, 728, 729, 741, 742
- abnormal 751
- cancellous 618, 728
- cortical 204, 729, 730, 737
- disordered 374
- epiphyseal 387
- erosive 301
- femoral 134
- host 142, 254, 612
- innominate 14, 328, 330
- ischium 1
- metaphyseal endosteal 258
- metaphysical 211
- necrotic 135, 428
- osteopenic 621
- osteoporotic 623, 648
- proximal 648
- proximal metaphyseal 648
- pubic 140, 483, 484, 488, 489, 493, 724, 731, 743
- resected 214, 331
- standardised 599
- bone cement implantation syndrome 293
- bone cyst 282, 733, 734, 742, 743
- bone grafting 48, 134, 199, 201, 205, 206, 427, 642
- bone ingrowth 84, 85, 127, 138, 210, 278, 285, 308
- bone islands 728, 729
- bone loss 95, 196, 197, 210–212, 220, 224, 321, 323
- acetabular 140
- diaphyseal 258

- femoral 309
- proximal 197, 210
- bone marrow oedema (BMO) 429, 430, 485, 493, 729
- bone mineral density (BMD) 417, 598, 749
- bone morphogenic protein (BMP) 222, 427
- bone remodelling 282, 373
- bone resorption 72, 107, 222
- bone stock 189, 192, 197, 205, 207, 208, 211, 212, 255, 256, 259–261, 265, 642, 646
- bone tumour 142, 307, 309, 327, 488, 727–731, 734, 735, 738, 739, 741, 742, 745, 747
- brown tumour 739, 748, 749
- bursae 6, 420, 446, 473–475
- Caisson disease 424
- cam deformity 352, 438, 439, 450–453
- cam lesion 137, 351, 352, 355, 631
- cancer 108, 626, 627
 - metastatic 220
 - prostate 488
- Candida albicans* 32
- capital femoral epiphysis (CFE) 44–47, 65, 143, 375, 376, 640
- capsule 2, 3, 31, 32, 35, 36, 178, 230, 232, 315, 319, 355, 357, 697–699, 701, 702, 704, 705, 718, 725
- anterior 240, 242, 247, 350, 386, 439, 699, 719
- conjoined 698, 702
- inferior 316, 699
- lateral 250
- native 571
- posterosuperior 387
- proximal 577
- superior 687, 702
- capsulectomy 40, 248, 351
- capsulotomy 40, 248, 350, 385, 576, 577, 579, 624, 625, 670, 700–702
- cartilage 14, 44, 46, 50, 393, 395, 405, 439, 451, 452, 577, 578, 718
- cartilage implantation 395, 403, 405
- cavity 1, 359, 733
 - medullary 732, 736, 749, 750
 - pelvic 680
- cemented stem 95, 208, 258, 259, 262, 285, 287, 308, 517, 615, 648
- ceramic heads 98, 103–105
- ceramic-on-ceramic (CoC) 71, 72, 92, 94, 95, 99, 103, 109, 287, 304
- ceramic-on-polyethylene 71, 92, 93, 103
- ceramics 76, 85, 86, 88, 89, 91, 95, 99, 287
 - bioinert 85
 - fourth-generation 86
 - mixed-oxide 85
 - orthopaedic implant-grade 85
 - third-generation 86
- CFE *see* capital femoral epiphysis
- Charnley approach 291
- Charnley retractor 232, 688
- chondral lesions 438, 457, 465
- chondroblastoma 737, 738, 742
- chondrolysis 32, 44, 351, 352
- chondropathy 454, 456–458, 465, 466
- chondrosarcoma 315, 329, 736–739, 744, 756
 - pelvic 141
 - peri-acetabular 329
- chronic obstructive pulmonary disease (COPD) 353, 609
- clindamycin 42, 289
- CoC *see* ceramic-on-ceramic

- comorbidity 189, 190, 225, 309, 321, 359, 473, 595, 597, 611, 617
- compression 11, 342, 353, 473, 474, 477, 479, 618
 - ameliorate 473
 - iliac vein 353
 - joint 440
 - perineal soft-tissue 575
 - tendon 468, 469
- computed tomography (CT) 122, 125, 140, 141, 198, 224, 282, 301, 371, 446, 485, 519, 520, 609, 642, 729–733, 741–743, 752, 753
- computer-assisted surgery 158, 165, 530, 556, 563
- computer navigation 158, 161, 162, 164, 165, 329, 333, 557, 559, 560, 562, 563
- computer navigation system 157, 160, 164, 555, 558, 559, 561–563
- continuous passive motion 357
- continuous passive motion programmes 357
- conversion surgery 641, 644, 647–653, 655–657
- COPD *see* chronic obstructive pulmonary disease
- corrosion 73, 83–85, 91, 104, 287, 299
 - crevice 83, 85, 91
 - galvanic 83, 91
 - intergranular 82
 - in vivo 89
- cortical perforation 195, 204, 205, 213, 262
- corticosteroid 422, 424, 479, 490
- coxa breva 37, 47, 48, 370, 375, 385
- coxa magna 46, 47, 370
- coxa profunda 136, 716
- coxa valga 2, 3, 17, 25, 47, 48, 372, 406, 737
- coxa vara 2, 3, 17, 25, 47, 48, 300, 370, 372, 378, 380, 388, 406
- C-reactive protein (CRP) 32, 34, 35, 39, 43, 301, 515, 522
- CRP *see* C-reactive protein
- crutches 23, 24, 383, 466, 480
- CT *see* computed tomography
- CT scan 140, 224, 225, 371, 481, 521, 550
- custom implant 140, 141, 261
- custom prosthesis 139, 147, 215, 216, 333
- DAA *see* direct anterior approach
- DALA *see* distal anterolateral accessory
 - DALA cannula 579, 580, 583, 584
 - DALA portal 578, 579, 581, 584
- DDH *see* developmental dysplasia of the hip
- debris 72, 73, 77, 98, 102, 106, 507
 - metal ion 88
 - metallic 107
 - particulate 295
- deep infection 184, 322, 330, 331, 333, 334, 507, 655, 656
- deep vein thrombosis (DVT) 137, 162, 184, 293, 353, 354, 560, 672
- demineralised bone matrix 427
- developmental dysplasia of the hip (DDH) 63–68, 137, 138, 143, 268, 269, 280, 406, 454, 457, 459, 639, 640, 648
- DHS *see* dynamic hip screw
- diabetes 283, 353, 394, 609
- diagnosis 6, 7, 29, 30, 38, 357, 358, 435, 436, 441, 445, 446, 452, 453, 468, 469, 475, 476, 485, 486, 493, 494, 513, 626, 627, 729, 738

- differential 39, 40, 420, 425, 472, 497, 506, 513
- direct anterior approach (DAA) 229, 230, 243, 245, 247, 249, 291–293, 664–666, 668, 670, 672, 674
- direct compression moulding 77, 287
- direct lateral approach (DLA) 185, 229, 230, 237–239, 241, 243, 509
- disease 33, 35, 142, 310, 423, 643, 754
 - acetabular 615
 - auto-immune 424, 426
 - chronic obstructive pulmonary 353, 609
 - infectious 655
 - joint-based 755
 - metabolic bone 518
 - metastatic 6, 142, 310, 318, 513, 626
 - metastatic bone 307, 329, 333
 - particle 753
 - sickle cell 426
- dislocation 8, 9, 27, 28, 44, 45, 80–82, 137, 159, 211, 290–293, 330–334, 350, 351, 397, 398, 508, 544, 545, 557, 652, 655, 656, 670, 671, 678, 679, 686, 690
- effortless 698
- frank 350
- iatrogenic 385
- joint 321
- post-operative 162, 560
- risk of 82, 93, 100, 158, 229, 270, 271, 290, 299, 508, 549, 556
- stem-head 95
- dislocation rate 107, 185, 211, 290, 508, 542, 615, 656, 665, 673, 678, 679
- distal anterolateral accessory (DALA) 576
- distal femur 196, 215, 216, 373, 732, 733
- distal fixation 208, 210, 212, 382, 517, 648
- distal fragment 375, 380, 604, 606, 619
- DLA *see* direct lateral approach
- drainage 41, 45, 665, 666, 671
- drug 11, 40, 42, 283, 457, 483, 598, 609, 643
- DVT *see* deep vein thrombosis
- dynamic hip screw (DHS) 379, 381, 384, 618, 619, 621, 622, 625
- dysplasia 15, 50, 159, 270, 456, 466, 557
- dysplastic acetabulum 46
- elderly patient 102, 190, 211, 229, 321, 595, 600, 610–612, 614–616, 687
- endoprosthesis 314, 320, 331, 627
- endoprosthesis replacement (EPR) 307–309, 320–323
- endoprosthetic reconstruction 330, 333
- endosteal scalloping 295, 737, 744, 749
- enostosis 728, 729
- epiphysis 31, 32, 40, 47, 48, 488, 734, 741, 742
- EPR *see* endoprosthesis replacement
- erythrocyte sedimentation rate (ESR) 34, 35, 39, 301, 515, 522
- ESR *see* erythrocyte sedimentation rate
- ESWT *see* extracorporeal shockwave treatment
- Ewing's sarcoma 329, 335, 734, 735, 738

- exercise 345, 399, 461–463, 471, 477, 482, 483, 489, 492, 494, 672
- abdominal 492
- abductor-strengthening 492
- buttercup 321
- circumduction 356
- core-strengthening 672
- dynamic 489
- isometric quadriceps 383
- multijoint compound 472
- non-weight-bearing 471
- range-of-motion 41
- range-of-movement 44
- strengthening 11, 383, 458, 462
- extension 4, 6, 7, 173, 174, 180, 185, 204, 232, 460, 461, 704, 705, 733, 741, 742
- intrapelvic 754
- proximal 239
- external rotation 4, 7, 34, 240, 241, 475, 478, 479, 482, 640, 643, 669, 671, 680, 704, 705
- external rotator 387, 440, 459, 479, 645, 678, 679, 695, 696, 710, 720, 724
- extracorporeal shockwave treatment (ESWT) 413, 414, 418, 419, 422, 423, 426–431
- Fabers test 11
- FADIR test 448, 453
- FAI *see* femoro-acetabular impingement
- FAI Syndrome 569, 570, 572, 574, 576, 578, 580, 582, 584, 586, 588
- fascia lata 172, 174, 176, 231, 232, 236, 238, 292, 385, 388, 389, 697, 699, 721, 723
- femoral anteversion 15, 16, 138, 358, 370, 542
- femoral component 27, 28, 90, 190, 195, 200, 206–209, 261, 265, 284, 287, 304
- femoral epiphysis 36, 47, 65, 143, 369, 375, 445, 640
- femoral head 14–16, 26, 27, 31, 32, 35, 36, 46, 134–136, 240, 248, 269–271, 303, 304, 346–348, 369–371, 378, 385–387, 396, 397, 401, 402, 426–428, 690, 691, 714–718, 722–724
- abnormal 404
- anterior 352
- deformed 377
- dislocated 699
- distorted 425
- fractured 88
- inferior 716
- nonspherical 375, 450
- normal 47
- saddle-shaped 370
- spherical 718
- superior 716
- femoral implant 212, 301, 510, 534, 538
- femoral neck 9, 26, 27, 47, 48, 50, 178, 239, 240, 248, 299, 304, 351, 352, 378–383, 387–389, 495, 624–626, 644–646
- anterior 387
- inferior 240
- shortened 377, 380
- superior 246
- femoral nerve (FN) 172, 185, 247, 281, 292, 344, 649, 656, 668, 670, 723
- femoral stem 82, 85, 190, 192, 196, 198, 205, 206, 210, 212, 216, 284, 285, 647, 649
- cemented 268, 276, 284, 286, 517
- coated 649
- conventional 648
- proximal coated 649
- femoral vessels (FV) 666, 673, 723
- femoral workflow 534–536, 538

- femoro-acetabular impingement (FAI) 136, 137, 339, 351, 352, 404, 407, 408, 421, 436, 438, 439, 441, 445, 446, 448–453, 457, 458, 465, 466, 549, 550, 569
- femur 1–5, 7–9, 15, 16, 178–182, 194–198, 238, 239, 312, 313, 315–317, 373–376, 437, 438, 479, 495, 595–600, 604–622, 628, 647–649, 696, 697, 700, 714, 715, 718, 719
- fibre 4, 232, 239, 290, 312, 357, 572, 699
 - anterior 5, 441
 - cartilaginous 572
 - circular 718
 - longitudinal 3
 - muscle's 245
 - proprioceptive 571
 - superficial 723
- fibrous dysplasia 734, 739, 742–744
- flexion 4–7, 234, 237, 240, 355, 357, 375, 376, 445, 448, 450, 452, 453, 456, 459, 478, 696, 697
- fluoroscopy 130, 160, 165, 183, 184, 213, 235, 291, 293, 558, 563, 576–578
- FN *see* femoral nerve
- force 13, 18, 19, 73, 198, 341, 342, 369, 439, 470
 - abductor 18, 19, 26
 - abductor lever 26
 - anterior 440
 - anterior hip 461
 - counterbalancing 22
 - distraction 341, 573
 - distractive 587
 - external rotation 318
 - heterogenous 572
 - hip contact 441
 - joint reaction 18–20, 26, 283
 - lateral 343
 - muscular 22
 - peak intraarticular 573
 - weight-bearing 469
- fovea capitis 4, 714, 718, 719, 725
- fracture 8, 9, 74, 75, 94, 95, 98, 128, 129, 189, 190, 192–201, 204–213, 329, 330, 351, 352, 358, 359, 495, 595–598, 604–607, 611–614, 618–620, 622–631, 655, 656, 744, 745, 748, 749
 - acetabular 127–130, 132, 192, 194, 198, 200, 280, 349, 509
 - allograft 330
 - articular 148
 - avulsion 11, 359, 480, 481, 488, 751
 - basicervical 600
 - brittle 90
 - calcar 184, 191
 - ceramic 287
 - ceramic liner 95
 - clavicular 128
 - displaced 195, 204–206, 600
 - extracapsular 600, 616
 - fatigue 100, 496, 626
 - femoral 190, 194, 210, 309, 352, 509, 531, 547, 628
 - femoral diaphysis 628
 - femoral neck 163, 164, 299, 300, 304, 359, 562, 613, 622, 629, 630, 673
 - femoral shaft 184, 207, 629–631
 - hip 190, 595–597, 608, 616, 618, 619
 - iatrogenic 656, 657
 - interprosthetic 194
 - intertrochanteric 132, 603, 618, 620
 - intracapsular 600, 612, 622, 623

- intra-operative 190, 191, 198, 204, 213, 509
- metastases 513
- microscopic 625
- neck 94, 163, 164, 300, 304, 562, 608, 624, 629
- non-displaced 352
- osteoporotic 597
- pathologic 626
- pathological 608, 620, 733, 740, 742, 747
- periacetabular 224
- post-operative 191, 194, 198, 212
- proximal 622
- subchondral 424
- subtrochanteric 596, 604–609, 619, 620, 622, 623
- tension-type 626
- transverse 212
- trochanteric 600, 608, 619–621
- undisplaced 195, 600, 606, 612, 613
- unstable 262, 600, 621
- valgus-impacted 613
- vertebral 600
- freehand technique 161–163, 165, 531, 540–543, 550, 559–561, 563
- functional recovery 171, 184, 323, 324, 651, 663, 672, 674
- fused deposition modeling 126
- fused hip 640, 642, 648, 652, 653
- fusion 44, 46, 280, 639, 640, 645, 653–655, 736
- FV *see* femoral vessels
- gait 24, 378, 447, 449, 454, 456, 460, 463, 514
 - awkward 50
 - crutch 24
 - four-point 24
 - near-normal 51
 - normal 185
 - swing 24
 - three-point 24
 - two-point 24
- gap 3, 51, 267, 394, 400, 669, 739
- GCT *see* giant-cell tumour
- gemelli 312, 440, 681, 682, 685, 688, 698, 725
- giant-cell tumour (GCT) 739–742
- Gilmore's groin 491
- gluteus maximus 5, 7, 232, 236, 312, 313, 461, 680, 685, 688, 697, 699, 720, 721, 723, 724
- gluteus maximus insertion 181, 313, 645
- gluteus maximus muscle 6, 386, 388
- gluteus medius 5, 6, 24, 25, 239, 388, 389, 440, 441, 473–476, 666, 667, 669, 670, 680, 682–685, 687, 688, 690, 697, 719–721, 723, 724
- gluteus medius muscle 12, 373, 377, 386
- gluteus medius split 239, 242
- gluteus minimus 6, 8, 10, 24, 174, 239, 242, 477, 719, 723, 724, 753
- gout 421, 425
- gracilis 5, 10, 724
- graft 146, 207, 212, 329, 570–572, 579, 581–585
 - anterior 582
 - autologous 146
 - avascular fibular 427
 - cortical 209
 - cortical strut 196, 199, 205, 207
 - fibula strut 329
 - iliac crest 51
 - soft-tissue 571
- graft fixation 570, 579, 582, 584, 585
- graft passage 570, 579, 582, 583
- grain 80, 81, 86, 89
- grain boundaries 80, 82, 86

- grain size 81, 83, 86, 88, 89, 95, 97
- gravity 21–23, 343, 399
- greater trochanter (GT) 6, 10,
 - 11, 25, 26, 184, 185, 195,
 - 196, 231–233, 236–241, 250,
 - 310–315, 317–320, 344, 345,
 - 369–372, 375–388, 419–421,
 - 472–478, 680–691, 696, 697,
 - 699, 700, 714–716, 723–725
- greater trochanteric pain
 - syndrome (GTPS) 419–423,
 - 425, 431, 509, 514
- groin
 - atypical 479
 - hockey 491
 - proximal 494
 - sportsman's 491
- groin injuries 481, 485, 486, 488, 497
- groin pain 357, 359, 429, 435,
 - 436, 453, 454, 481–484, 487,
 - 489, 490, 493–497, 509, 512,
 - 514, 520
- adductor-related 481, 483,
 - 487–490
- athletic 482
- exercise-related 494
- hip-related 487, 488, 490
- iliopsoas-related 483, 487, 488,
 - 490, 491
- inguinal-related 483, 487, 488,
 - 491
- iliopsoas-related 490
- long-standing 486, 487, 489,
 - 492
- pubic-related 484, 487, 488,
 - 493
- unexplained 485
- groin region 408, 441, 490
- Gruen zones 225, 515, 516
- GT *see* greater trochanter
- GTPS *see* greater trochanteric pain syndrome
- guide wire 128, 213, 381, 622, 673
- haemangioma 745, 746
- haematoma 9, 184, 293, 342, 356,
 - 384, 514
- haemorrhage 36, 143, 159, 557,
 - 733, 741, 744
- HAGOS *see* hip and groin outcome score
- Hamadouche's series 98
- hamstrings 6, 10, 467, 468, 471,
 - 480, 725
- Harmon's procedure 52
- Harrington procedure 331
- Harris hip score (HHS) 135, 139,
 - 323, 426, 444, 542, 543, 548,
 - 587
- HCLPE *see* highly-cross-linked polyethylene
- healing 48, 49, 129, 131, 132, 207,
 - 211, 613, 621, 624, 626, 629,
 - 685
- hemiarthroplasty 196, 197, 614,
 - 615, 618, 674
- cemented 277
- femoral 197
- uncemented monoblock 277
- hereditary multiple exostoses 737
- heterotopic ossification (HO) 174,
 - 237, 266, 267, 290, 291, 294,
 - 354, 355, 542, 544, 545, 549,
 - 655, 657
- HHS *see* Harris hip score
- Hibbs retractor 239, 246
- highly-cross-linked polyethylene (HCLPE) 289, 290
- highly-cross-linked polyethylenen (HXLPE) 77, 93, 97, 100–105, 109
- high-resolution computed tomography (HRCT) 141, 224
- hip 4–11, 22–26, 29–32, 38–41,
 - 50–54, 172–175, 375–378,
 - 386–389, 396–398, 402–406,
 - 426–431, 436–443, 445–450,
 - 456–460, 462–467, 570–573,
 - 664–674, 678–680, 686–690,
 - 717–726

- anterior 455, 456, 462, 723
- axial sonographic 723, 724
- ceramic 99
- contralateral 138, 641
- converted 650–653
- dancer's 11
- decentered 64
- deformed 369
- dislocated 46, 47, 51, 63, 240
- distorted 646, 647
- dynamic 440
- dysplastic 94, 98, 347, 370
- failed 223
- fractured 608
- hanging on one 476
- hybrid 95
- imperfect 438
- lateral 282, 724
- navigated 161, 560
- non-navigated 162, 165, 560, 563
- posterior 687, 724
- septic 29, 35, 39
- uncemented 190
- hip abduction 7, 206, 477, 723
- hip abductor 23, 25, 184, 314, 316, 375, 378, 388, 440, 462, 463, 477
- hip adduction 449, 475, 477, 494
- hip and groin outcome score (HAGOS) 444, 484
- hip arthritis 158, 556
- hip arthrodesis 309, 639, 640
- hip arthroplasty 137, 139, 140, 158–160, 163, 275, 276, 281, 285, 556–558, 560–562, 564, 663, 664, 690, 696
- cemented 293
- computer-navigated 165, 563
- conventional 138, 303
- navigated 164, 562
- hip arthroscopists 345, 346, 350, 352
- hip arthroscopy 136, 137, 339–348, 350–360, 398, 399, 404, 407, 456, 465, 466, 549, 550, 570, 572–574, 576, 578, 580, 582
- hip biomechanics 20, 140, 369, 370, 539, 577
- hip capsule 233, 237, 239, 247, 386, 438, 459, 725
 - anterior 344, 349, 357, 386
 - inferior 241
 - lateral 250
 - posterior 232
- hip dislocation 91, 130, 137, 142, 213, 231, 234, 350, 385
 - congenital 243
 - native 280
 - posterior 691
 - surgical 386, 387
 - traumatic 137
- hip dysplasia 133, 243, 270, 346, 347, 350, 358, 570, 577, 715
- hip extension 454, 456, 463, 478, 479
- hip flexion 11, 436, 443, 446, 450, 455, 457, 460, 467, 468, 475, 478, 480
- hip flexors 375, 463, 467, 491
- hip instability 458, 459, 570, 575
- hip motion 355, 385, 449, 450, 460, 651
- hip muscles 458, 459, 464, 471
- hip outcome score (HOS) 444, 586
- hip pain 35, 435, 438, 440–442, 444, 446, 447, 452, 454, 458, 459, 463–465, 497, 498
 - anterior 350
 - athlete's 463
 - contralateral 641, 651
 - degenerative 377
 - lateral 6, 421, 472, 474–477
- hip pathology 137, 281, 360, 436, 445, 447, 459, 463, 713

- hip preservation 396, 398, 399, 406, 573, 574, 665
- hip preservation surgery 133, 135–137, 393, 394, 396–399, 401, 403, 405, 407, 408, 665, 666, 673
- hip preservation techniques 394, 408
- hip preservation work 396–398, 674
- hip replacements 72, 77, 172, 190, 191, 275, 276, 279, 284, 286, 508, 509, 511, 512, 530, 531, 672, 677–679
 - cemented 277, 284, 335
 - conventional 551
 - conventional total 162, 560
 - dislocated total 294
 - less invasive 709
 - navigated total 162, 560
 - postcemented total 54
 - primary 284, 530
 - primary total 686
 - primary total conventional 97
 - regular total 27
 - revision 139
 - traditional total 162, 560
 - uncemented 277
- hip resurfacing 107, 157, 163, 164, 297–304, 511, 555, 561, 562, 665, 711
 - birmingham 106, 298
- hip stabilisers 351, 440, 460, 464, 467, 479
- hip stability 321, 440, 461, 570, 571, 573, 700
- hip surgery 133, 465, 665, 666, 674
- HO *see* heterotopic ossification
- Hohmann retractor 178, 179, 181, 182, 235, 236, 239, 246, 699, 700
 - blunt 239, 240
 - curved 234, 699
 - pointed 697
 - sharp 234, 249
- Hooke's law 73
- HOS *see* hip outcome score
- HRCT *see* high-resolution computed tomography
- Hunka's classification 46
- HXLPE *see* highly-cross-linked polyethylene
- hyaline cartilage 1, 2, 454, 572
- hydroxyapatite 85, 277
- hyperextension 439, 447
- hypertension 283, 356, 513
- hypothermia 33, 349
- ICC *see* intraclass correlation coefficient
- iliac crest 175, 331, 389, 472, 474–476, 536, 666, 669, 720
 - anterior 723
- iliac spine 4, 137, 161, 174, 175, 488, 494, 680, 688, 714, 715, 718, 720
- iliofemoral 8, 718
- iliopsoas 8, 11, 318, 350, 351, 358, 384, 441, 486, 487, 490, 720, 722, 723
- iliopsoas muscles 6, 12, 722
- iliopsoas tendon 6, 11, 349, 357, 446, 509
- iliotibial band (ITB) 11, 231, 232, 238, 314, 320, 388, 403, 422, 449, 472–476, 723
- ilium 9, 14, 328, 329, 335, 645, 646, 714, 723, 728, 730, 735, 743, 744
- Ilizarov's reconstruction 52, 53
- implant 72, 73, 82, 83, 110, 140–142, 157, 158, 196–198, 300, 301, 308, 317, 318, 322, 379–381, 506, 507, 513, 514, 517, 531, 532, 555, 556, 618, 622, 627, 648, 649

- 3D-printed titanium trabecular metal 135
- accurate placement of 161, 559
- arthroplasty 85
- cemented 276, 284, 285, 293
- customised 122, 309, 673
- hybrid 276
- porous tantalum 330
- postcast 83
- stable 195, 213
- stainless-steel 82
- titanium 83
- trabecular titanium 140
- uncemented 195, 276, 277, 284, 285, 289, 293, 509, 513
- unstable 195
- implantation 83, 89, 98, 99, 106, 310, 316, 317, 538, 544, 545, 643, 645, 648
 - cemented 278
 - ion 83
 - manual 540
- implant choice 72, 109, 618, 625, 627
- implant failure 93, 323, 603, 618, 619
- implant position 141, 164, 301, 303, 529–531, 540, 562
- incision 175, 176, 231, 232, 244–247, 291, 292, 312, 381, 645, 669, 671, 695–697, 699, 700, 702, 709, 710
- bikini 674
- cosmetic 40
- fascial 312
- lateral 379
- longitudinal 244
- oblique 711
- traditional 667, 670
- infection 29, 31–34, 36, 37, 41, 42, 322, 323, 327–329, 333, 335, 336, 354, 506–508, 513–515, 518–522, 640, 641, 655, 749, 750
- injury 11, 130, 131, 341, 344, 445, 446, 466, 467, 479–481, 485, 486, 609, 611, 619, 621, 623, 625, 629–631
 - acute 485, 486
 - adductor longus 486
 - femoral artery 656
 - iatrogenic 345
 - iatrogenic chondrolabral 347
 - labral 345, 346, 573
 - long-standing 486, 490
 - neurologic 340
 - occult bony 485
 - pelvic 131
 - soft-tissue 343, 445, 465, 471
 - traffic accident 691
- insertion 247, 249, 308, 309, 313, 317, 420, 421, 681, 685, 697, 698, 700, 702
 - abductor 50
 - defect anchor 578
 - gluteal medius 690
 - guide wire 164, 562
 - hamstring tendon 468
 - osseous 310
 - porous bioceramics rod 135
 - sacroiliac screw 131
 - tendinous 239
 - tendon's 681
 - unobstructed needle 347
- intertrochanteric crest 2, 681, 682, 684, 714, 718
- intertrochanteric line 2–4, 47, 248, 402, 684, 714, 718
 - anterior 681
 - femoral 680
- intraclass correlation coefficient (ICC) 147, 444
- ischium 4, 7, 9, 479, 481, 714, 718, 723–725, 731, 735, 740, 742, 743, 751
- ITB *see* iliotibial band
- joint capsule 31, 34, 41, 178, 313, 335, 388, 667, 670, 679

- joint load 372, 373, 449, 456, 459
- joint reaction force (JRF) 18–21, 23, 26, 283
- joint replacement 189, 194, 197, 277, 279, 287, 393, 394, 396–398, 753
- joint space 10, 31, 35, 44, 347, 424, 425, 574
- JRF *see* joint reaction force

- kite measurement technique 571, 575, 579, 581, 583, 587
- kite technique 571, 572, 575, 581, 583–585, 587
- knee 16, 18, 194, 196, 197, 214, 236, 238, 281, 309, 311, 399, 400, 472, 474, 648, 650, 651
 - arthritic 283
 - contralateral 241
- knee arthroplasty 158, 219, 548, 556, 650, 708
 - total 275
- knee pain 50, 648, 650, 651

- labral defect 571, 573, 574, 579
- labral pathology 339, 386, 435, 439, 454–457, 465, 466, 549, 573, 574
- labral reconstruction 570–579, 581, 582, 585–588
- labral repair 340, 344, 358, 577
- labral tears 2, 421, 425, 436, 442, 445, 454–457, 465, 573, 574, 576, 631
- labral tissue 571, 573–575, 577, 578
- labrum 69, 234, 240, 241, 345–348, 357, 358, 401, 402, 438, 450–452, 454, 455, 570–572, 574, 577, 725, 726
- lateral decubitus position 161, 165, 230, 235, 237, 385, 422, 536, 559, 563, 645
- lateral femoral cutaneous nerve (LFCN) 245, 246, 292, 345
- lateral position 10, 159, 311, 399, 557, 701
- lateral radiograph 261, 352, 613, 618, 626, 717
- lesser trochanter 193, 196, 261, 264, 375, 376, 379–382, 479, 603–607, 621, 622, 642, 645, 646, 681, 699, 700, 720, 722
- LFCN *see* lateral femoral cutaneous nerve
- ligamentum teres 2–4, 401, 402, 439, 456, 467, 719
- ligamentum teres tear 442, 445, 456, 458, 465
- limb length discrepancy (LLD) 52, 54, 308, 335, 336, 380, 542, 548, 623, 641, 642, 651, 652
- LLD *see* limb length discrepancy
- loosening 100, 101, 103, 196, 198, 199, 287, 289, 294, 300, 301, 304, 331–333, 336, 506–508, 513–521, 542, 543
- lucent lesions 728, 733, 737, 741, 743, 745, 747–750, 753
- lymphoma 628, 734, 747

- magnetic resonance imaging (MRI) 36, 37, 68, 69, 421, 423, 424, 426, 427, 429, 430, 445, 484, 485, 495, 496, 521, 522, 608, 609, 705–707, 729, 732–734, 737, 741–743, 745, 747, 749–751, 753
- malignancy 330, 506, 513, 514, 617, 731, 735, 741
- malignant transformation 739, 740, 744, 756
- malignant tumour 9, 308, 327, 418, 727
- MAP *see* mid-anterior portal
- MARS *see* metal artefact reduction sequence

- MDCT *see* multi-detector
 computed tomography
 mechanically assisted crevice
 corrosion 106
 medial proximal femoral angle
 370
 metal artefact reduction sequence
 (MARS) 301, 511
 metal ion 73, 91, 93, 108, 163,
 299, 300, 302, 511, 512, 521,
 561
 metallosis 98, 107, 300, 301
 metal-on-metal (MoM) 72, 92, 93,
 106–109, 297, 304, 511, 522
 metal-on-polyethylene 71, 92–94,
 102, 277
 metaphysis 31, 32, 37, 65–67, 195,
 204, 731, 733, 741, 742, 745,
 748
 metastasis 596, 732, 739, 742,
 747, 748, 754
 benign 739
 renal bony 627
 sclerotic 729
 microfracture 91, 357, 395, 405
 mid-anterior portal (MAP) 345,
 346, 348, 576, 579, 581, 583,
 584
 minimally invasive plate
 osteosynthesis (MIPO) 129,
 207
 minimally invasive surgery (MIS)
 158, 162, 163, 291, 561, 663
 MIPO *see* minimally invasive plate
 osteosynthesis
 MIS *see* minimally invasive surgery
 mitogen-activated protein kinase
 223
 model 122, 127, 128, 131–134,
 136, 137, 139–141, 143, 145,
 147, 148, 160, 161, 532, 558,
 559
 3D-printed 128–131, 133, 137,
 138, 145, 147, 148
 anatomical 122, 144
 animal test 76
 educational 129
 experimental 417
 hemipelvis 139
 left ankle 145
 mirror imaging 128
 on-screen bone 538
 physical 125
 plaster 133
 printed 125
 reverse 144, 145
 silico object 121
 three-dimensional body 682,
 683
 virtual anatomical 160, 558
 MoM *see* metal-on-metal
 morbidity 29, 41, 199, 207, 220,
 293, 328, 377, 611, 615, 735,
 736
 morphology 436, 437, 445, 451,
 460, 585
 mortality 190, 199, 293, 295, 323,
 328, 611, 614–617, 736
 m-resistant *Staphylococcus aureus*
 (MRSA) 32, 33, 42, 43
 MRI *see* magnetic resonance
 imaging
 MRI scan 40, 43, 312, 313, 357,
 445, 481, 626, 628
 MRSA *see* m-resistant
Staphylococcus aureus
 Mueller retractor 179, 181, 239,
 241, 242, 249–251
 multi-detector computed
 tomography (MDCT) 732, 745
 muscle 5, 9–11, 13, 146, 310, 313,
 373, 440, 461, 478, 479, 485,
 486, 489, 490, 669, 670, 718,
 720
 abdominal 492
 adductor 10, 489, 490
 adductor longus 5
 bleeding 642

- buttock 479
- deep stabilising 455
- dominant stabiliser 680
- external rotator 460
- frontal plane 374
- gluteal 329, 354, 381, 467, 468, 472, 642, 723
- glutei 389
- gluteus 241
- gluteus minimus 386
- hip flexor 491
- hip-stabilising 446
- ileocapsular 178
- iliacus 720
- obturator 39
- obturator externus 681
- posterior thigh 471
- psoas 720
- quadriceps 310
- sartorius 5
- skeletal 741
- tensor 172
- muscle strength 458, 460, 472, 480, 484, 651
- myeloma 731, 739, 745, 746

- native labrum 570, 571, 574, 576, 577, 581, 582, 584
- navigation 139, 140, 157, 158, 160–165, 334, 556, 558, 560–564
- neck 2, 3, 15, 27, 28, 47, 48, 50, 51, 280, 351, 378, 385, 442, 445, 495, 612, 613, 625, 626, 629, 630, 698, 699, 714, 715, 718
 - fractured 9
 - inferior 247
 - medial 248
 - metal 88
 - normal 714
 - osseous 387
 - superolateral 248
- neck junction 104, 136, 352, 353, 375–377, 388, 402, 450, 451, 577, 578
- neck shaft angle (NSA) 16, 48, 138, 142, 369, 370, 372, 381, 384, 438
- neonates 30–34, 36, 40
- neoplasm 485, 620, 744, 747, 749–751, 754
- nerve 7, 8, 232, 312, 328, 341, 421, 425, 494, 663, 666, 673
 - genitofemoral 8
 - iliohypogastric 7
 - ilioinguinal 8
 - lateral cutaneous 494, 513, 666
 - lateral femorocutaneous 176
 - obturator 494
 - pubendal 342, 575, 681
 - subcostal 7, 8
 - superficial 494
 - superior 172
 - superior gluteal 172, 239, 290, 668, 670, 681, 690
- nerve palsy 184, 199, 293, 332, 335, 408, 575, 656
- nerve supply 7, 281, 494
- neuromotor control 448, 453, 455–458, 464
- neurovascular bundles 234, 240, 313, 427, 644, 670, 719, 726, 741
- neurovascular structure 240, 327, 328, 342, 345, 656, 672
- NHFS *see* Nottingham hip fracture score
- non-arthritic hip score 587
- Norfolk and Norwich retractor 697, 699
- Nottingham hip fracture score (NHFS) 617
- NSA *see* neck shaft angle
- numeric pain rating score 543

- OA *see* osteoarthritis

- obesity 353, 356, 540, 666
- obturator 4, 7, 328, 488, 513, 680
- obturator externus 5, 681, 683, 688, 723
- obturator foramen 494, 647, 714, 715, 723
- obturator internus 8, 312, 440, 678, 681, 682, 685, 688, 698, 723, 725
- oedema 283, 342, 408, 522, 628, 729, 749, 751
- open reduction 45, 190, 205, 206, 212, 350, 358, 622, 624
- operation 130, 138, 143, 195, 505, 641, 649, 651, 678, 679, 704, 710
- orthopaedic biomaterials 72–74, 76, 91
- ossification 1, 9, 66, 69, 267, 334, 574, 728, 741, 752, 755
- osteoarthritis (OA) 6, 26, 279, 281, 282, 299, 301, 303, 394, 396, 398, 407, 408, 425, 426, 439, 452, 453, 609
- osteoblasts 221, 222, 733
- osteochondroma 727, 728, 735, 736, 739
- osteochondroplasty 48, 136, 351, 352, 354, 355, 387, 388, 403, 577, 666, 671
- osteoclasts 221, 222, 427
- osteolysis 72, 73, 88, 92–95, 98, 100, 101, 103, 104, 191, 198, 206, 220, 221, 223–225
- perifemoral 225
- periprosthetic 221
- progressive 518
- osteomyelitis 30, 31, 33, 35, 38, 39, 41–43, 48, 749–751
 - chronic 741, 749, 750
 - metaphyseal 37
 - proximal femoral 51
- osteonecrosis 31, 44, 134, 351, 741
- osteopenia 372, 521, 621, 745, 749
- osteoplasty 136, 385, 466
- osteoporosis 189, 191, 225, 284, 287, 430, 488, 597–599, 611, 625, 687
- osteosarcoma 329, 727, 731–734, 738, 740, 744, 752
- osteosynthesis 214, 328, 329, 612
- osteotomy 48, 50, 52, 178, 179, 248, 315, 316, 371–382, 384, 385, 387, 389, 404, 406, 407, 684, 685, 687, 689, 690
 - frontal 686
 - head reduction 372, 375
 - intra-articular reduction 375
 - intracapital 387
 - lateral translation 378
 - medial displacement 620
 - neck 234, 240, 372, 427, 645, 646
 - neck-lengthening 372, 376, 385
 - parallel 379
 - parallel oblique 380
 - pelvic 48, 52
 - periacetabular 133
 - perpendicular 686
 - rotational 406
 - short-extended 644
 - transtrochanteric 643, 644, 649
 - trochanteric 290, 291, 314, 378, 386–388, 509, 514, 686
 - valgus 48, 373, 406
 - varus 46, 50, 51, 372, 373, 374, 406
 - Wagner 378, 379, 385
- osteotomy site 52, 380, 383, 384, 686, 687, 690
- oxidation 83, 85, 100
- PA *see* posterior approach
- Paget's disease 513, 615, 734, 751, 753, 754

- pain 34, 281–283, 419, 420,
428–430, 435, 436, 438, 439,
441–444, 446–448, 452–455,
457, 459–461, 467–472,
474–485, 487–492, 494–498,
505–510, 512–515, 522, 608,
648–651
- pain relief 219, 276, 311, 331, 373,
471, 480, 610, 614, 621, 650,
651
- palpation 161, 176, 312, 444, 461,
471, 486, 514, 559, 649
- PAO *see* peri-acetabular osteotomy
- Parkinson's disease 614
- pathways 222, 223, 427, 681
- patient-reported outcome measure
(PROM) 163, 281, 443, 444,
484, 561
- patient satisfaction 158, 278, 287,
480, 542, 549, 556, 651
- patient-specific instrumentation
(PSI) 140, 141
- Patrick-Fabere test 7
- PE *see* pulmonary embolism
- peri-acetabular osteotomy (PAO)
133, 134, 398, 406, 459
- piriformis-sparing less invasive
(PSLI) 695, 696, 703–705,
708–711
- posterior approach (PA) 40,
229–231, 233, 235, 237, 290,
292, 303, 304, 508, 509,
643–645, 673, 674, 678, 695,
696
- PROM *see* patient-reported
outcome measure
- PSI *see* patient-specific
instrumentation
- PSLI *see* piriformis-sparing less
invasive
- pubic rami 482, 681, 751
- inferior 496, 714, 715
- superior 4, 9, 680, 714, 715,
718, 720, 747
- pubic tubercle 160, 161, 494, 558,
559, 715
- pubis 4, 9, 14, 231, 485, 714, 723,
724, 751
- pulmonary embolism (PE) 137,
293, 353, 542, 672
- pulmonary metastasis 740, 742
- QF *see* quadratus femoris
- quadratus femoris (QF) 5, 7, 312,
313, 440, 479, 678, 681, 682,
684, 688, 698, 699, 702, 719,
724, 725
- RA *see* rheumatoid arthritis
- radial pressure wave (RPW)
415–418, 422–423, 429, 430
- radiation 77, 78, 160, 184, 481,
513, 559, 728
- randomised controlled trial (RCT)
100, 162–164, 419, 422, 423,
430, 466, 490, 497, 560–562,
705, 708, 709
- RANK receptor 221, 222
- RCT *see* randomised controlled
trial
- rectus femoris 5, 6, 10, 172,
176–178, 246, 313, 389, 486,
669, 670, 720, 721
- rehabilitation 129, 146, 190, 320,
331, 353, 459, 460, 464, 466,
467, 469, 672
- relative neck lengthening 378
- relative neck-lengthening
procedure (RNLP) 372, 378,
387
- resection 141, 308–311, 322, 328,
329, 331, 332, 335, 538, 549,
550, 574
- acetabular 141
- bone sarcoma 335
- bone tumour 333
- en bloc 142
- femoral 163, 561

- iliosacral 329
- oncological 336
- pelvic sarcoma 334
- peri-acetabular 335
- robot-assisted 550
- response 19, 35, 219, 220, 223, 224, 282, 452, 474, 487
 - biological 417
 - cell-mediated 221
 - extracellular 417
 - histiocytic 295
 - immunological 72
 - lymphocytic 299
 - macrophage-mediated 221
- revision arthroplasty 190, 208, 225, 255, 266, 291
- revision hip arthroplasty 139, 253, 255, 259, 322, 666, 674
- revision hip arthroscopy 356
- revision surgery 103, 107, 108, 213, 220, 224, 276, 282, 507, 508, 511, 686, 688
- rheumatoid arthritis (RA) 6, 40, 191, 279, 609, 615, 628
- RNLP *see* relative neck-lengthening procedure
- ROBODOC 531, 542, 544–547
- robot 158, 529–531, 542, 544, 548–551, 556
- robot-assisted hip replacement 529, 551
- robotic arm 530, 536, 538
- robotic surgery 529, 548–550
- RPW *see* radial pressure wave
- Russell–Taylor classification 605, 606, 622
- sacroiliac joint (SIJ) 328, 469–471, 478, 483, 496, 512, 514, 522, 714, 720, 739
- sacrum 9, 123, 231, 327–329, 335, 336, 680, 681, 725, 731, 739, 747, 751
- safe zone 159, 161, 162, 401, 530, 531, 540, 541, 557, 560
- sartorius 5, 6, 176, 245, 246, 292, 442, 666, 669, 670, 673, 720, 721, 724
- SCFE *see* slipped capital femoral epiphysis
- sciatic nerve (SN) 7, 8, 199, 232, 312, 313, 328, 344, 478, 644, 682, 683, 685, 697, 698, 702, 724
- sciatic notch 129, 312, 531, 680, 681
- sclerotic lesions 732, 747, 748, 751
- scoring system 130, 616, 618, 642
- selective laser sintering 126
- sensation 147, 470, 480, 597, 673
 - grating 281
 - lateral thigh 245
 - throbbing 430
- sensitivity 36, 441, 445, 455, 475, 485, 515, 519, 609, 743, 747
- sensor 76, 160, 165, 558, 563
- septic arthritis 29–40, 42–54, 138, 359, 639, 640, 665, 750
- SER *see* short external rotator
- short external rotator (SER) 230, 232–234, 236, 237, 312, 313, 318, 682, 685, 688, 695, 697, 698, 702, 709
- short hip-stabilising (SHS) 440, 460
- SHS *see* short hip-stabilising
- SHS muscle 440, 461, 462
- SIJ *see* sacroiliac joint
- SIJ dysfunction 469–471, 481
- single incision piriformis sparing approach 703
- skin incision 174, 175, 185, 312, 379, 385, 667, 670, 688, 696, 697
- SLE *see* systemic lupus erythematosus

- slipped capital femoral epiphysis (SCFE) 143, 375–377, 640
- SLR *see* straight leg raise
- SN *see* sciatic nerve
- SOCRATES acronym 513
- soft tissue 182, 234, 235, 241, 470, 471, 473, 474, 477, 506, 508, 577, 578, 679, 685, 749, 751
- soft-tissue sarcoma (STS) 754, 755
- soft-tissue structure 237, 449, 473, 710
- spine 281, 353, 418, 470, 483, 598, 643, 688
 - lumbar 328, 421, 442, 464, 497, 515, 522, 641
 - pelviclumbar 470
 - posterior intertrochanteric 680
- sciatic 129
- sport 11, 435, 436, 442–444, 446, 447, 452, 453, 463, 465, 467, 469, 471, 480, 481, 485–487, 489, 490, 492, 672
- sporting activity 443, 465, 467, 469, 479, 483, 493, 640
- Staphylococcus aureus* 32, 33, 42, 508
- steroid 43, 395, 598, 609
- straight leg raise (SLR) 19, 608
- stretching 12, 460, 467, 468, 478, 479, 486, 490–492, 497
- STS *see* soft-tissue sarcoma
- suction seal 346, 570, 571, 574, 577, 585, 586
- supine position 237, 238, 243, 244, 249, 293, 370, 379, 381, 399, 470, 667, 669
- surgery 127, 128, 131, 135–137, 182, 183, 310, 311, 349–352, 358, 359, 371, 372, 404, 407, 422, 423, 426–428, 431, 492, 609–612, 627, 643, 649–652, 655, 656, 678, 679
 - ablative 322
 - arthroplasty 122, 307, 398
 - computer-assisted navigation 160, 558
 - computer-navigated 161, 165, 559, 563
 - conventional 549, 550
 - invasive 291, 663, 710
 - limb amputation 146
 - liner exchange 225
 - microfracture 466
 - paediatric 243, 666, 671
 - pelvic 336
 - perforator flap 144
 - revision replacement 139
 - robot-assisted 549, 550
 - tissue-sparing 185
 - two-stage exchange 655
- surgical approach 184, 185, 230, 232, 234, 236, 238, 240, 242–244, 246, 311, 396, 397, 643–645, 663, 678, 709, 710
- surgical dislocation 339, 375, 378, 385, 404, 406, 666, 671
- surgical intervention 190, 205, 275, 282, 443, 466, 626, 627, 677, 708
- surgical management 190, 283, 329, 465, 480, 625, 630
- surgical planning 130, 310, 311, 529, 754
- surgical procedure 134, 172, 200, 219, 304, 340, 398, 456, 621, 671, 672, 677
- surgical technique 172, 173, 175, 177–179, 181, 575, 577, 579, 581–583, 585, 643, 645, 647, 649, 696, 697, 699
- syndrome 349, 353, 436, 569, 743
 - acute respiratory 428
 - adductor insertional tendinopathy 429
 - adductor tendinopathy 429
 - bone cement implantation 293
 - respiratory distress 34
 - snapping hip 11, 421, 425

- tibial stress 429
- synovitis 421, 425, 456, 457
- synovium 31, 439, 688, 750, 755
- systemic lupus erythematosus (SLE) 33, 279
- technique 128, 129, 131–133, 144, 146, 329, 331, 335, 336, 341, 343, 345, 427, 428, 545–547, 571, 572, 586–588, 710
- actuation 146
- anaesthetic 275
- bone-grafting 255
- cementing 289
- conventional 141, 531, 544
- counter-rotation 647
- diagnostic 520
- first-generation 289
- front-to-back 571
- imageless 165, 563
- invasive 351, 472, 673, 674, 695, 710
- mini-incision 709
- second-generation 289
- soft-tissue 207, 468, 472, 494
- tendinitis 413, 414, 509, 514, 520, 522
- tendinopathy 413, 417, 428, 431, 442, 446, 468, 475, 491
- gluteal 443, 475
- insertional 420, 473, 476
- rotator cuff 429
- tendon 417, 420, 468, 473, 474, 486, 679, 681, 682, 696, 698, 702, 708, 709, 720, 723
- adductor longus 483, 489
- compressed 474
- conjoined 250, 486, 491, 681, 688, 690, 725
- conjunction 679, 684
- gluteal 420, 421, 473, 474
- gluteus 680
- ilipsoas 10
- obturator externus 8, 681
- obturator internus 313
- piriformis 709
- proximal hamstring 480
- psoas 3, 385, 389
- rectus 587
- superficial 417
- triradiate 685
- tubular 702
- tensor fasciae latae (TFL) 5, 244–246, 251, 467, 474, 477, 641, 666, 669, 670, 723
- TFL *see* tensor fasciae latae
- THA *see* total hip arthroplasty
- thigh 6–8, 10, 309, 312, 343, 472, 477, 481, 494, 507, 628, 666, 669
- anterior 673
- lateral 470
- medial 344, 482, 489, 494, 608
- medial ipsilateral 575
- proximal 234, 483, 490, 608
- thigh pain 478, 510, 514, 615
- THR *see* total hip replacement
- three-phase bone scan (TPBS) 518, 519, 522
- tibia 236, 370, 423, 430, 720, 723, 724, 733
- tissues 163, 233, 240, 247, 354, 355, 415, 418, 469, 473, 697, 701
- acetabular remnant 576
- adipose 172, 176
- biologic 73, 74
- damaged 460
- distorted 656
- extraosseous 747
- fibrous 647
- high-signal granulation 750
- lung 418
- necrotic 40
- nondeformable 158, 556
- osteolytic 222
- periprosthetic 223
- scar 199, 679, 685

- subcapsular 572
- subcutaneous 236, 243, 251, 345
- tendinous 680
- TKA *see* total knee arthroplasty
- Tönnis angle 716, 717
- Tönnis classification 65, 66, 68
- total hip arthroplasty (THA) 71, 72, 106, 107, 138, 157, 158, 160, 161, 163, 164, 182–184, 229, 230, 243, 266–268, 505–510, 530–533, 539–548, 555, 556, 561, 562, 586, 640–644, 648–652, 654–656, 709, 710
- total hip replacement (THR) 26–28, 90, 95, 102, 103, 158, 160–162, 190, 219, 220, 297–299, 350, 351, 505, 515, 516, 519, 556, 559, 560, 614, 615, 678, 679, 740
- total knee arthroplasty (TKA) 275, 649–651
- TPBS *see* three-phase bone scan
- trabeculae 598, 599, 601, 602, 716, 744
- traction 41, 44, 173, 174, 179, 234, 240, 341–344, 381, 382, 399, 403, 576, 577, 582, 585
- transient synovitis 35–37, 39
- transverse acetabular ligament 1, 3, 4, 161, 234, 235, 241, 249, 401, 402, 531, 559, 572, 718
- trauma 8, 30, 34, 144, 185, 191, 243, 549–551, 596, 597, 608, 616
 - high-energy 623, 629
 - pelvi-acetabular 122, 127
 - proximal femoral 323
 - surgical 206, 356
- Trendelenburg's gait 50, 281, 290–292, 294, 514
- Trendelenburg's positioning 343, 575
- trochanter 50, 134, 135, 232, 233, 310, 312–315, 319, 321, 344, 345, 383–388, 420, 421, 472–476, 643, 644, 646, 679–690, 723–725
- trochanteric arthroplasty 50, 51
- trochanteric bursa 6, 402, 420, 425, 442, 473
- trochanteric bursitis 6, 12, 420, 421, 449, 509
- trochanteric fragment 320, 386, 644, 686, 688
- trochanteric overgrowth 44, 48, 370, 378
- trochanteric pain 472, 473, 509, 514
- trunionosis 93, 98, 103, 104, 106
- tumour 310, 311, 313–316, 328, 330, 727, 733, 735, 737, 739, 741, 745
 - benign 321, 729
 - giant cell 308
 - iliac 735
 - laryngeal 748
 - nerve root compression 442
 - osseous-forming 735
 - pelvic 328
 - periacetabular 141
 - periosteal cartilaginous 732
 - Perthes' disease 442
 - prostate 748
 - proximal femoral 322
- UHMWPE *see* ultrahigh-molecular-weight polyethylene
- ultrahigh-molecular-weight polyethylene (UHMWPE) 76–78, 83, 91–93, 103, 220, 287
- ultrasonography 30, 35, 36, 40, 45, 63, 445, 484, 485
- ultrasound 9–11, 349, 357, 421, 422, 429, 446, 448, 475, 481, 750, 753

- uncemented stems 190, 208, 209, 286, 287, 316
- unicameral bone cyst 743
- unified classification system 196

- valgus 44, 52, 375, 376, 378, 601
- valgusisation 379, 380
- varus 50, 369, 375, 376, 612, 618
- vascular endothelial growth factor (VEGF) 417, 427
- vastus lateralis 181, 239, 242, 290, 312–314, 316, 379, 381, 682
- VEGF *see* vascular endothelial growth factor

- villonodular synovitis 6, 40
- vitamin 78, 93, 103, 395, 496, 515, 598, 610, 628

- Wagner procedures 380, 385

- X-ray 8, 9, 371, 400, 421, 507, 510, 515, 518, 608, 610, 612

- Young's modulus 73, 74, 76

- Z-shaped capsulotomy 386

"I am glad to see the second edition of The Hip Joint, edited by our IOA member Dr. K. Mohan Iyer. From the excerpts I have received, I can see that he has extensively covered the whole gamut of all aspects involving the hip joint from anatomy to biomechanics including 3D printing. The book covers varied important topics concerning hip joint, such as evaluation of painful hip, hip preservation surgeries, various exposures, periprosthetic fractures and navigational surgeries. I am sure this book will become a useful guide for the postgraduates and young practitioners. I wish Dr. Iyer all the best in this endeavour."

Dr. B. Shivashankar

President, Indian Orthopaedic Association

The Hip Joint, written in 2016, provides a detailed account of the hip joint's anatomy and biomechanics and covers recent trends in orthopaedic surgery of the hip joint, including the latest advances in revision total hip arthroplasty (THA), computer-assisted navigation for THA, resurfacing of the hip joint and neoplastic conditions around the hip as well as indications, complications and outcomes of hip arthroscopy. Another book, *The Hip Joint in Adults: Advances and Developments*, gives additional important details of how hip joint surgery has evolved around the world. While much of the basic knowledge in this area is constant, it is critically important to stay current on those areas that do change.

This updated second edition of *The Hip Joint* contains a host of original articles from contributory authors all around the world, showing the evolution of the hip joint till the present day, building upon the solid foundation set by the first edition. It covers hot topics such as 3D printing in orthopaedics and traumatology, stem cell therapy in orthopaedics, hip resurfacing, hip-preserving surgery, sports medicine for the hip joint, robotic-assisted surgery in orthopaedics and neoplastic conditions around the hip.



K. Mohan Iyer did his MCPS (1971) from the College of Physicians and Surgeons, Mumbai, India; MBBS (1971) from the University of Mumbai; D. Orth. and F.C.P.S. Orth. (1975) from the College of Physicians and Surgeons; M.S. Orth. (1978) from the University of Mumbai and M.Ch. Orth. (1981) from the University of Liverpool, U.K. During this time, he wrote three theses on fractures of the patella, excision arthroplasty of the elbow and excision of the trapezium for carpometacarpal arthritis of the thumb. Dr. Iyer has been associated with K.E.M. Hospital, Mumbai, East Birmingham Hospital, U.K., and Dryburn Hospital, Durham, U.K. Dr. Iyer has presented numerous papers at state, national and international conferences in Singapore and Bangkok. He was in charge of the teaching program in orthopaedics for undergraduate students and an examiner for the MBBS degree at the University of Bangalore, India. He has also carried out a wide range of surgeries on all kinds of major fractures, as well as arthroscopy of the knee, spinal surgery and elbow and total hip replacements, and has published numerous articles and book chapters. In 2008, Dr. Iyer moved back to his home town, Bengaluru, India. He has been instrumental in devising a *modified posterior approach to the hip joint*, which he has been following from 1981 till today. His research is original, as can be seen on his website kmohaniyer.com.



JENNY STANFORD
PUBLISHING

V809
ISBN 978-981-4877-51-0



9 789814 877510