

# Index

- acetone 250, 252, 376, 391, 394, 397, 398  
additive 19–21, 23, 25, 28, 29, 31, 32, 39, 46, 47, 52, 242, 271, 297, 299, 309  
inorganic 146  
nanoscale 145  
pore-forming 297  
adhesion 148, 153, 411, 414, 419, 424, 427, 431, 442, 444, 446  
adsorbent 153, 175, 324  
adsorption 2, 85, 92, 118, 145, 146, 157, 177, 194, 195, 254, 318, 377, 389  
pollutant 78  
AFM *see* atomic force microscopy  
ageing 314, 342, 343, 354  
agglomeration 125, 151, 155, 157, 165, 166  
AGMD *see* air gap membrane distillation  
air gap 6, 19, 20, 23, 24, 33, 36, 37, 42, 276, 326, 343  
air gap membrane distillation (AGMD) 272, 276, 277, 279, 280  
air oxidation 154, 155  
air separation 310, 313  
albumin 376, 422  
bovine serum 36, 230  
alcohol 47, 51, 65, 115, 180, 244, 250, 384, 385, 387, 389, 392  
alginate 65, 441  
sodium 384, 385  
alloy 6, 111, 113, 435  
ammonia 40, 277, 286  
annealing 40, 41  
anthocyanins 180, 181, 197–199  
antifouling property 7, 10, 84, 92, 95, 143, 149, 158, 166, 212, 300  
antioxidant compound 180, 181, 197, 198  
application  
agrofood 173  
biomedical 2, 42, 47, 75, 81, 441  
catalysis 77  
fuel cell 78  
gas separation 26, 111, 116, 143, 153, 154, 349, 395  
industrial 4, 95, 110, 118, 121, 147, 174, 200, 314, 315, 318, 322  
oil refinery 319  
petrochemical 319  
pharmaceutical 69  
tissue-engineered 424, 427  
wastewater treatment 9, 122  
asymmetric membrane 3, 73, 111, 112, 114, 295, 310, 316, 328  
atomic force microscopy (AFM) 49, 50, 82, 84, 161, 165  
azeotropic solvent 375, 377  
beer 174, 189, 190  
beer processing 173, 174, 186, 187, 189, 191  
benzene 155, 156, 376, 380, 396  
biochemical oxygen demand (BOD) 194, 195  
biodegradable polymer 412, 429, 441, 442  
biofouling 91, 92, 288  
biogas 314–316, 349  
biopolymer 45–47, 385

- bioreactor 412, 413, 415–417, 420–422, 430, 433  
*BOD* *see* biochemical oxygen demand  
 bone tissue engineering (BTE) 433–435, 437–439, 441, 443, 445  
 bovine serum albumin (BSA) 36, 230  
*BSA* *see* bovine serum albumin  
*BTE* *see* bone tissue engineering  
 calcination 77, 78, 135  
 carbon hollow fiber membrane (CHFM) 131, 132, 391, 395  
 carbon molecular sieve (CMS) 338, 339, 343  
 carbon nanotube (CNT) 10, 76, 110, 127, 132, 154, 240, 343  
 carbon quantum dot (CQD) 229, 230  
 casein 193, 194  
 cell 4, 73, 187, 410–412, 417, 419–423, 425, 426, 430, 435, 439, 444  
 anchorage-dependent 414  
 compartmentalization of 410, 414  
 compartmentalized liver 415  
 embryonic liver 422  
 epithelial liver mouse 424  
 functional liver 424  
 glial 430  
 human fetal liver 421  
 human osteoblast 439  
 neuronal 429, 430  
 osteoclast progenitor 443  
 osteogenic 439  
 somatic 192  
 stellate 417  
 cell adhesion 410–412, 414, 417, 423, 432, 436, 444  
 cell differentiation 411, 420, 423, 436  
 cell migration 410, 411, 426, 444  
 cellulose acetate 6, 26, 47, 162, 163, 212, 315, 379, 381, 415  
 cellulose triacetate (CTA) 213, 214, 223, 225, 226, 228, 229, 232, 316, 421  
 ceramic hollow fiber 119, 120, 136, 246, 249, 389, 399  
 ceramics 78, 112, 113, 436–438  
*CFV* *see* cross-flow velocity  
 chemical modification 91, 158, 335, 345  
 chemical oxygen demand (COD) 194, 195, 199, 286  
 chemical potential gradient 3, 234  
 chemical resistance 45, 48, 136, 223, 395, 396  
*CHFM* *see* carbon hollow fiber membrane  
 chitosan 26, 47, 65, 183, 424, 425, 429, 441  
 chloroform 277, 280, 396  
 clarification 175, 176, 181, 183, 184, 186–190, 198, 199  
 clarified juice 176, 177, 179–183, 199  
 clay 32, 135, 217, 299  
*CMS* *see* carbon molecular sieve  
*CNT* *see* carbon nanotube  
 coagulation 18, 32, 36, 37, 158, 195, 211, 236, 237, 297  
 coagulation bath 6, 19–21, 23, 33, 36–39, 222, 236, 241, 295  
 coating 92, 248, 249, 252–253, 255, 288, 291, 292, 298, 300, 302, 322, 330–333, 337, 339, 341, 438, 439, 441  
*COD* *see* chemical oxygen demand  
 collagen 65, 426, 427, 441, 442  
 colloid 174–176, 186, 187, 211  
 composite hollow fiber membrane 125, 129, 252, 253, 386, 397

- composite membrane 152, 155, 243, 245, 251, 252, 298, 299, 328, 329, 332, 341, 381, 384, 386, 396, 397
- concentration polarization 42, 155, 176, 177, 179, 187, 193, 214, 224, 226, 232
- copolymer 25, 230, 231, 412, 441
- nondegradable acrylic 428
  - perfluorinated acrylic 324
  - synthesized 230
  - tri-block 29
- CQD *see* carbon quantum dot
- cross-flow velocity (CFV) 176, 177, 179, 180, 184, 185, 189–191, 194
- crosslinking 242, 247, 250, 252–254, 317, 335–337, 352, 386, 387, 394
- crosslinking agents 335, 337, 381, 386, 393
- CTA *see* cellulose triacetate
- dairy industry 5, 173, 174, 192
- DCMD *see* direct contact
- membrane distillation
- differential scanning calorimetry (DSC) 49, 51, 161, 165
- diffusion 3, 152, 154, 210, 215, 335, 343, 377, 378, 411, 416, 430, 431
- dip coating 331–333, 397
- direct contact membrane
- distillation (DCMD) 27, 271, 272, 275, 276, 279, 282, 284, 285, 288, 289, 291, 296, 298, 299, 301
- dispersion 65, 82, 84, 150, 154, 158, 159, 165, 251, 252, 345, 347
- mechanical 158
  - surfactant 154, 155
- Donnan exclusion effect 157, 240, 243
- dope extrusion rate 228
- dope solution 6, 19, 25–29, 31–34, 39, 158, 239, 241, 298, 328, 381
- DSC *see* differential scanning calorimetry
- dye 22, 157, 240, 253, 275, 278, 285, 287
- dynamic coating method 333, 397
- EC *see* endothelial cell
- ECM *see* extracellular matrix
- elastic modulus 249, 432, 434, 442
- electrospinning 63, 64, 66, 68–70, 72, 74, 76, 78–80, 82, 84, 86, 92–94, 412, 430–432, 442, 443
- electrospinning process 64–67, 69, 70, 72, 74–77, 79, 80, 90, 91, 93, 424, 430, 437, 445
- electrospinning setup 65, 66, 68, 72, 73
- electrospinning technique 64, 65, 71, 75, 426
- electrospraying 66, 70, 73, 446
- electrospun fiber 81, 413, 423, 430
- electrospun membrane 64, 66, 67, 69, 72, 73, 75, 78–82, 84–86, 88, 89, 91–95
- electrospun nanofiber 64, 90, 94, 411, 430
- endothelial cell (EC) 416, 417, 419, 432
- ester 255, 385, 393, 437
- ethanol 29, 34, 36, 38, 40, 152, 153, 376, 379–382, 385, 388, 389, 391, 393, 395–398
- ethyl acetate 251, 385, 390–393
- ethylene glycol 44, 285, 297, 300, 323, 376, 388, 390
- extracellular matrix (ECM) 411, 414, 424–427, 430, 437
- extrusion rate 6, 33, 34, 159

- fabrication 6, 110, 111, 121, 123, 144, 148, 151, 235, 236, 253, 298–300, 332, 342, 343, 348
- fermentation 186, 187, 189
- fiber membrane 109, 135, 137, 385, 395, 396, 420, 432
- carbon-based 395
- carbon-based hollow 127
- coated hollow 131
- commercial 281
- commercial hollow 291, 385
- composite 386
- crosslinked hollow 317
- developing hollow 388
- fabricated hollow 157
- inorganic 109, 111, 112, 127, 136
- fibers spun 36, 37, 42, 354
- flavonoid 179, 180, 198, 199
- fluoropolymer 45, 88, 291, 292
- FO *see* forward osmosis
- forward osmosis (FO) 78, 81, 132, 229, 285
- fouling 6, 8, 28, 52, 54, 146, 176, 177, 179, 190, 194, 196, 200, 284
- inorganic 146
- fouling resistance 156–158, 196, 235
- gas separation 2, 3, 5, 47, 48, 109, 110, 113, 118, 120, 122, 123, 144, 145, 154, 309–312, 325, 328, 329, 335, 336, 338, 339
- gas separation membrane 311, 335, 339
- gelatin 65, 175, 425, 441
- glassy polymer 315, 316, 318, 320, 322, 340, 343, 350, 351, 353
- glucose 192, 198, 274, 278, 280
- glycerol 41, 47
- graphene 127, 128, 130, 133
- hepatocytes 414–417, 419, 425
- fetal 420
- functional 421, 425
- mature 423
- primary 424–426
- HF configuration *see* hollow fiber configuration
- HF membrane 174, 176, 186, 192, 193, 196–198, 200, 311, 313, 314, 315, 317–319, 321, 322, 324, 326, 341, 413–416, 418, 419, 421, 422, 429, 430
- blend 320
- composite 323, 325, 328, 330
- hybrid 345
- multilaminate 416
- polyethylene 196
- propyl acrylate 199
- rubbery 340
- thin-film composite 320
- HF membrane module 174, 176, 189, 192, 193, 200, 354
- HF systems 192, 200, 318, 319
- HF UF membrane 181, 183, 188, 192
- hollow fiber configuration (HF configuration) 173, 177, 180, 189, 193, 196, 198, 310
- hollow fiber modules 4, 214, 217, 221, 224, 310
- hollow fiber NF membrane 235, 239, 240, 243–245
- hollow fiber RO membrane 211, 212, 214, 215, 217, 221, 223, 228, 231, 232
- hollow fiber substrate 127, 131, 132, 243, 245, 247, 251–253, 257
- humidity 19, 24, 65, 66, 68, 69, 223, 309, 312, 337, 352, 354
- hydrophilicity 73, 79, 87, 88, 92, 118, 153, 155–158, 165, 230, 231, 243, 246
- hydrophobicity 40, 45, 46, 79, 88, 92, 153, 154, 271, 281, 396

- inorganic membrane 109–112,  
120, 133, 137, 144
- interfacial polymerization 218,  
229, 230, 232, 233, 235, 236,  
244–247, 249, 256, 257, 384,  
385, 394
- isobutanol 385, 389, 390
- isopropanol 34, 242, 376, 379
- juice 175, 179–181, 183, 186, 199  
bergamot 199  
centrifuged 186  
depectinized 199  
kiwifruit 177, 179  
mandarin 181  
natural 181, 182  
orange 181  
raw 199
- Kimura–Sorirajan model 224
- lactose 192, 193
- Laplace equation 50
- lumen 34, 35, 215, 244, 248, 249,  
271–273, 275, 282, 330, 333,  
340, 415, 416, 419, 421, 422
- macrovoids 24, 26–29, 31, 35, 36,  
40, 238, 239, 297, 341, 350
- magnetic resonance imaging (MRI)  
194, 318
- mass transfer 10, 85, 225, 228,  
294, 377, 410, 411
- mass transport 80, 87, 92, 329,  
332, 384, 397, 414, 417
- material 2–4, 9, 10, 52, 53, 149,  
150, 154, 278–280, 301, 302,  
311, 312, 325, 329, 330, 336,  
337, 339, 340, 350, 352, 388,  
389, 392, 394, 395, 427, 428,  
435–438
- bioactive 438, 441
- bioceramic 438
- biocompatible 48
- biomimetic 81
- bone-mimicking 437
- bridging 435
- carbon-based 109, 110, 112,  
113, 127, 149, 154
- ceramic 109, 110, 438, 442, 444
- colloidal 177
- composite 212, 441
- degradable 412, 428
- electrospun 78, 84
- honeycomb 443
- membrane 176, 177, 179–181,  
183, 187, 291, 294, 310, 311,  
339, 341, 377, 380, 382, 383,  
390–392
- metallic 438
- nanoscale 442
- organic 6, 111, 211, 215, 412
- photothermal 93
- polymer-based 350
- scaffold 441
- mechanical resistance 26, 28, 48,  
49, 86, 87, 92, 332, 341, 416
- mechanical stability 78, 86, 127,  
128, 176, 297, 298, 350, 351,  
425, 434, 436, 437
- mechanical strength 109, 110,  
112, 113, 116–120, 212, 215,  
239, 240, 296, 298, 299, 329,  
429, 432, 443, 445
- membrane bioreactor 281, 412,  
417, 420, 422, 433
- membrane contactor 3, 154, 282
- membrane distillation 28, 78, 81,  
84, 94, 269–272, 281, 282,  
290, 294, 335
- membrane fabrication 6, 27, 114
- membrane formation 10, 27–29,  
31, 32, 37, 38, 148, 386
- membrane fouling 8, 146, 176,  
177, 179, 183, 187, 188, 275
- membrane modules 7, 93, 190,  
276, 277, 281, 289, 290, 296,  
333

- capillary 283
- ceramic 190
- plate-and-frame 176
- membrane performance 7, 148, 156, 177, 187, 188, 218, 223, 226, 228, 251, 322
- membrane permeability 143, 144, 148, 155, 429
- membrane pores 21, 41, 50, 176, 177, 183, 200, 228
- membrane porosity 24, 28, 39, 236, 291, 292, 294, 295
- membrane process 10, 65, 86, 87, 143, 145, 174, 193, 195, 199, 234, 270
- membrane structure 4, 24, 38, 49, 55, 150, 151, 159, 161, 162, 257, 394
- mesenchymal stem cell (MSC) 422, 434
- mesoporosity 439, 444, 445
- metal 7, 110–113, 116, 122, 345, 346, 434, 436
- metal organic framework (MOF) 7, 110–112, 122–125, 133, 144, 149, 150, 230, 321, 343, 345–348
- metal oxide 6, 109, 111–113, 118, 144, 149, 157
- methane 122, 131, 313, 351
- methanol 29, 34, 242, 251, 336, 376
- method
  - bioelectrospinning 430
  - bubble point 50, 51
  - continuous UV irradiation 199
  - dip-coating 331
  - dry-/wet-spinning 152
  - grafting 136
  - gravimetric 84
  - helium purification 318
  - high-cell-density 422
  - hydrothermal 119
- interfacial contra-diffusion
- polymerization 124
- mercury intrusion porosimetry 51
- microfluidics 123, 124
- microwave 119
- oxygenation 410
- reverse direction coating 248
- sol-gel 115
- solvothermal 124
- spray-drying 123
- vacuum-assisted 332
- vacuum-assisted filtration 129
- MF *see* microfiltration
- MF membrane 174, 193, 196
- microenvironment 149, 411, 417, 419, 420, 423, 426, 427, 430, 431, 443
- cellular 410, 429
- microfiltration (MF) 3, 5, 22, 24, 173, 174, 185–187, 193, 196, 197, 211, 249, 252
- microorganism 90, 91, 175, 186, 187, 193, 195, 213
- micropores 21, 29, 212
- microstructures 43, 132, 133, 223, 250
- milk 173, 174, 192
- mixed matrix membrane (MMM) 3, 7, 50, 143–149, 153, 154, 158, 159, 162, 165, 166, 284, 295, 296, 299
- MMM *see* mixed matrix membrane model
  - analytical 225
  - animal 428
  - hepatic culture 426
  - optimal cell 419
  - phenomenological 88
  - pore-flow 397
  - solution-diffusion 3, 212
  - toxicological 424
- modified direct contact membrane distillation 282

- module 5, 9, 215, 218, 225, 232, 235, 274–277, 281–285, 289–291, 314, 318, 319  
 capillary 275  
 commercial 275  
 plate and frame 311  
 spiral-wound 4, 235  
 tubular 196, 281, 283, 284, 375  
 twisted 232
- MOF *see* metal organic framework  
 molecular sieving 212, 234, 319  
 molecular weight cut-off (MWCO) 30, 174, 176, 180, 181, 183, 198, 199, 238–240, 242–245, 249, 251, 252, 411, 415–417, 420  
 monomer 79, 244, 247, 257, 354, 384, 394  
 morphology 2, 4, 19, 21–25, 29, 31, 33, 34, 37–40, 48–50, 80, 82, 90, 245, 325, 423–425  
 anisotropic 3, 76  
 cellular 429  
 cross-sectional 20, 161  
 isotropic 3  
 non-ideal 148  
 sandwich 112  
 sieve-in-a-cage 148, 344
- MRI *see* magnetic resonance imaging  
 MSC *see* mesenchymal stem cell  
 MWCNTs 127, 154–156  
 MWCO *see* molecular weight cut-off  
 nanocomposite 153, 442  
 nanofiber 63, 64, 69, 71, 76, 78, 80, 82, 84, 93–95, 127, 128, 409, 410, 423–426, 430, 431, 442, 443, 445  
 nanofiltration (NF) 3, 5, 192, 193, 209–212, 214, 216, 218, 220, 222, 228–230, 234, 240, 248–250, 252–254, 256  
 nanomaterial 10, 76, 82, 143, 144, 165, 166, 257, 299  
 nanoparticle 76, 78, 92, 94, 125, 133, 145, 146, 149, 151, 152, 155, 157, 158, 165, 166, 299, 300, 302, 442  
 nanosheet 155, 253  
 nanostructure 109, 442  
 natural gas 144, 310, 316, 318, 347, 351  
 natural gas treatment 312, 315–317  
 nerve conduits 429, 431, 432, 446  
 nerve guidance conduit (NGC) 428, 429, 432  
 neuron 413, 429–431  
 neuronal growth 427, 428, 430–432  
 neuronal growth factor 431  
 NF *see* nanofiltration  
 NF membrane 199, 234–236, 239, 244, 249, 254, 256  
 NGC *see* nerve guidance conduit  
 NIPS *see* nonsolvent induced phase separation  
 N-methyl pyrrolidone (NMP) 10, 27, 28, 32, 35, 45, 246, 282, 285, 286, 297, 381, 384  
 NMP *see* N-methyl pyrrolidone  
 nonsolvent induced phase separation (NIPS) 45, 298, 334, 340  
 nutrient 410–412, 414, 416, 417, 422, 429, 431, 435, 439, 445  
 olefins 324, 338  
 olive mill wastewater (OMW) 195, 196  
 OMW *see* olive mill wastewater  
 operating conditions 64, 176, 177, 179–181, 184, 185, 187, 189–191, 195, 199, 282, 283, 285  
 operating pressure 178, 180, 188, 217, 218, 221, 226, 228, 231, 240, 242–247, 256

- organic solvent 44, 73, 136, 144, 249, 252, 340, 341, 384, 387  
 organic solvent nanofiltration (OSN) 249–253  
 osmotic pressure 210, 218  
*OSN* *see* organic solvent nanofiltration  
 osteoblasts 437, 443, 444  
 osteoclasts 434  
 osteoconduction 435  
 osteointegration 436, 444  
 osteoporosis 434  
 oxygen consumption rate 422  
 oxygen flux 117, 118  
 oxygen permeation flux 115, 117  
 packing density 6, 7, 132, 189, 235, 276, 283, 290, 311, 377, 395, 397  
*PAN* *see* polyacrylonitrile  
*PBI* *see* polybenzimidazole  
*PDGF* *see* platelet-derived growth factor  
*PDMS* *see* polydimethylsiloxane  
 pectins 176, 195, 196, 199  
*PEG* *see* polyethylene glycol  
*PEI* *see* polyetherimide  
 perfusion 412, 420, 421  
 permeability 21, 23, 24, 224, 225, 247, 250, 251, 311, 314, 320, 331, 334, 336, 338, 340, 341, 343, 351–353  
 permeance 37, 39, 121, 122, 125, 127, 129, 131, 151, 152, 154, 316–321, 333, 336–338, 345–347, 353, 354  
 permeate flux 155, 156, 158, 176–181, 183, 186–190, 196, 197, 256, 274, 275, 288, 290, 378, 381, 384, 386, 387, 389  
 permeate stream 176, 189, 198, 377, 381, 388, 394  
 permeation 2, 3, 82, 135, 136, 145, 157, 338, 344, 351, 352, 376, 393, 411, 412  
 permeation flux 10, 87, 114, 119, 190, 191, 193, 194, 381, 385, 386, 389, 393, 395  
 perovskite 109, 112, 114–117, 135  
 perovskite oxide 110, 113–115, 118, 133  
 pervaporation (PV) 3, 5, 10, 26, 120, 123, 375–377, 379–382, 390, 393, 398, 399  
*PES* *see* polyethersulfone  
 phase inversion 45, 93, 228, 235, 236, 238, 251, 283  
 phase-inversion method 131, 180, 197, 236, 238, 256  
 phase-inversion process 10, 28, 39, 88, 161, 179, 242  
 phase-inversion technique 4, 10, 18, 235, 270, 424, 429  
 phase separation 34, 45, 326, 334, 431  
 photografting 252, 255, 256  
*PI* *see* polyimide  
 plasticization 144, 309, 316, 317, 335, 336, 348, 351, 352  
 platelet-derived growth factor (PDGF) 434, 446  
*Polyacrylonitrile (PAN)* 28, 38–40, 46, 48, 90–92, 176, 181, 183–185, 329, 331, 379, 381, 382, 384, 393, 395  
*Polyamide* 65, 92, 213, 217, 247, 334, 389, 390, 394, 416  
*Polybenzimidazole (PBI)* 46, 151, 238, 242, 243, 251, 319, 320, 327, 340, 353, 387, 393  
*Polydimethylsiloxane (PDMS)* 46, 313, 315, 318, 321, 330–332, 337, 353, 391, 396, 397  
*Polyetherimide (PEI)* 6, 35, 43, 47, 48, 83, 84, 244, 246, 249, 250, 252–254, 340, 344  
*Polyethersulfone (PES)* 6, 9, 23, 24, 28, 29, 31, 32, 46, 47, 153, 155–158, 176, 229, 239, 240,

- 243, 244, 246, 247, 323, 324, 340, 341, 386, 417
- polyethylene glycol (PEG) 24, 28, 29, 31, 32, 39, 40, 47, 223, 299, 302, 323, 331
- polyimide (PI) 6, 44, 48, 250, 251, 254, 314–316, 320, 322, 323, 336, 337, 340, 346, 349, 387, 388, 392, 395
- polymer 6, 7, 21–23, 25–27, 32, 34–36, 38–40, 44–48, 64, 65, 67, 69, 70, 73–76, 147, 148, 150, 159, 309, 323–325, 327, 328, 340–343, 347–352, 394–396, 412, 436–438
- bare 165
  - bio-based 45
  - bioresorbable 441
  - blended 385
  - branched 44
  - functional 243
  - functionalized 424
  - high-free volume 353
  - natural 64, 412, 441
  - nondegradable 412
  - organic 174
  - perfluorinated 46
  - permeable 314, 330
  - rubbery 315, 320, 321, 339
  - semicrystalline 79
- polymer blends 309, 320, 341–343
- polymer chains 19, 22, 37, 41, 44, 147, 148, 150, 153, 154, 328, 335, 350–352
- polymer concentration 25, 26, 31, 32, 39, 47, 67, 68, 75, 271, 294–297, 333, 396
- Polymeric membrane 54, 63, 110, 144, 145, 310, 320, 338, 347, 385, 388, 414
- Polymeric solution 65, 67, 76, 326, 442
- Polymerization 222, 244, 249, 255, 394
- Polymer membrane 136, 162, 310, 314, 324, 338, 350–352
- Polymer solution 18, 19, 23, 33, 36, 65, 66, 80, 147, 159, 222, 326, 327, 331–333
- Polyphenol 175, 180, 181, 183, 186, 188, 195–199, 279
- Polypropylene 21, 46, 74, 176, 252, 270, 275–277, 281, 288, 292, 324
- Polysaccharides 187, 197, 437, 441
- Polysulfone (PSf) 6, 31, 46, 92, 151, 161, 162, 214, 222, 241, 248, 313, 323, 324, 380–382, 385, 386, 415
- Polyvinylidene fluoride (PVDF) 6, 26–28, 35, 36, 38–40, 44–46, 93, 154, 155, 176, 185, 281, 283–285, 288, 289, 296–301, 321, 396, 397
- Porosity 3, 21, 24, 26–28, 31, 80, 84, 85, 87, 90, 93, 94, 274–287, 292–295, 297, 298, 301, 302, 328, 423, 424, 429, 443
- Porous membrane 94, 146, 295, 296, 421
- Porous structure 28, 37, 40, 41, 86, 112, 120, 148, 149, 330, 410–412, 444
- Porous substrate 222, 328, 332
- Proteins 155, 157, 174–176, 180, 187, 192, 193, 195, 199, 411, 426, 427, 433, 441, 444
- PSf *see* polysulfone
- Pure water permeability (PWP) 158, 221, 222, 224, 231, 239, 242, 244, 246, 249, 252, 253
- PV *see* pervaporation
- PVDF *see* polyvinylidene fluoride
- PVDF HF membrane 181, 182, 197, 198, 324
- PVDF membrane 39, 45, 46, 180, 193, 282–285, 298, 299

- PWP *see* pure water permeability
- pyrolysis 338, 339, 395
- rejection 34, 36, 40, 41, 91–93, 155–157, 181, 183, 212, 235, 236, 239, 240, 242–244, 249–253, 282–285, 289, 296–300
- dextran 34
  - dye 240, 250, 284
  - glyphosate 243
  - humic acid 158
  - salt 27, 87, 214, 217, 218, 222, 224, 228, 230–232, 288, 299, 300
  - urea 277
- resistance 44, 80, 144, 177, 186, 211, 231, 288, 294, 320, 336, 354, 395
- acid 120
  - chlorine 212
  - hydraulic 176
- reverse osmosis (RO) 4, 5, 92, 153, 209–212, 214, 216, 218–222, 224, 226, 228, 230, 232, 234, 236, 270
- RO *see* reverse osmosis
- RO membrane 193, 211–214, 222, 223, 229, 230, 244
- RO process 214, 224, 228, 233, 270
- RO system 4, 211, 212
- scaffold 69, 70, 73, 75, 410–412, 414, 423–427, 435–438, 441–446
- bioactive electrospun 427
  - biomaterial 435
  - bone 435–437
  - collagen-modified 426
  - electrospun 446
  - nanofiber 425, 427
  - osteoinductive 437
  - precoated 425
- protein 427
- smart 435
- SDS *see* sodium dodecyl sulfate
- seawater 225, 232, 269, 288, 290–293, 297, 301
- seawater desalination 5, 213, 214, 217, 288, 290, 303
- selective barrier 2, 3, 174, 253, 410, 414
- selective layer 239, 241–244, 249, 253, 311, 318, 327, 329–333, 338, 348, 354
- selectivity 23, 28, 29, 33, 109–114, 120, 121, 124, 125, 127, 144–153, 155, 159, 226, 311, 313–322, 331–336, 338, 339, 343–345, 351–354, 394, 395
- separation efficiency 110, 193, 235, 249, 351, 384
- separation factor 122, 152, 153, 284, 297, 317, 347, 378, 379, 381, 385–389, 393–398
- separation layer 113, 212, 222, 228, 229, 233
- separation performance 127, 132, 143–145, 226, 229, 319, 320, 336, 337, 339, 340, 381, 386–389, 392–394, 396, 399
- separation process 69, 110, 175, 309, 310, 312, 315, 319, 320, 324, 325, 328, 334, 343
- SGMD *see* sweep gas membrane distillation
- shear stress 19, 33, 177, 411
- sodium dodecyl sulfate (SDS) 158, 300, 302
- solute 93, 146, 174–176, 186, 210, 211, 223, 224, 234, 235, 411
- spinneret 18–24, 33, 34, 36, 42, 69, 72, 73, 222, 228, 236, 240, 242, 326–328, 334
- spinning 6, 20, 21, 23, 31, 33, 159, 236, 239–241, 328, 329, 334, 340, 342

- spinning process 6, 18–20, 64, 159, 239, 251, 322, 327–329, 336, 381
- spinning technique 17, 18, 21–23, 54, 198, 199, 412
- SS *see* suspended solids
- steam-assisted gravity drainage 289
- stem cell 420, 423
- embryonic 420, 421
  - human induced pluripotent 421
  - induced pluripotent 422
  - mesenchymal 434
  - neural 430
  - pluripotent 419
- substrate 123, 127, 137, 214, 229, 257, 329, 424, 435
- ceramic tubular 152
- nonwoven 92
- organic 123
- surface hydrophilicity 29, 135, 146, 233, 296
- surface modification 80, 81, 117, 118, 136, 148, 230, 295, 296, 299, 386
- surface roughness 21, 88, 146, 156, 157, 165
- surface tension 45, 50–52, 65, 67, 300
- suspended solids (SS) 175, 178, 181, 194–199, 211, 235
- sweep gas membrane distillation (SGMD) 272, 273, 277
- TAA *see* total antioxidant activity
- TDS *see* total dissolved solids
- technology 10, 119, 192, 195, 198, 209, 218, 232, 294, 313, 345, 376, 413, 446
- TFC *see* thin-film composite
- TFN *see* thin-film nanocomposite
- TFN membrane 125, 230
- theoretical draw ratio 22
- thermal annealing 253, 387, 388
- thermal crosslinking 317, 335, 336
- thermal stability 9, 44, 45, 47, 110, 114, 120, 132, 150, 151, 154, 315, 320
- thermal treatment 52, 316, 336, 337, 351, 394
- thin-film composite (TFC) 92, 213, 244, 245, 249, 250, 256, 257, 311, 328–330, 332, 340, 341, 348, 384, 391, 394
- thin-film nanocomposite (TFN) 124, 229, 230, 246
- tissue 73–75, 410, 412, 419, 421, 423, 427, 428, 435, 437, 443, 446
- cartilaginous 434
  - host 438
  - innovative 425
  - microvascular 432
  - native 420
  - retinal 430
- TMP *see* trimethyl phosphate
- TOC *see* total organic carbon
- toluene 155, 249, 316, 337, 352, 396
- topography 49, 50, 82, 109, 111
- total antioxidant activity (TAA) 181, 183, 196, 198, 199
- total dissolved solids (TDS) 180, 217, 218, 284, 287
- total organic carbon (TOC) 196, 280, 281, 284, 287
- total soluble sugars (TSS) 180, 181, 188, 198
- transmembrane flux 274, 275, 277, 281, 282, 284, 289, 296
- treatment 40, 174, 180, 194, 269, 277–279, 284, 285, 287, 289, 293, 299, 300, 335–337
- chemical 217
  - enzymatic 175, 183, 196
  - gas bubbling 193
  - heat-press 78

- hot-air 22
- hydrothermal 118, 133
- isothermal 339
- post-methanol 394
- post-thermal 395
- trimethyl phosphate (TMP) 27, 176–181, 184, 185, 187–189, 191, 194, 197
- TSS *see* total soluble sugars
- tubular membrane 5, 235, 275, 290, 377
- UF *see* ultrafiltration
- UF HF membrane 179, 183, 186, 198
- UF membrane 173–175, 177, 180, 188, 189
- UF process 5, 175, 178, 187, 189, 195, 197, 199
- ultrafiltration (UF) 3, 5, 173, 174, 185, 187, 192, 193, 196, 211, 234, 243, 255
- vacuum membrane distillation (VMD) 272–275, 277, 279, 281–283, 296–299, 301, 303
- van der Waals interaction 180
- vascular endothelial growth factor (VEGF) 434, 439, 445, 446
- vascularization 416, 435, 436, 444, 445
- VEGF *see* vascular endothelial growth factor
- viscosity 6, 19, 20, 25, 27, 29, 31, 32, 67, 159, 176, 183, 190, 191
- dope 31, 32, 239
- VMD *see* vacuum membrane distillation
- void 28, 37, 148, 150, 151, 155, 159, 327, 344
- volume reduction factor (VRF) 176, 181
- VRF *see* volume reduction factor
- wastewater 18, 174, 195, 269, 271, 274, 277, 280, 282, 286, 287, 300
- agrofood 173, 174, 194
- coking 281
- potato starch 199
- radioactive 285
- simulated radioactive 281, 285
- water contact angle (WCA) 52, 88, 89, 132, 136, 154–158, 230
- water desalination 4, 217, 232, 379, 398, 399
- water flux 156, 157, 212, 213, 228, 230, 235, 238, 240, 244–246, 253, 275, 277, 398
- water permeability 10, 23, 24, 29, 30, 33, 34, 36, 37, 43, 91, 158, 221, 230, 233
- water treatment 4, 5, 47, 54, 78, 92, 111, 118, 137, 145, 154, 199
- WCA *see* water contact angle
- wetting 93, 94, 154, 288, 294
- whey protein 192–194
- whey protein concentrate (WPC) 192, 193
- wine 173, 174, 186, 187
- WPC *see* whey protein concentrate
- X-ray diffraction (XRD) 132–135, 161, 165
- XRD *see* X-ray diffraction
- yeast 186, 187
- Young's equation 88
- Young's modulus 30, 34, 54, 86, 354, 435
- zeolite 7, 10, 109, 111–114, 118–121, 123, 133, 144, 149, 153, 154, 343–345
- aluminosilicate 121
- crystalline 110, 118

- nano-sized 348
- silane-modified 153
- zeolite membrane 119–120, 136, 144, 389
- zeolitic imidazolate frameworks (ZIFs) 125, 150, 345, 346
- ZIF *see* zeolitic imidazolate framework

*"The existence of all living species would be rather impossible without the membrane formed around each cell that enables its functioning by the selective transport. Mankind has already made some progress to mimic nature, and we can hear today that the membranes are widely used in water purification and desalination, blood oxygenation, and dialysis, saving many lives every day. This book gives a broad and professional overview of the most compact type of membranes—the hollow fibers—from their preparation to applications. The last chapter is particularly thrilling as it discusses how hollow fiber membranes and nanofibers can be used in bioartificial organs and tissue engineering."*

**Dr Alexey Volkov**

**A. V. Topchiev Institute of Petrochemical Synthesis, Russian Academy of Sciences  
European Membrane Society**

*"This book offers a comprehensive and fascinating in-depth view of hollow fiber and nanofiber membrane science. It is inspiring not only for those involved in hollow fiber research but also for practitioners in the industrial sector because it uniquely covers a wide range of topics beginning with the fundamentals of polymeric and inorganic membranes and continues with their application in gas separation, membrane distillation, and pervaporation as well as in agrofood production and bioartificial organs."*

**Prof. Jan Hoinkis**

**Karlsruhe University of Applied Sciences, Germany**

Since the development of the first modules, hollow fibers have totally revolutionized the world of membranes—thanks to the new technological breakthroughs and innovative materials discovered. The importance of a book putting hollow fibers in the spotlight owes to this type of configuration being more and more appreciated, particularly in large-scale applications. Moreover, the advent of nanofibers has injected new vitality in biomedical research, air and water separation and filtration processes, and emerging areas of nanotechnology. This book singles out and highlights the unique properties that hollow fibers and nanofibers display in the fields where they already represent the dominant configuration and where their full exploitation is still hindered by economic and technological constraints.



**Alberto Figoli** is director of the Institute on Membrane Technology - National Research Council of Italy (ITM-CNR) since 2019, which he joined in 2001 as a researcher. He holds a graduate degree in Food Science and Technology from the University of Milan, Italy, and a PhD in membrane science from the University of Twente, the Netherlands. He is an expert of membrane technology, particularly membrane preparation (in flat, hollow fiber, and capsule configuration) and characterization and its application in environmental field.



**Mir Saeed Seyed Dorraji** is an associate professor at the Research Laboratory of Applied Chemistry, University of Zanjan, Iran. He earned his PhD in the field of applied chemistry (polymer technology) from the University of Tabriz, Iran. His research focuses on the synthesis, characterization, and application of nanostructured materials for membrane technologies, photocatalytic processes, and coatings.



**Francesco Galiano** is a researcher at the Institute on Membrane Technology - National Research Council of Italy (ITM-CNR) since 2019. He completed his graduation in pharmacy (2009) and PhD in membrane science (2013) from the University of Calabria, Italy. His main research activities are oriented toward the preparation, characterization, and application of polymeric membranes (in flat and hollow fiber configuration) for water treatment and purification processes.



JENNY STANFORD  
PUBLISHING