

Index

- 2,2'-bipyridine (bipy), 230,
247–48, 250–53, 256–57, 285,
297, 360–61
- 2-(2'-pyridylquinoline) (pyq), 360
- absorption, 63, 65, 67–68, 74, 76,
78–81, 90, 93–94, 121, 185,
230–32, 234–36, 249–50, 260,
263–64, 266, 285–86, 288–89,
335–36, 358
- absorption bands, 77, 82, 97, 112,
231, 233, 247, 267, 270, 281,
290–91, 293
- absorption transitions, 76–78, 111,
228–32, 243, 300
- AC, *see* alternate current
- acceptor, 96–101, 210–12, 216,
219, 229–30, 251, 255, 265,
267–68, 278, 280, 284,
291–92, 294–95, 299
- alternate current (AC), 182–83
- angular momentum, 18–24, 68, 70,
132, 265
- anharmonicity, 64
- anisotropy, 122, 152, 177, 181,
189, 192, 212, 224, 363
- easy-plane, 33
- electrical magnetochiral,
222–23, 312
- geometrical, 181
- uniaxial, 177
- antenna chromophore, 267, 269,
284–85
- antenna ligands, 262–64, 269–71,
282, 285, 287
- antibonding, 48, 76, 158, 169, 174,
244, 247, 251, 256
- antiferromagnetic, 31–32, 35,
41–42, 135, 138, 145–49,
151–52, 154, 172, 307
- antiferromagnetic coupling, 40–41,
43, 146, 324
- antiferromagnetic interactions, 34,
41, 43, 45, 131, 149, 151–52,
154, 179, 195, 200, 328
- antiferromagnetism, 128, 145, 147,
149–50, 175, 328
- antiferromagnets, 30–31, 146–49
- AO, *see* atomic orbital
- Arrhenius plot, 319
- Arrhenius-type dependence, 195
- Arrhenius-type law, 182, 186
- artificial photosynthesis, 248, 259
- atomic orbital (AO), 22, 39, 47,
55–56, 59, 67, 107, 208, 245
- Avogadro's number, 29, 36, 93, 100
- axial anisotropy, 192–93, 362, 364
- axial ZFS parameter, 33, 192–93,
196
- band gap, 53
- bands, 47–48, 53, 55–59, 80, 104,
118, 175, 184, 278, 296, 332,
346
- absorption and emission, 114,
249, 274
- fluorescent, 122
- hot, 78
- lower-energy, 48, 56
- phosphorescent, 270, 272
- responsive, 275
- bandwidth, 48, 56, 275, 356
- BEDO-TTF, *see* bis(ethylenedioxo)-
tetrathiafulvalene

- BEDS-TTF, *see* bis(ethylenediselena)-tetrathiafulvalene
- BEDT-TTF, *see* bis(ethylenedithio)-tetrathiafulvalene
- BETS, *see* bis(ethylenedithio)-tetraselenafulvalene
- bias, 46
forward, 343
positive, 367
- bipy, *see* 2,2'-bipyridine
- bis(ethylenedioxo)-tetrathiafulvalene (BEDO-TTF), 211, 217
- bis(ethylenediselena)-tetrathiafulvalene (BEDS-TTF), 211, 217
- bis(ethylenedithio)-tetraselenafulvalene (BETS), 306–8, 317
- bis(ethylenedithio)-tetrathiafulvalene (BEDT-TTF), 211, 217, 302–3, 305, 308–13
- Bloch sphere, 198
- blocking temperature, 178, 183, 188, 190–91, 323, 366
- Bohr condition, 289
- Bohr frequency condition, 66, 101, 121, 289
- Bohr magneton, 21, 23, 29, 34, 36, 364
- Boltzmann constant, 29, 51
- Boltzmann distribution, 33, 184–85
- bonding, 47–48, 56, 229–30, 233, 236, 239, 241, 244, 256, 259
chemical, 301, 358
halogen, 241
metal-to-ligand, 244
noncovalent, 105
- bonds, 17, 64, 86, 231, 236, 315
chemical, 167
molecular, 62, 168
polarizable, 276
- Born–Oppenheimer approximation, 65
- Brillouin function, 36–38, 131
- Brillouin zone, first, 55–57
- building blocks, 53, 59–60, 138, 142, 217, 219–21, 301, 303, 306, 309–10, 312, 317–18, 320, 322–23, 325
conducting, 225
charge-compensating, 322, 326
chiral, 222
luminescent, 331
molecular, 3, 5, 8, 55, 132, 137, 142, 221, 233, 301–2, 308, 311
organic, 312
oxalate-based, 154, 312
redox-active, 217
tris-chelated, 140
- building units, 4–5, 59, 130, 154, 210, 218
- bulk materials, 2, 5, 176, 365–66
- CB, *see* conduction band
- charge transfer (CT), 74, 210, 359
intra-atomic, 158
intraligand, 228
ligand-to-ligand, 228, 296
ligand-to-metal-to-metal, 228
metal-to-ligand, 228, 293, 358
metal-to-metal-to-ligand, 228
- chirality, 141, 222–23, 293, 311–13, 325, 329
- chromophores, 226, 260, 264, 269, 271
- closed-shell metal, 221, 229, 233, 255, 259
- coercive fields, 136, 139–40, 144–45, 187, 312, 321–22
- coherence times, 202–3, 205
- conducting materials, 46–47, 213, 226, 341, 362

- conducting properties, 48, 51–53, 59–60, 209, 212, 215–17, 219–22, 224–25, 235, 261, 302–6, 310, 315, 317–19, 343
- conduction band (CB), 48, 51–53, 58–59, 150, 208, 212, 235, 343, 353–55, 358
- conductivity, 47, 49–52, 59–60, 210–12, 217, 219, 223, 303–4, 307–13, 316–18, 320, 338
- conductors, 12–13, 47, 49–51, 58, 209–12, 219, 223, 308–9, 311
 - molecular, 47, 58–59, 210, 214, 216, 224, 306
- configurations, 65, 67–68, 81, 85, 109–13, 118, 155–56, 159–60, 164, 196, 205–6, 245–47, 336, 342, 345
- closed-shell, 235
- down, 196
- eclipsed, 256
- low-spin, 246
- open-shell, 220–21, 230, 235–36
- cooling/heating cycles, 327
- coordination chemistry, 67, 204, 225, 235, 254, 260, 281, 286
- coordination complexes, 107, 230, 233, 240, 246, 264, 288, 335
- coordination compounds, 73, 155, 209, 230, 233, 277, 292
- coordination environments, 163, 189, 274, 276–77, 284, 326
- coordination geometry, 138, 157, 170, 172, 200, 220
 - distorted octahedral, 158, 170
 - square antiprismatic, 191
 - square pyramidal, 202–3
 - tetrahedral, 155
- coordination polymers, 127, 138–39, 141–42, 144, 154, 168, 194–95, 197, 308, 310, 312, 325
- coordination sphere, 33, 118, 173, 276, 280, 283
- counterions, 139, 163, 201, 204, 213–15, 217–19, 221–22, 224, 241, 293, 310
 - bulky, 322
 - charge-compensating, 225
 - functional, 225, 310
 - hydrogen-rich, 204
 - nonfunctional, 309
 - organic, 202
- crystal/ligand field strength, 243, 246, 251–52
- crystal packing, 241, 303–4
- crystal structure, 52–53, 139–40, 144–45, 162–63, 194–95, 197, 211, 213, 215, 302–3, 306–7, 309, 320–23, 325–26, 337–38
- CT, *see* charge transfer
- CT and radical cation salts, 210–12, 216, 219, 224, 228–29, 231, 247, 260, 300
- Curie and Néel temperatures, 147
- Curie behavior, 172
- Curie constant, 28–30, 150
- Curie law, 28–34, 135
- Curie paramagnet, 28, 34, 36–37, 43, 304
- Curie temperature, 30–31, 133, 147, 150, 310–11
- DC, *see* direct current
- deactivation, 76, 78–79, 81, 85–86, 89, 92, 95, 102, 166, 247, 250, 252, 272, 277, 283
- decay, 78, 83, 85, 87, 89, 93–95, 115, 175, 240, 244, 246, 262–65, 270, 272–73, 357–58
- degeneracy, 24, 93, 108–9, 118, 275
- delocalization, 208, 211, 217, 219, 221
- density functional theory (DFT), 70, 267
- Dexter's energy transfer, 98
- Dexter's mechanism, 98

- Dexter's model, 99
- DFT, *see* density functional theory
- diamagnetic, 17–18, 29, 42–44, 73, 81, 143, 169, 171, 175–76, 194, 199, 201–4, 307, 323
- diamagnets, 16–18
- dimensionalities, 3, 6–7, 127, 135, 138, 140, 193–94, 217, 225
- dipolar, 39, 66, 69, 97, 99–101, 117, 119, 274, 291, 297, 299
- dipole, electric, 72, 74, 99, 119–20, 232
- dipole moments, 74, 100, 120, 231, 290, 298–99
- direct current (DC), 183, 216, 299
- dissociation, 64–65, 256, 350
- distortion, 73, 244, 251
 - molecular, 86
 - structural, 259
- distribution, 124, 181, 257
 - electronic, 65–67, 120, 175, 289
 - solar power, 356
- dithiolene complexes, 221, 225, 295
- dithiolene ligands, 220, 296
- DiVincenzo criteria, 206
- d-metal, 144, 227, 229–31, 233, 236, 242–43, 259, 285, 293
- donor, 96–101, 173, 210–11, 213, 216–18, 230, 251, 255, 257, 265–69, 278, 280, 284, 291–95, 304–6
- dopant, 345, 348–52
- doping, 51–52, 349
- DSSC, *see* dye-sensitized solar cell
- dye-sensitized solar cell (DSSC), 248, 341, 353–55, 357–61
- dynamic quenching, 102–6, 243
- dynamics, 94, 105, 183, 272, 366–69
 - molecular-scale, 367
 - single-molecule, 370
 - temporal, 266, 272
 - temporal relaxation, 370
- easy-axis anisotropy, 33, 188
- EC, *see* external conversion
- efficiency, 89, 92, 96–97, 100, 103–5, 252–53, 261, 263–65, 268, 270, 272–73, 285, 345–46, 355–56, 359–62
- EFISH, electric-field-induced second harmonic generation
- Einstein's equation, 275
- Einstein's postulate, 94
- EL, *see* electroluminescence
- electrical conductivity, 6–7, 11, 46–49, 211, 215, 222, 306, 313–16, 318, 321
- electric field, 61, 63, 75, 99, 119–22, 124, 157, 289–91, 298–99, 325
- electric-field-induced second harmonic generation (EFISH), 298–99
- electrocrystallization, 213–16
- electroluminescence (EL), 235, 261, 337, 342–43, 345–47
- electromagnetic radiation, 61–62, 74–75, 119, 261, 274, 325
- electron cloud, 74, 111, 119, 122, 274, 276, 289
- electron configuration, 68, 88, 132–33, 137–38, 171
- electron delocalization, 129, 220–21
- electron density, 39–40, 119–21, 124, 133, 231, 289–91
- electron-donating, 133, 157, 224, 238–39, 291, 294
- electron donor, 212, 291–92, 294
- electronic configuration, 24, 72, 108, 110–11, 130, 132, 155–57, 171, 174, 200, 227, 229–30, 236–37, 244–45, 294
- electronic energy states, 24, 63–64, 70, 72, 227, 244

- electronic features, 2, 8, 127, 148, 199, 219–21, 259, 271, 287, 295
- electronic states, 24, 65, 67, 72, 80–81, 85–86, 169–70, 175, 200, 244–45, 367
- electronic transitions, 62–63, 65–66, 68–70, 74–76, 78, 88, 107–9, 112, 115, 164, 227, 229, 232, 236, 289–90
- electron injection, 343, 357–58, 360
- electron paramagnetic resonance (EPR), 183, 199, 205, 207
- electrons, 18–23, 25–26, 48–49, 51–54, 56, 61–63, 67–70, 72–73, 87–88, 98–99, 155–56, 169–71, 294–95, 343–44, 353–54
 - conduction, 366
 - delocalized, 302, 313
 - extra, 173, 354
 - free, 53
 - lightweight, 61
 - localized, 302, 304, 313
 - noninteracting, 53
- electron transfer, 88, 102, 109, 133, 168, 170–71, 173, 175, 228, 233, 354, 356–58
- electron transport layer (ETL), 342–43
- electron withdrawing, 124, 133, 157, 287, 291, 295
- emission, 78–79, 82–84, 93–94, 115–17, 226–27, 233–35, 239, 241, 243, 246–47, 249–50, 252–55, 262–64, 275–76, 331–35
- emission bands, 80, 82, 97, 114, 249, 267, 274–76, 280–81
- emission color, 116–17, 238–39, 252, 254, 331–32
- emission efficiency, 85–86, 88, 250, 259, 282, 350
- emission intensity, 95, 102, 104–6
- emission lifetime, 92–93, 104–6, 113, 252, 264, 273, 279, 285, 287, 339, 345
- emissive layer (EML), 342–46
- emitters, 92–93, 95–96, 102–3, 105–6, 238, 240, 260, 271, 273, 279–80, 282, 285, 331, 339, 345
- EML, *see* emissive layer
- enantiomers, 140–41, 222–23, 325–26
- energy, 47–48, 52–56, 60–66, 85–89, 109, 111, 156–57, 159, 164, 169–71, 182–85, 187–88, 230–31, 246–47, 251–56
 - activation, 51, 304, 316, 319
 - binding, 55
 - ligand triplet, 272
 - pairing, 156
 - potential, 54, 78, 81, 159
 - rotational, 63, 65
 - spin-pairing, 156–57
- energy bands, 48–49, 52–53, 55–56, 58
- energy barrier, 177–78, 180–82, 186–88, 190–92, 195–97, 207
- energy gap, 42, 45, 48, 51, 58–59, 85, 113, 115, 244, 247, 249–50, 252, 254, 270–71, 277–79
- energy levels, 24–25, 48, 56, 85, 87, 108, 113–16, 164, 166, 184, 187, 226, 255–56, 265–66, 285–86
- energy states, 24–25, 33, 45–46, 63, 65, 68, 72, 85, 98, 102, 116, 200, 208, 243–45, 253
- energy transfer (ET), 96, 98, 106, 185, 226, 243, 263, 331, 343, 346
- metal-to-metal, 335
- radiative, 96
- sequential, 336

- environment, chemical, 85, 95, 108–9, 113, 118, 249, 260, 273
- EPR, *see* electron paramagnetic resonance
- EQE, *see* external quantum efficiency
- EQ transitions, 117–18
- ESA, *see* excited-state absorption
- ET, *see* energy transfer
- ETL, *see* electron transport layer
- exchange coupling, 195–96
- exchange interactions, 38–39, 135, 144, 149, 151, 153, 176, 188, 195–96, 207
- excitation, 81, 83, 89–90, 93, 99, 101, 235, 237, 250, 260–61, 264, 267, 283–84, 287, 336
- excited levels, 78, 81, 89, 93, 252, 269, 335
- excited singlets, 89, 265–66, 268, 272, 339, 345, 357
- excited species, 63, 65, 67, 78–79, 83, 101, 243, 337
- excited-state absorption (ESA), 266
- excited states, 60–61, 63, 65–68, 70, 74–78, 80–82, 84–88, 90–91, 93–94, 120–21, 185–86, 231, 242–46, 249, 288–90
- excited triplets, 85, 92, 252, 262, 265, 268, 339, 345
- external conversion (EC), 89, 91–92
- external magnetic field, 14, 28, 45, 128, 135–36, 144, 146, 152–53, 182, 184, 208, 306, 328–29
- external quantum efficiency (EQE), 355–56
- Fermi energy, 48, 58
- Fermi level, 57
- ferrimagnetic, 40, 139–41, 143, 150–55, 188, 195, 309, 328
- ferrimagnetism, 128, 149, 152, 175–76, 329
- ferrimagnets, 129, 135, 140, 149–51, 162, 187
- ferromagnetic, 31–32, 35, 41–43, 131, 133, 135–36, 138–40, 143, 145–46, 148, 151–54, 308–12, 316, 322, 324
- ferromagnetic ordering, 34, 133, 137–38, 145, 150, 152, 309–13, 324–25
- ferromagnetism, 30, 128, 133, 146–47, 152, 175–76, 308, 311–12, 314, 323
- ferromagnets, 16, 30–31, 133–36, 138–39, 141, 147, 150, 154, 324
- first hyperpolarizability, 289–91, 297–300
- flexible organic light-emitting diode (FOLED), 347
- fluorescence, 83, 85, 88, 91, 95, 116, 122, 237, 240, 242, 339, 344
- external, 250
- free-ligand, 237
- green, 237
- quenched, 244
- radiative, 91
- FOLED, *see* flexible organic light-emitting diode
- Förster's dipolar ET, 277
- Förster's energy transfer, 99, 346
- Förster's mechanism, 99, 101, 265, 277, 284, 334
- Förster's model, 99, 282
- Förster's radius, defining, 100
- Förster's resonance energy transfer (FRET), 99–100, 106–7, 278, 282, 334
- Förster-type quenching, 106
- Fourier transform, 124
- FRET, *see* Förster's resonance energy transfer

- frontier MOs, 71, 74, 175, 227–28, 233, 235–36, 238, 242, 257–58, 292, 296–97, 300
- functionalities, 1, 3–4, 7–8, 96, 127, 139, 220, 226, 299, 301, 325–26
- gel, 256, 350–51
dry, 351
wet, 351
- giant magnetoresistance, 148
- glass, 85, 201, 342, 348, 351
- Goodenough–Kanamori–Anderson rules, 41, 143, 309
- Grätzel cells, 353
- Grotthuss's law, 63, 94
- ground and excited states, 66, 70, 74–77, 85, 93, 111, 120, 227, 231, 233, 240, 292
- ground spin state, 36, 38, 42, 152, 175, 189, 192, 195–96, 362, 365
- ground state, 42, 62–63, 66–67, 72–73, 75–76, 78–79, 84–88, 93–94, 98, 120–21, 164, 239–40, 243–44, 246–48, 290
- group theory, 69–70, 72, 111
- heat dissipation, 87, 89, 347
- heavy-atom effect, 237, 248, 262, 268
- Heisenberg–Dirac–Van Vleck Hamiltonian, 45
- heterojunctions, 344, 353
- heteroleptic, 3, 73, 267
- heterometallic, 3, 149, 257, 285
- heteropolynuclear, 286
- highest occupied molecular orbital (HOMO), 71–72, 75, 220, 234, 236, 238–39, 266, 296, 337–38, 343, 358–59
- high spin (hs), 111, 133, 155–67, 171–75, 246, 318, 320, 326–28, 367–70
- HIL, *see* hole injection layer
- hole injection layer (HIL), 342–43
- holes, 49, 51–52, 235, 337, 343
- HOMO, *see* highest occupied molecular orbital
- HOMO–LUMO transition, 360
- Hooke's law, 124
- host–guest systems, 345
- hs, *see* high spin
- Hückel theory, 55
- Hund's rules, 24, 73, 108, 113
- hybrid material, 303, 313–18, 322, 324, 345
- hybrid system, 303, 306, 308–9, 311, 313, 316–21, 323, 325
- hyperpolarizability, 122–23, 289, 292, 297–98
- hysteresis, 135, 137, 150, 161–62, 164, 187–88, 190, 316, 324, 327
- hysteresis loop, 136, 152–53, 162, 187, 365
- IBZ, *see* irreducible Brillouin zone
- incident photon-to-current efficiency (IPCE), 355–56, 360
- ILCT, *see* intraligand charge transfer
- indium tin oxide (ITO), 343, 353–54
- inorganic materials, 4, 6–7, 59, 176, 288, 321, 361
- insulator, 47–51, 58–59, 307, 316
- internal conversion, 81–82, 87, 91, 164–65, 244, 247, 250
- internal quantum efficiency (IQE), 355
- International Union of Pure and Applied Chemistry (IUPAC), 116
- intersystem crossing (ISC), 84–85, 87–89, 91–92, 164, 166, 237, 245–46, 248, 252–53, 259, 262–63, 268, 272

- intraligand charge transfer (ILCT), 228, 234, 238, 255, 270, 292, 297
- intravalence charge transfer (IVCT), 295
- inversion, 69–71, 123, 251, 349
- IPCE, *see* incident photon-to-current efficiency
- IQE, *see* internal quantum efficiency
- irradiation, 95, 102, 121–23, 166, 289, 325, 328–29, 332, 336, 368
- laser, 298
- pulsed excitation, 94
- single-wavelength, 332
- irreducible Brillouin zone (IBZ), 57
- ISC, *see* intersystem crossing
- ITO, *see* indium tin oxide
- IUPAC, *see* International Union of Pure and Applied Chemistry
- IVCT, *see* intravalence charge transfer
- Jablonski diagram, 86, 89, 91, 243, 248, 251, 263
- Judd–Ofelt theory, 118, 276
- Kasha’s rule, 81–83, 229
- Kasha’s statement, 243
- kinetics, 81, 90, 94, 99, 105, 253, 284, 356, 358
- Kurtz method, 298
- Landè splitting factor, 20, 36, 364
- Langevin theory, 29
- lanthanide complexes, 127, 129, 227, 229, 231, 259–64, 266, 268, 273, 276–77, 280, 282–83, 346, 349, 352
- lanthanide emitters, 273, 275–76, 280, 285, 334
- lanthanide ions, 108, 113–18, 129–30, 191, 193, 232, 260–62, 264–66, 268–86, 334, 349
- lanthanides, 23, 73, 112, 130–32, 191, 193, 200, 259, 261, 263, 266, 268–73, 278, 334–35, 349
- laser, 119, 121, 123, 164, 166–67, 261, 275, 350
- laser beam, 120, 123, 327, 368
- LC, *see* ligand centered
- LCAO, *see* linear combination of atomic orbitals
- LCMD, *see* light conversion molecular device
- LIESST, *see* light-induced excited-state spin-trapping
- ligand centered (LC), 228–36, 241, 243, 252, 256
- ligand field, 109–11, 114, 132–33, 155–57, 174, 220, 231, 250, 255, 276
- ligand orbitals, 107, 229, 233, 236, 246–47, 256, 259, 296
- ligands, 39–42, 132–33, 157, 169–75, 189–93, 201–5, 226–31, 233–34, 249–50, 252–55, 264–68, 270–75, 281–82, 294–97, 357–59
- bridging, 39–40, 45, 132, 134, 137, 139, 142, 144, 148, 195, 286, 328
- capping, 178, 188, 194
- coordinated, 157, 241, 251, 255, 257, 267, 295–96
- redox-active, 133, 170–71, 173
- ligand-to-ligand charge transfer (LLCT), 228, 296–97, 359
- ligand-to-metal charge transfer (LMCT), 175, 228–30, 233, 266, 292
- ligand-to-metal energy transfer, 260, 264–68, 271, 287

- ligand-to-metal sensitization, 264, 268, 271–73, 287
- ligand-to-metal-to-metal charge transfer (LMMCT), 228
- light absorption, 74, 227, 231, 288–89, 293, 353, 360
- light conversion molecular device (LCMD), 260–61, 267
- light-emitting diodes, 167, 234, 337, 341–43, 345, 347
- light harvesting, 334, 353, 360
- light-induced excited-state spin-trapping (LIESST), 166–67, 175, 319, 328–29, 368
- light irradiation, 53, 121, 128, 157, 164–65, 168, 170, 175, 319, 353, 369–70
- light-matter interaction, 60–62, 75, 164
- light sources, 94, 121–22, 261, 290, 298, 328, 364
- linear combination of atomic orbitals (LCAO), 55–56, 67
- LLCT, *see* ligand-to-ligand charge transfer
- LMCT, *see* ligand-to-metal charge transfer
- LMMCT, *see* ligand-to-metal-to-metal charge transfer
- lowest unoccupied molecular orbital (LUMO), 71–72, 75, 234, 236, 238–39, 266, 296, 337–38, 343, 358–59
- low spin (ls), 111, 133, 143, 156–60, 162–66, 171–74, 201, 247, 253, 318, 320, 326–28, 367–68, 370
- ls, *see* low spin
- luminescence, 78–79, 81, 83, 85, 88, 116, 119, 237, 252, 255, 263–64, 277, 280–83, 334, 351–52
- luminophores, 226–28, 233, 242, 252, 255, 258–59, 279, 286
- LUMO, *see* lowest unoccupied molecular orbital
- magnetic anisotropy, 130, 132, 177–79, 181, 189, 191, 193–94, 207, 322, 325
- magnetic behavior, 12, 33, 36, 114, 145, 149–50, 176, 178, 184, 193–94, 311, 323–25, 327
- magnetic building blocks, 306, 309, 313–15, 321
- magnetic carriers, 310, 314
- magnetic centers, 31, 33, 35, 39, 43, 45–46
- magnetic coupling, 31–32, 41, 171
- magnetic dipole, 12–15, 70, 117, 232
- magnetic domains, 6, 32, 133, 137, 150, 176, 194
- magnetic exchange interactions, 41, 132–33, 138, 143, 146, 149, 151–52, 196, 309
- magnetic field, 12–16, 18, 33, 36, 128, 131, 135–36, 151, 153, 208, 306–8, 311, 316–17, 329–30, 364–65
- magnetization-induced second harmonic generation (MSHG), 325, 329
- magnetic induction, 13–16, 135
- magnetic interactions, 39–41, 132, 134, 137, 139, 144, 154, 176, 193–95, 324
- magnetic ions, 29, 32, 39–40, 44, 134, 151, 175–76, 178–79, 184, 188, 190–91, 194, 322
- magnetic materials, 15–16, 18, 29, 31–32, 36, 39, 41, 132, 135, 160, 175–76, 183, 187, 195, 226

- magnetic moments, 18, 20, 22, 25–26, 28–29, 32, 38–40, 42, 128–31, 133–38, 144–46, 148–54, 175–76, 195–96, 306–7
- magnetic nanoparticles, 168, 176–78, 181, 183–84
- magnetic ordering, 6–7, 31–32, 138–41, 143–44, 323, 325, 329
- magnetic properties, 11–12, 18, 22–23, 39, 41–42, 129, 131–32, 139, 141, 143–44, 154–57, 175–76, 188–90, 302–6, 310–13
- magnetic response, 16, 150–51, 157, 160, 162–63, 166, 171, 175, 322, 363–64, 367
- magnetic structure, 6, 133, 137, 145–46, 148, 150–51, 153, 162, 176, 194
- magnetic superexchange interactions, 45, 134
- magnetic susceptibility, 16, 146–47, 164, 327
- magnetism, 11–15, 17–19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 316–17
- magnetization, 15–16, 36–38, 128–29, 135–37, 146–47, 151, 153, 162, 176–97, 207–8, 310–11, 316–17, 324–25, 328, 363–66
- light-induced, 329
- net, 149
- remanence, 365
- nonzero, 149
- photoinduced, 328
- reversed, 196
- saturation, 36, 136, 150, 152, 312, 321–22
- spontaneous, 133, 146, 150
- zero, 148
- magnetochemistry, 11–13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41
- magnetocrystalline anisotropy, 177, 322
- magnets, permanent, 12, 128, 136–37, 176, 321
- maleonitriledithiolate (mnt), 202, 205, 219, 225, 314–17
- material miniaturization, 6–7
- MC, *see* metal centered
- metal centered (MC), 45, 228–30, 232, 243, 245–47, 251–52, 255, 259
- metal centers, 39–42, 44–45, 155, 157, 160, 168, 194, 207, 229, 284, 292, 294, 302, 345, 359
- metal complexes, 73, 108, 129, 132, 163, 202, 219, 225–29, 231, 256, 295, 314, 349
 - first-row transition, 244, 246
 - luminescent transition, 247
 - mononuclear, 168, 206
 - mononuclear transition, 29
 - neutral, 204
 - planar, 222
 - planar dithiolene-based, 219
 - polynuclear, 178, 189–90, 206
 - tris-chelated trianionic, 139
 - second- and third-row transition, 246, 247, 258
- metal orbitals, 41, 70, 227, 229, 253, 256, 292
- metal-to-ligand charge transfer (MLCT), 228–30, 233, 243, 246–49, 251–53, 293–94, 297, 358
- metal-to-metal-to-ligand charge transfer (MMLCT), 228, 256
- mixed metal–ligand-to-ligand charge transfer (MMLLCT), 228
- MLCT, *see* metal-to-ligand charge transfer

- MMLCT, *see* metal-to-metal-to-ligand charge transfer
- MMLLCT, *see* mixed metal-ligand-to-ligand charge transfer
- mnt, *see* maleonitriledithiolate
- modulation, 139, 144, 154, 157, 174, 233, 235, 361
- moieties, 85, 124, 139, 141, 143, 154–55, 201–3, 205, 226, 228, 234, 236, 238, 290, 293–94
- molecular architectures, 3–4, 69, 101, 107, 138, 241, 259, 285, 299, 302, 311, 331, 334
- molecular complexes, 107, 117, 168–69, 204, 267, 276
- molecular emitters, 81, 87, 89, 91, 234–35, 239, 331, 339, 342
- molecular magnetism, 11–13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 45–46
- molecular materials, 1–9, 11–12, 49–51, 53, 59–60, 127–30, 153–54, 197–99, 209, 216–19, 221–23, 225–27, 297–99, 301–2, 310–13
- molecular orbital (MO), 39, 47, 56–57, 59, 67, 70–72, 76, 88, 169, 211, 217, 226–27, 234, 248, 251, 255–57, 267, 296, 337, 343
- molecular photophysics, 60–61, 63, 65, 67, 69–71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91
- molecular qubits, 199–200, 202, 204
- molecular structure, 129, 158, 160, 179, 181, 188–91, 194–95, 197, 199, 202, 204–5, 219–20, 222–23, 257–58, 314–15
- molecular systems, 3, 8, 52, 59, 67, 124–25, 127–28, 137–38, 168, 178, 199, 206–7, 289–90, 295, 297
- molecular units, 2, 7, 42, 135, 190, 193, 301–2, 331–32, 366
- monofunctional, 3, 301, 324
- monolayers, 362, 366–67
- mononuclear complexes, 178, 191, 199, 225, 259
- MO, *see* molecular orbital
- MSHG, *see* magnetization-induced second harmonic generation
- multifunctional, 3, 8, 141, 219, 225, 301–2, 308, 310–13, 317–18, 321–22, 324, 329
- Muon spin resonance, 183
- nanodimensionality, 6
- nanomaterials, 6
- nanoparticles, 6, 176–78, 181, 184, 353
- nanoscale, 6, 176, 367
- near infrared (NIR), 62, 116–17, 231, 260, 278, 336, 346, 359
- near ultraviolet (NUV), 62, 262
- Néel temperature, 31, 146–47
- NIR, *see* near infrared
- NIR emission, 65, 116, 231, 261–62, 269–71, 276, 279–80, 282–83, 287, 296, 335, 347–48
- NLO, *see* nonlinear optics
- NMR, *see* nuclear magnetic resonance
- noncentrosymmetric, 123–24, 223, 232, 290, 298
- noncentrosymmetry, 124, 291, 293
- nonlinear optics (NLO), 62, 119–23, 125, 226, 288–90, 292–94, 297, 299, 327, 329
- nonradiative processes, 87–90, 93, 249, 253, 263, 266, 283, 335
- nuclear magnetic resonance (NMR), 183, 199
- nuclear-spin-free, 201, 204
- NUV, *see* near ultraviolet

- octahedral complexes, 109–10, 230–32, 244, 246, 253–54, 299
- Ohm's law, 46
- OLED, *see* organic light-emitting diode
- optical devices, 234, 254, 288, 337, 341–42, 350
- optical fibers, 167, 341, 347–50, 352
- optical molecular materials, 225, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255
- optical properties, 60, 109–10, 117, 127, 219, 225–27, 235, 239, 245, 255–57, 259–60, 272, 327, 334, 337
- optics, 1, 226
 - linear, 62, 226, 289
 - nonlinear, 62, 119, 226, 288
- orbital angular momentum, 19–23, 25–26, 68
- orbitals, 22–23, 25–26, 39–42, 47–48, 55–57, 70, 109, 155–58, 171–72, 199–200, 227–29, 231–33, 243–45, 251, 253–57
- orbit coupling, 23–24, 26, 33, 73, 108, 113–14, 116, 132, 172, 189, 192–93, 199–200, 246, 252–53, 255
- organically modified silicon alkoxides (ORMOSILs), 350
- organic backbones, 208, 293
- organic donor, 214, 217, 302–3, 306–8, 310
- organic ligands, 168, 171, 173, 199, 201, 227, 235, 240, 253, 261, 265, 268, 271, 277, 282
- organic light-emitting diode (OLED), 234, 254, 261, 337, 339, 341–47, 353
- organic luminophores, 226, 238, 345–46
- organic molecules, 3, 73, 81, 107–9, 122, 129, 269, 288, 291–93, 299
- organic radicals, 127, 129–32, 144, 195
- ORMOSILs, *see* organically modified silicon alkoxides
- oxidation, 112–13, 132, 169–72, 211, 214, 216, 220, 224, 229–30, 252, 294, 296–97, 304, 354, 360
 - chemical, 213–14
 - electrochemical, 214
 - one-electron, 220–21
 - partial, 52, 213, 218, 306, 315
- paramagnetic, 17, 28, 30–32, 43–44, 129–32, 137–38, 142–43, 169, 171, 194, 197, 304, 306–7, 328, 330
- paramagnetic materials, 30, 128–29, 146–47, 152, 160
- paramagnetic metal, 44, 132, 134, 137–39, 148, 154, 156, 201, 304, 306–7
- paramagnetism, 29, 128–29, 133, 175, 306, 314, 329
- paramagnets, 16, 29, 31, 36, 129–31, 133, 135, 147, 151, 186, 305, 365
- parity, 68–70, 72–73, 107, 117–18
- Pascal's constants, 17
- Pauli exclusion principle, 39–40
- Pauling electronegativity, 155
- Peierls distortion, 58–60, 217, 312
- phonons, 102, 185, 201, 278–79
- phosphorescence, 83–85, 88, 91–92, 94–95, 116, 237, 244–47, 249–50, 252, 263, 272, 339, 345
- phosphorescent emission, 84, 237, 243, 245, 248–49, 255, 259, 339
- photoconversion, 164–67, 175

- photocycle, 63, 78–79, 83, 87,
 90–92, 165, 226–27, 245,
 248–50, 253, 262–66, 273, 284
 photoexcitation, 78, 82, 89,
 164–65, 235, 251, 261
 photoluminescence (PL), 94, 260,
 332
 photon absorption, 75, 78, 96, 120,
 263
 photon emission, 63, 78, 83, 88, 94,
 96, 99
 photons, 61, 63, 68, 78, 83, 89, 93,
 120–21, 123, 164, 167, 198,
 288–90, 335–36, 355
 photophysical processes, 63, 73,
 80, 86–88, 90–91, 107, 167,
 226–27
 photophysics, 11, 60, 75, 90, 93, 96
 physical properties, 1–4, 6–8, 127,
 205, 209, 212, 217–19, 299,
 301–3, 305, 310–12, 315–17,
 321, 323, 325–28
 PL, *see* photoluminescence
 Planck constant, 20
 PLED, *see* polymer light-emitting
 diode, 342
 polarization, induced, 61, 119–21,
 123–24, 289–91, 329
 polymer light-emitting diode
 (PLED), 342
 polymers, 3, 85, 197, 208, 310,
 342–43, 347
 polynuclear, 88, 127, 178–79,
 188–89, 200, 207, 241, 259,
 284–85, 287, 331, 333, 335–36
 Prussian blue analogs, 142–43
 pyq, *see* 2-(2'-pyridylquinoline)
- QIT, *see* quantum information
 technology
 quantum bits (qubits), 198–99,
 204–7
 quantum efficiency, 273, 355–56
 quantum information technology
 (QIT), 197
 quantum logic operations, 197–99,
 205–6
 quantum mechanics, 20, 68, 73,
 269
 quantum numbers, 22, 24, 67–69,
 113, 116, 179–80, 191
 quantum theory, 21, 120
 quantum tunneling, 186–88, 317,
 366
 quantum yield, 89–93, 100, 103,
 249, 263, 270–71, 273,
 275–77, 287, 339, 345
 qubits, *see* quantum bits
 quenching, 25–26, 89, 91, 93, 96,
 102–7, 236, 249, 273, 277–80,
 282–84, 287, 335–36, 352
- Racah parameter, 111
 radiation, 61–62, 65, 67, 80, 87, 96,
 119, 123–24, 289
 absorbed, 80, 90
 emitted, 97, 226
 high-energy, 62
 incident, 61, 63, 89, 119, 124,
 288, 335
 solar, 359
 radiationless, 81, 87, 99, 271, 277,
 283
 radiative decay, 79, 85, 88, 93–94,
 100, 102, 246, 248, 262
 radiative emission, 78–81, 83–85,
 89–90, 94, 115–16, 226, 236,
 239–40, 243–44, 249–50, 273
 radiative lifetime, 93, 100, 249,
 273, 275–77, 282
 radical anions, 144–45, 219–21,
 224–25, 318
 radical cations, 144, 212, 217–19,
 221–22, 224–25, 304, 306, 310
 Raman mechanism, 185
 Raman process, 185–86, 208

- rate constants, 91–93, 95, 98–99, 280, 358
 - kinetic, 90, 103, 105, 354
 - radiative, 94
- Rayleigh scattering, 299
- redox, 168–70, 174, 213, 215, 218, 247, 296, 362
- relaxation, 72, 164, 166, 178, 1
 - 82–83, 185–86, 194–96, 199–205, 207–8, 264, 288, 323
 - direct radiative, 343
 - fast, 182, 317, 365
 - fast excited-state ion, 262
 - partial, 185
 - spin-phonon, 208
 - spin-spin, 199, 207
 - thermal, 270, 369
- resistivity, 46–47, 49–51, 223, 305, 307–8, 310–11, 313, 316, 319–21
- resonance, 55–56, 61, 97, 99, 183–84, 187, 201, 221, 262, 265, 273, 278–80, 286
- Russell–Saunders coupling, 23, 108, 110
- Russell–Saunders method, 23
- Russell–Saunders scheme, 24, 113
- Russell–Saunders terms, 116
- SAM, *see* self-assembled monolayer
- scanning tunneling microscopy (STM), 363, 367–69
- scanning tunneling spectroscopy (STS), 367
- SCMs, *see* single-chain magnets
- SCO, *see* spin crossover
- second harmonic generation (SHG), 119–20, 122–24, 288, 290–92, 294–95, 297–300, 325, 327, 329
- self-assembled monolayer (SAM), 362–63, 365
- semiconductors, 47–53, 58, 209, 305, 319–20, 353, 355–59
- sensitization, 96, 102, 264, 266, 268–69, 272, 284–85, 331, 343
- SFG, *see* sum frequency generation
- SHG, *see* second harmonic generation
- SIMs, *see* single-ion magnets
- single-chain magnets (SCMs), 193–97, 208
- single-component molecular conductors, 221–22, 224
- single-ion magnets (SIMs), 190–97, 199, 208
- single-molecule magnets (SMMs), 7, 34, 176, 179–80, 183–84, 186–97, 199, 207–8, 314–16, 322–24, 362, 365–67
- singlet states, 42, 44, 73, 84–85, 92, 98, 247, 265–66, 269
- slow relaxation, 176, 182–83, 186–88, 190–97, 199, 207–8, 316–17, 322, 324
- SMMs, *see* single-molecule magnets
- solar cell, 353, 355–56, 360–61
- sol-gel glass, 351
- spectroscopy, 77, 104, 112, 367
- spin, 19–26, 39–41, 68–70, 73, 108, 111–14, 116, 149, 164, 176, 185, 192–93, 195–201, 203–6, 252–53
- spin crossover (SCO), 128, 133, 155, 157–64, 167–68, 171–72, 175, 225, 317–21, 325–26, 328, 366–68, 370
- spin Hamiltonian, 44–45, 364
- spin-lattice relaxation, 185, 200–201, 208
- spin multiplicity, 24, 70, 73, 81, 83–84, 87–89, 92, 109, 116, 157, 159, 164, 237, 244, 246
- spin quantum numbers, 21, 25, 33, 42, 197, 199, 205, 207–8

- spin states, 42, 44–46, 156–57, 159–60, 171, 181, 185–86, 188–89, 191–92, 194, 197–98, 200–201, 327–28, 362–63, 367
- spin transition, 319–20, 366, 368
- static quenching, 102, 105–7
- STM, *see* scanning tunneling microscopy
- stoichiometry, 181, 209, 274–75, 281, 304, 306
- Stokes effect, 89
- Stokes shift, 80, 85, 97, 249, 261–62
- structural arrangements, 45, 85, 209, 233, 255, 259, 274–75, 281, 301, 309–10, 312, 331
- structural features, 4, 127–28, 137, 154, 157, 160, 172, 176, 188, 194, 209, 217, 310, 315, 366
- STS, *see* scanning tunneling spectroscopy
- sum frequency generation (SFG), 123, 290
- superconductivity, 60, 303, 306–7
- superconductors, 16, 47, 49–50, 209, 213, 217–19, 224, 304–6
- superexchange interactions, 39–42, 132, 134, 137–38, 140, 148, 150, 154, 175, 189
- superparamagnetism, 6, 176, 178
- superposition, 98, 186, 198, 201, 205, 208, 217, 256, 331, 334, 337
- superstructure, 367–69
- supramolecular, 3, 127, 163, 209, 239, 241, 255–56, 285, 301, 304, 308
- supramolecular interactions, 162–64, 218, 236, 239, 241, 257, 321, 366
- susceptibility, 15–17, 28, 30–31, 33–34, 42, 135, 147, 150, 298, 316
- synergism, 314, 317, 319
- Tanabe–Sugano diagrams, 111–12, 245
- TCNE, *see* tetracyanoethylene
- TCNQ, *see* tetracyanoquinodimethane
- telecommunications, 260, 329, 341, 347, 349, 351
- temperature dependence, 28, 50, 78, 106, 134, 150, 185–86, 196, 305, 310, 312, 316–17, 319–21, 327
- TEOS, *see* tetraethylalkoxysilane
- tetracyanoethylene (TCNE), 144–45, 211
- tetracyanoquinodimethane (TCNQ), 144–45, 211–12, 224
- tetraethylalkoxysilane (TEOS), 350
- tetramethylalkoxysilane (TMOS), 350
- tetrathiafulvalene (TTF), 210–13, 217–22, 224
- thermal energy, 48, 51, 75, 78, 128–29, 134–35, 137, 147, 151, 156–57, 159, 166, 170, 178, 182
- thermal variation, 29–31, 34, 42–44, 50, 131, 135, 146–47, 152, 155, 174, 182, 223
- THG, *see* third harmonic generation
- third harmonic generation (THG), 119, 121–22, 288
- TMOS, *see* tetramethylalkoxysilane
- TPIF, *see* two-photon induced fluorescence
- transition metal ions, 108, 130, 132, 139, 155, 172, 193, 199–200, 219, 249, 292–93, 295–96, 299
- transition metals, 3, 23, 26, 73, 108, 110, 112–13, 127, 129–30, 132, 246

- transitions, 68–70, 72–78, 80–81, 88, 109–18, 146–47, 164, 227–33, 243–47, 252–54, 256, 260, 274, 276, 295–96
- triplet states, 42, 44, 73, 84, 87, 89, 91, 243, 249, 253, 262, 265–67, 269, 271–72, 346
- TTF, *see* tetrathiafulvalene
- two-photon induced fluorescence (TPIF), 121–22

- ultraviolet (UV), 62, 65, 116–17, 231, 260–61, 269, 351, 359
- undoped material, 51
- undoped OLED, 346
- unpaired electrons, 17–18, 23, 26, 33, 35, 39–40, 42, 73, 128–30, 132, 156, 171–72, 199–200, 202–3, 320
- up-conversion, 335–36
- UV, *see* ultraviolet

- valence band, 48, 51–53, 58, 212, 235, 343, 353–54
- valence electrons, 51, 53, 58, 168
- valence tautomerism (VT), 128, 133, 167–68, 172–73, 175
- valence tautomers, 168–69, 175
- Van Vleck Hamiltonian, 45
- Vavilov's rule, 83
- vibrational levels, 64–65, 76–77, 79–82, 84, 87, 159, 240, 245
- vibrational modes, 72, 77, 86, 101, 185, 201, 277–78
- vibrational quenching, 107, 277, 280–82
- vibrational relaxation, 79–81, 87, 89
- vibrational wavenumber, 64

- vibrations, 49, 61, 101, 201, 215, 278
- Volmer constant, 104–5
- Volmer equation, 104–5
- VT, *see* valence tautomerism

- wavefunctions, 54–55, 65, 67, 69–70, 73, 88, 118, 120
- waveguides, optical, 347–49, 352
- wavelength, 80, 89, 93, 116–17, 121–22, 164, 166, 171, 175, 260, 262, 325, 329, 348, 355–56
- Weiss constant, 30, 135, 155
- Weiss field interaction, 134
- Weiss law, 30–32, 146–47, 150
- Weiss model, 135
- white-light emitting organic light-emitting diode (WOLED), 345–46
- Wohlfarth model, 177–78
- WOLED, *see* white-light emitting organic light-emitting diode

- XAS, *see* X-ray absorption spectroscopy
- XMCD, *see* X-ray magnetocircular dichroism
- X-ray absorption spectroscopy, (XAS), 364–65, 367
- X-ray magnetocircular dichroism (XMCD), 364
- X-rays, 62, 364

- Zeeman energy, 208
- Zeeman splitting, 33
- zero field, 33, 136, 153, 184, 366
- zero-field splitting (ZFS), 33–34, 179, 184, 188–89, 196, 207–8
- ZFS, *see* zero-field splitting

“This book’s novel approach, going from the basics of physical phenomena to synthetic strategy to devices, is unprecedented and will help scientists as well as students in the field of molecular materials expand their knowledge and develop new ideas. It can also be a bedside book for MSc and PhD students pursuing materials science projects and a support for introductory courses in materials science.”

Prof. Jean-Claude G. Bünzli

Swiss Federal Institute of Technology, Lausanne (EPFL)

“This timely book provides a comprehensive overview of functional molecular materials, focusing on magnetic, conductive, and optical properties. With clear and concise writing, accompanied by high-quality graphics and examples from recent literature, both physical and chemical aspects are efficiently presented. This pleasant reading for scientists of different disciplines can also be a textbook for undergraduate students of molecular materials.”

Prof. Roberta Sessoli

Università degli Studi di Firenze, Italy

The field of molecular materials represents an exciting playground for the design, tailoring, and combination of chemical building blocks as carriers of physical properties, aimed toward understanding and developing novel functional molecular devices. Within this extraordinarily widespread framework, the realization of materials with desired functionalities can only be achieved through a rational design strategy based on a solid understanding of the chemical/physical features of each constituting building block. This book provides a general overview of molecular materials, discussing their key features in a simple and organic way, by focusing more on basic concepts than on specialized descriptions in order to equip the nonexpert reader with fundamental tools and hints to understand and develop research in this field. It is a step-by-step guide toward the preparation of functional molecular materials, where the knowledge the scientific community has attained so far by investigating significant archetypical examples is deconstructed down to the fundamental basis and then reversely presented from bottom to top. The book covers a broad range of molecular materials with magnetic, conducting, and optical properties, which are explained through archetypical examples. The original purpose behind material design is highlighted, and the physical properties of materials are explained using simple terminology and high-quality figures. The book is suitable for undergraduate- and graduate-level students of chemistry, physics, and materials science and can be used as a practical reference for early-stage researchers in the field of molecular materials.



Matteo Atzori is a postdoctoral researcher in inorganic chemistry at the University of Florence, Italy. He obtained his master’s degree in chemistry from the University of Cagliari, Italy, and his joint PhD in molecular inorganic chemistry from the University of Angers, France, and the University of Cagliari. His current research focuses on the investigation of magnetic molecular materials for applications in quantum computation.



Flavia Artizzu is a COFUND Research Foundation Flanders (FWO) [PEGASUS]² Marie Skłodowska-Curie fellow at the University of Ghent, Belgium. She graduated in chemistry from the University of Cagliari, where she also obtained her first PhD in chemistry and a second PhD in physics. Her research interests include the development of nanocomposite materials based on lanthanide emitters for applications in optics and photonics.