

Index

- ABCs *see* absorbing boundary conditions
- absorbing boundary conditions (ABCs) 545, 557
- absorption 30, 46, 49, 125–130, 135, 136, 147–149, 172–174, 212, 213, 239, 296–298, 300, 446, 447, 480, 481
 - emitted energy 178
 - optical 49, 85
 - time-averaged energy 49
- AFM *see* atomic force microscopy
- antibodies 446, 448, 454, 455, 459, 561, 562
 - antibiotin 459
 - neutral 448
- antigens 446, 561, 562
 - cancer cell 446
- antisymmetric modes 74, 289, 290, 294, 414, 415
- antisymmetric oscillations 150, 272, 334
- antisymmetric plasmon modes 289, 295, 412, 413
- antisymmetric plasmon oscillations 258, 260, 269, 279, 304
- approximation 46, 56, 72, 102, 218, 219, 256, 295, 397, 430, 544, 547
 - long wave 208
 - long-wavelength 133
 - narrow linewidth 140
 - quadratic 189
 - ray 501
 - two-dipole 284
- arrays 34, 252, 406, 418, 419, 422, 423, 425, 486
 - nanostructure 28
 - periodical 418
- atomic force microscopy (AFM) 27, 498, 557
- atoms 5–7, 24–28, 109–112, 131–133, 136–140, 142–145, 151–152, 174–179, 193, 194, 214–219, 326–334, 428–435, 483, 496–498, 523–526
 - artificial 560, 563
 - hydrogen 110, 134, 135
 - lithium 24
 - neutral 27
 - plasmonic 4, 5, 111, 134, 135
- BEM *see* boundary element method
- biosensors 6
- bioterrorism 475
- Bouguer–Lambert–Beer law 49
- boundary conditions 95, 97, 142, 177, 180, 196, 263, 268, 288, 289, 293, 411, 432, 540, 541, 545, 549, 550
- boundary element method (BEM) 233, 551, 558
- bulk plasmons 45, 58–61, 63, 66, 67, 70, 74, 75, 81, 91, 168

- cancer cells 445, 446, 448, 449
- cancer therapy 446, 448
- CCD *see* charge-coupled device
- CDA *see* coupled dipole approximation
- cells 106, 449, 479, 480, 549
 - cancerous 446, 448
 - dead 449
 - elementary 362
 - grid 245
 - healthy 445, 446
 - photoelectric 559
 - tumor 446
- charge-coupled device (CCD) 450, 558
- chirality 377, 382, 387, 393, 394, 396, 397, 485, 562
- chiral media 7, 352, 353, 380, 382, 383, 385–388, 562
- chiral molecules 382, 393, 396
- chiral nanoparticles 380, 382, 391–393, 484, 486
 - arbitrary 392
 - resonant 484
- chiral particles 377–379, 381–383, 385, 387, 389–391, 393, 395, 397, 399
- circular apertures 407, 417, 422, 424, 426, 429, 436
- circular hole 406, 407, 409–411, 413, 415–417
- cluster 17–19, 251–261, 265–267, 269–273, 277–279, 281–285, 287, 289–301, 304–309, 311, 317–321, 323–328, 330–333, 341
- close-packed 31
- colloidal 17
- complicated 278
- hexagonal 331, 333
- hydrophilic 17
- infinite 320
- ligand-stabilized 19
- lyophilic 17
- lyophobic 18
- metal 19, 21, 325
- monodisperse 21
- nanospheroid 285
- plasmon particle 252
- semiconductor 18
- colloidal solutions 17–19, 30, 169
- components 1, 5, 65, 66, 118, 137, 141, 211, 215, 335, 338–341, 378, 379, 385, 544, 546, 547, 561, 562
 - absorbing 454
 - active plasmon 469
 - basic 563
 - electronic 460
 - field magnetic 363
 - imaginary 53
 - large cell 497
 - large transverse 493
 - optical 7, 460
 - plasmonic 465
 - radial 117, 118
 - tensor 501
- condensation 22, 23
 - steam 22
 - vapor 24
- conditions 66, 71, 121, 126, 146, 150, 237, 241, 324, 410, 411, 421, 423, 501, 504, 545, 546
- agglomeration 15
- antigenicity 562
- metal evaporation 23
- phase-matching 426
- thermodynamic 236
- conducting screen 406, 407, 409
- conducting spheroids 158
- conductivity 48, 53, 54, 56, 178, 409, 432, 433
 - electrical 559
 - finite 410, 415
 - infinite 46
- coupled dipole approximation (CDA) 534

- cylinders 76, 77, 87, 170,
 - 187–189, 263, 370, 391, 494,
 - 506, 507
- copper 507
- elliptic 79

- DDA *see* discrete dipole approximation
- DDA method 230, 239, 247, 534, 548
- DDA modeling 241, 242, 247
- DDA simulation 240, 242, 246
- decay rates 131–133, 137–139,
 - 144, 148, 151, 152, 176–179,
 - 215–217, 285, 295, 333, 395,
 - 397, 431–434, 484
- devices 6, 38, 324, 331, 353, 451,
 - 459, 460, 463, 473, 476,
 - 481–483, 557, 558, 560, 562,
 - 564
 - charge-coupled 450, 558
 - commercial 6
 - complex 465, 471
 - encryption 482
 - mechanical 30, 33
 - nanoelectronic 19
 - nanosized 252
 - semiconductor 487
 - wave-guiding 559
- dielectric constant 196, 263, 345
- dielectric film 70, 74, 75
- dielectric functions 61, 66, 232,
 - 233, 240, 416, 549
- dielectric gap 74, 468
- dielectric half-spaces 70, 72
- dielectric microsphere 123
- dielectric nanoparticles 123, 150,
 - 222, 559
- dielectric properties 6, 419, 422,
 - 451, 535, 549
- dielectric spheres 133
- digital video disc (DVD) 498
- dimers 31, 269, 274, 454, 455

- dipole 131, 132, 138–140,
 - 175–178, 204, 205, 214–219,
 - 227–230, 239, 240, 243, 245,
 - 255–258, 307–309, 332, 333,
 - 414, 415, 429–435, 534–536
 - duplicated 431
 - longitudinal 310
 - monochromatic 540
 - nanoshell 150
 - wire 361
- dipole field 118, 120, 135, 151,
 - 152, 214, 394, 534
- dipole model 260, 340
- dipole modes 182, 205, 234, 245
- dipole moments 47, 162, 185,
 - 255–257, 272, 307, 317, 336,
 - 395, 413, 431, 432, 536
- dipole momentum 101, 102, 104,
 - 135, 136, 143, 145, 179
- dipole orientation 321, 322
- dipole oscillations 111, 151
- dipole plasmon 162
- dipole resonance 135, 139, 245,
 - 256
- discrete dipole approximation (DDA) 188, 228, 282,
 - 533–535, 558
- dispersion laws 51, 59, 65, 66, 69,
 - 72, 77, 78, 81, 84, 141, 309,
 - 320, 420, 465, 493, 547
- distribution 79, 80, 158, 168, 216,
 - 217, 243, 245, 291, 292, 295,
 - 296, 299, 305, 339, 408, 415,
 - 423, 504
 - absolute value 245
 - amplitude 422
 - angular 427
 - charge 204, 260, 295
 - current 117
 - potential and fields 254
 - symmetric 291
- Doppler effect 355
- Drude dispersion law 58, 66, 72,
 - 75, 139, 150, 334, 412

- Drude model 54, 60, 69, 72, 162, 168, 182, 232, 241, 303
- Drude parameters 53, 57
- DVD *see* digital video disc
- eigenfunctions 93, 94, 97, 98, 100–102, 107, 110, 134, 196, 197, 199–204, 209, 226, 261, 278
- eigenoscillations 66, 94
- eigenpotentials 197, 263, 264
- eigenvalues 94, 95, 99, 101, 105, 107, 108, 197, 199, 204, 206, 253, 254, 257, 259, 261, 269, 276
- electric dipole 81, 158, 327, 379, 392, 396, 397, 413, 428–430, 524
- electric field 68, 73, 74, 79–81, 118, 170, 212–214, 236, 237, 255, 256, 327, 329, 339, 340, 407, 408, 412, 413, 504–506, 547, 548
- electric induction 141, 152, 180, 196, 262, 412, 547
- electric permittivity 46–48, 53, 55, 99–101, 121, 122, 125, 126, 162, 163, 167–171, 173, 174, 204–209, 211–213, 234, 258–260, 269, 270, 395–397
- negative 66, 67, 488, 558
- positive 222
- relative 224, 274
- zero 225, 226
- electromagnetic fields 5, 91, 92, 121, 142, 196, 379, 383, 384, 466, 539
- electromagnetic oscillations 58, 59
- electromagnetic waves 7, 45, 47, 49, 51, 378, 406, 560
- electron beam lithography 25, 283, 342, 461
- ellipsoid 102, 104, 161, 169, 186, 193, 195–198, 200, 201, 205–207, 209–211, 213–219, 394
- energy 23, 56, 57, 59, 81, 84–86, 122, 127, 137, 232, 334–336, 338, 419, 420, 422, 481, 482, 562
- field 422
- kinetic 22
- oscillation 528
- scattered 409
- environment 6, 9, 152, 162, 180, 211, 224, 240, 241, 248, 351, 382, 419, 451, 535
- arbitrary 529
- asymmetric 423
- chemical 562
- complex 534
- inert nitrogen 246
- symmetric 423
- ultraclean 237
- excitation 79, 81, 82, 98, 115–117, 119, 296, 298, 300, 321, 322, 330, 334, 338–342, 416, 417, 419, 484, 485
- narrow-band resonance 530
- plasmon oscillation 212
- spheroidal particle 169
- thermal 45
- external field 49, 52, 105, 152, 185, 202, 209, 211, 263–265, 272, 277, 281, 330, 341, 550
- arbitrary 134, 163, 169, 214, 286
- uniform 394
- FCS *see* fluorescence correlation spectroscopy
- FDTD method *see* finite-difference time domain method
- FIBs *see* focused ion beams
- finite-difference time domain method (FDTD method) 341, 543–547, 551

- fluorescence correlation
 - spectroscopy (FCS) 436, 558
- focused ion beams (FIBs) 29, 35, 37, 38, 381, 426, 427, 435, 462, 465, 489, 491, 559
- frequencies 46, 51–53, 55, 56, 59–61, 63–65, 67, 69, 70, 72–74, 91, 121, 139–141, 145, 307, 308, 330, 331, 359–361
- collision 57
- complex 125
- dimensionless 143, 145
- microwave 360
- optic 141
- plasma 358
- telecom 362
- telecommunications 69
- frequency shifts 131, 143, 144, 169, 174, 209, 526, 527, 531
- function 74, 117, 182, 195, 196, 209, 210, 212, 216, 217, 232, 233, 289, 290, 294, 313–315, 319, 322, 371, 374
- analytical 371
- correlation 558
- ellipsoidal 197
- harmonic 299
- linear 199
- nonmonotonic 204
- radial 110, 111, 388

- gold nanoparticles 13, 15, 30, 31, 127, 285, 448, 451, 452, 454–459, 475, 476, 482
- domelike 363
- layered 6
- small 459
- gold nanorods 31, 32, 158, 361
- gold nanoshells 446, 448
- nonsymmetric 281
- gold nanostrips 462, 463
- Green's function 194, 525, 533, 534, 548, 549
- grooves 425–427, 465

- hole 380, 405, 406, 408–411, 413, 415, 416, 418–420, 423, 426, 428, 430, 431, 433, 435
- nanostructured 406
- ring-shaped 410
- single 418, 419
- waveguiding 410
- hyperboloids 303–305
- hyperlenses 7, 492, 494, 495, 497, 498, 562, 563

- image 27, 28, 30, 34, 36, 181, 366, 368, 435, 461, 462, 488, 489, 491–495, 498, 560, 562, 564
- dark-field 448
- magnified 470
- optical 427, 463
- schematic 359, 378
- incident fields 79, 81, 252, 299, 324, 325, 379, 504, 529, 537
- incident light 188, 213, 285, 301, 413, 422
- incident radiation 242, 319, 322, 416, 419, 423
- incident wave 127, 297, 298, 327, 328, 389, 408, 534
- intensity 87, 299, 395, 419, 461, 464, 475, 485, 531
- averaged 437
- electric field 408
- excitation saturation 438
- interaction 3, 5, 184, 251, 252, 255, 258, 260, 261, 271, 272, 307–310, 314, 316, 329, 392, 393, 419, 422
- dipole–dipole 282, 314
- electron–electron 52
- electrostatic 255, 306, 308
- longitudinal plasmons 147
- reverse micelle 22
- spin–orbital 528, 529

- interfaces 6, 7, 65–68, 81, 83, 84, 140, 148, 152, 180, 183, 365, 366, 368, 540
 - metal–air 66
 - metal–air 84
 - metal–dielectric 2–4
 - planar 64
 - reflectionless 501
 - silver–air 69, 70
 - silver–silica 69
- invisibility cloaks 150, 499, 501, 503, 504, 507–509
- isotropic media 47, 388

- lattices 36, 38, 52, 55, 60, 247, 252, 283, 341, 342, 360, 361
 - Bragg 464
 - hexagonal 26
 - periodical 418
 - reciprocal 311, 420
 - regular 34, 359
 - spatial 380
 - two-dimensional 285
- light 7, 10, 45–47, 49, 50, 83–85, 116, 117, 366, 418, 419, 422, 424, 425, 436, 560, 561
 - absorbed 425
 - blue 11
 - green 11
 - polarized 213, 352, 386
 - red 11
 - scattered 10, 457, 458
 - white 10
- light beam 75, 86, 436
- light emission 480, 481
- light scattering 10, 11, 85, 127, 409
- light transmission 5, 30, 406, 409, 410, 413, 415–417, 419, 420, 422, 425, 438
 - anomalous 405, 424
 - effective 415
 - perceptible 416
- linear cluster 252, 306, 307, 310, 314, 315, 318–320, 322, 331–333, 343
- local fields 98, 248, 261, 263, 266, 324, 326
- localized plasmons 2–6, 91, 92, 96, 98, 99, 101, 103, 109, 111, 145, 146, 227, 229, 245, 246, 410, 415, 416, 466
- longitudinal component 379, 493
- longitudinal modes 51, 76, 142, 170, 183, 184
- longitudinal oscillations 51, 147, 309
- longitudinal wavenumber 77, 79, 318
- longitudinal wavevector 65, 146, 307, 312, 319, 421, 493

- magnetic dipole 133, 158, 360, 392, 396, 397, 429
- magnetic fields 100, 117, 118, 121, 142, 345, 352, 379, 386, 387, 396, 407, 408, 429, 485, 544
- magnetic field strengths 47, 48, 65
- magnetic permeability 47, 48, 76, 116, 121, 352, 353, 359, 360, 362, 371, 373, 374, 376, 387, 391, 393, 395–397, 502
- magnetic permittivities 117, 126, 361, 363, 374, 501, 546, 560
- magnetic plasma 376, 396
- magnetic polarizations 47, 48
- magnetic radiation 396
- magnetism 359
- materials 4, 5, 92, 97–99, 138, 140, 164, 351, 352, 358, 360, 397–399, 494, 498, 560, 561
 - absorbing 546
 - anisotropic 509
 - artificial 351, 352, 358, 563
 - experimental 247

- lossless 78
- nanostructured 492
- natural 358, 359, 563
- unusual 5
- usual 352
- Maxwell's equations 2, 45–47,
 - 49–51, 64, 65, 92, 93, 97,
 - 99–101, 103, 368, 369, 383,
 - 384, 500–502, 540, 542, 548,
 - 549, 558
- media 49, 84, 341, 352–358, 380,
 - 383, 422, 488, 499, 540, 562
- absorbing 525
- anisotropic 499
- artificial 499
- double-negative 355
- natural 381
- nonchiral 382
- nonmagnetic 50
- unusual 352
- usual 355, 383
- metal film 5, 70, 72–75, 85–87,
 - 405, 406, 415, 416, 465, 466,
 - 468, 473, 488, 489
- nanostructured 5
- opaque 422
- suspended 416, 426
- metal nanoparticles 1, 2, 9, 11, 14,
 - 15, 19, 24, 91, 92, 96, 127,
 - 178, 180, 182, 185, 236,
 - 248
- metal nanospheres 274, 280
- metal oxides 11, 15, 18
- metal particles 138, 535
- metals 16–18, 22–26, 45, 46,
 - 48–50, 52–63, 65, 66, 68, 69,
 - 72, 75, 83, 84, 241, 279, 280,
 - 361, 473, 474, 547
- alkaline 52
- bulk 183
- heavy 10
- lossless 320
- noble 53, 55, 66
- plasmonic 55
- semi-infinite 86
- solid 182, 358
- three-dimensional 29
- metal shell 182–184
- metal wires 76, 358, 485
- metamaterials 5, 7, 351, 352, 354,
 - 358–364, 370, 376–378,
 - 390–392, 396, 488, 489,
 - 497–499, 505, 558–561
- anisotropic 7, 562
- arbitrary 371
- chiral 352, 378, 380, 382
- hyperbolic 559
- hypothetical 396
- layered 494
- modern 150
- negative refraction 364
- nonhomogenous 507
- planar chiral 380, 381
- plasmon 309
- plasmonic 7
- methods
 - analytical 247
 - antibody-antigen 475
 - asymptotic 279
 - atom physics 111
 - bottom-up 15
 - boundary 540
 - boundary element 233
 - camera obscura 27
 - chemical 34, 475
 - colloidal 237
 - colloidal chemistry 31
 - dark-field microscopy 11
 - fluorescent 472
 - frequency domain 547
 - interferential 459
 - lithographic 24
 - optical 475
 - optoacoustic 448
 - physical 34
 - plasmon hybridization 285
 - point dipole 256
 - reverse micelle 21, 22

- semianalytical 159
- top-down 15
- microscope 405, 436, 473–475, 479, 481, 557, 560
 - electronic 25, 36
 - scanning transmission 561
- microspheres 119, 124, 559
- microwave 46, 361, 364
- Mie coefficients 121, 122, 146, 186, 372, 373
- model 52, 53, 56, 57, 142, 255, 260, 307, 392, 410
 - free-electron 52, 64
 - hydrodynamic 144
 - quasi-free-electrons 52
 - self-consistent 295
 - theoretical 474
- modeling 188, 247, 286, 333, 363, 507, 539
 - computer 506
 - numerical 363
 - theoretical 345
- modes 101–104, 124, 125, 167–170, 184, 200, 227, 228, 269, 270, 289–291, 293–298, 307, 314–318, 321, 322, 335, 336, 338, 339, 465, 466
 - bright 289, 321, 322
 - high-frequency 184
 - leaking 86
 - localized 77, 341, 465
 - octupole 205
 - waveguided 425
- molecules 109–111, 136–140, 152, 174, 175, 326–330, 392, 393, 395–399, 428–431, 433–438, 472–476, 480–482, 484, 485, 523, 527–531, 561–564
 - active 392, 393
 - arbitrary 205
 - biological 382, 562
 - biotin 459
 - ligand 19, 22
 - nucleotide 563
 - organic 31, 527
 - plasmonic 5, 111, 134, 271, 560
 - semiconductor 19
 - sugar 456
- nanoapertures 418, 423, 425–429, 431, 433–438, 473
- nanobodies 92, 140, 207, 215, 233, 328, 474, 483, 523–526, 531
 - hypothetical 229
 - infinite 305
- nanocubes 32, 168, 227, 229, 232, 233, 282
- nanodevices 3, 5, 6, 14, 16, 33, 38, 81, 97, 172, 272, 370, 469, 497, 563
 - complex 463, 523
 - nanoparticle-based 3
 - optical 35, 138, 438, 488, 564
 - plasmon 469
 - smart 38
- nanodiscs 36, 157, 283–286
- nanoeegs 31, 279–281
- nanoellipsoid 174, 193, 194, 197, 199, 201, 203, 205, 209, 211, 213, 219
- nanohole arrays 37, 38, 405, 406, 418, 419, 421, 423, 473
- nanoholes 405, 406, 408, 410, 412, 414, 416, 418–424, 426, 428, 430–432, 434, 436–438, 473, 561
- nanolasers 331, 482, 523, 563
- nano-objects 16, 472, 488, 493, 494, 526, 529, 530, 550, 560
 - arbitrary 493
 - complex 493
- nanoparticle material 108, 213, 226, 393, 530

- nanoparticles 3–7, 9–20, 28–32, 91–112, 184–187, 229–231, 237–241, 251–256, 277–282, 324–327, 392–397, 445–449, 451–453, 456–459, 477–480
 - anisotropic 102
 - complex 34, 187, 480, 551
 - compound 18
 - ellipsoidal 159, 195, 197, 214, 256, 476, 478, 480
 - elongated 189
 - gold colloidal 458
 - gold-silver alloy 10
 - isolated 4, 19, 22, 108, 254, 259, 261, 308
 - monocrystal 24
 - multilayer 16, 22
 - nonchiral 393
 - noninteracting 261
 - oblate 167
 - overheated 448
 - polyhedron 221
 - semiconductor 18
 - solid-gold 446
 - spheroid-shaped 157
 - tetrahedral 239
- nanoparticles arrays 26, 486
- nanoparticles synthesis 4, 15, 20, 181
- nanoparticle substance 103, 187, 226
- nanoparticle surface 6, 94, 233, 291, 455, 457, 458
- nanoparticle volume 95, 102, 179
- nanopincers 326, 408, 483
- nanoplasmonics 1, 2, 4, 5, 7, 172, 445, 446, 448, 450, 452, 454, 456, 460, 472, 498–500, 521–523, 551
- nanopowders 24
- nanoprisms 246, 247
- nanorods 157, 158, 187, 189, 362, 479
- nanoshells 31, 148, 150, 151, 180, 446, 448, 454, 455
- nanosphere lithography 26, 34, 35, 238, 240, 248
- nanospheres 26, 108, 122, 123, 132, 134, 136, 140, 142, 143, 256, 257, 265–273, 275–281, 304, 305, 329–333, 336, 344–345
 - conductive 138
 - plasmon 334
 - plastic 342, 343
 - polystyrene 31
- nanospheroids 157–160, 162–164, 166, 168–170, 172, 174–176, 178, 180, 184–186, 188–190, 284, 285, 287, 288, 290–293, 295–298, 300, 301
 - coaxial 288
 - metal 287
 - silver 300, 301
- nanostructures 1, 3, 6, 14, 15, 25, 27–30, 34, 38, 45, 426, 427, 545–547, 551
 - arbitrary 559
 - metal-dielectric 468
 - planar 378, 465
 - three-dimensional 22, 363, 365
- nanostucture synthesis 15, 24, 27, 29
- nanosystems 174, 345, 542, 545
 - biological 498
 - gel 17
- nanotraps 326, 483
- nanowires 77–79, 81, 261, 263–265, 268, 276, 278, 305, 483, 485
 - circular 261
 - plasmonic 75
 - semiconductor 468
- nucleotides 451, 452, 477, 478, 563, 564

- object 16, 28, 233, 251, 377, 378, 488, 491–493, 495, 498, 499, 527, 534
 - arbitrary 495
 - chiral 378, 562
 - complex 489
 - concealed 500, 501
 - cylindrical 508
 - radiant 28
- oblate spheroids 104, 164–166, 168–171, 179, 185, 286, 293, 301, 411
- optical fields 1, 27, 193, 214, 277, 324, 339, 341, 342, 359, 405, 475, 483, 551
- optical frequencies 3, 6, 55, 63, 358, 460, 482, 507
- optical microscopes 342, 405, 472, 561
- optical properties 38, 126, 127, 133, 193, 194, 196–198, 208–214, 221, 222, 238–241, 351, 352, 383, 406, 407, 536, 538, 539
- optical signals 445, 448, 469, 471
- oscillations 60, 63, 73, 183, 184, 190, 251, 252, 261, 304, 306, 307, 309, 331, 334, 482
 - electron 27, 60
 - free-electron 482
 - high-quality 559
 - low-frequency 74
 - optical 5
 - symmetric 269, 321, 335
 - transversal 76
 - transverse cluster 259
- particles 92–95, 97, 98, 104–106, 127–129, 157, 160–162, 187–189, 211, 212, 233–235, 251–261, 306, 307, 313–315, 323–325, 369–371, 375, 376
 - charged 61, 103
 - dirt 14
 - finite-volume 104
 - fluorescent 558
 - layered 148, 149, 211
 - metallic 62
 - nanocrystal 23
 - plasmon 451, 477
 - spherical gold 128
 - superellipsoidal 233
- perfectly matched layer (PML) 501, 545, 546, 560
- permeability 119, 352, 360, 368, 370–372, 374, 375, 393, 398, 399, 484, 501, 502, 505
- permittivity 83, 86, 121, 123, 150, 166, 169, 186, 187, 253, 256, 276, 278, 320–322, 371, 372, 398, 399
 - arbitrary 375
 - longitudinal mode 187
 - negative 360, 370, 374
 - resonant 150
- photonic crystals 351, 352, 563, 564
- photons 67, 69, 72, 75, 78, 81, 82, 131, 358, 481, 496, 528, 560
- plane wave 84, 120, 126, 127, 129, 131, 148, 193, 385–388, 390, 391, 409, 422
- plasmon atoms 111, 251, 270, 271
- plasmon branches 77, 79, 376
- plasmon frequencies 91, 92, 108, 109, 147, 150, 151, 163, 164, 168, 182–184, 209, 212, 256, 259, 290, 291, 294, 295, 298, 308
 - bulk 59, 183, 241, 280, 287
 - normalized 291, 294
 - resonant 412
- plasmonic frequencies 291, 294, 295, 298, 314, 315

- plasmonic modes 291, 294, 295, 466
- plasmonic nanoparticles 3, 4, 6, 98, 338, 480, 484
- plasmon modes 77, 78, 163, 164, 167–169, 197, 199–201, 203, 205–207, 212, 214, 217, 218, 260, 261, 289, 337–339, 410, 412, 413
 - bright 338
 - excited 339
 - hole's 413
 - symmetric 334
- plasmon molecules 261, 270, 272, 329, 341, 342
- plasmon nanoparticles 38, 277, 279, 475, 479, 482, 546, 563, 564
- plasmon oscillations 3–5, 91, 92, 96, 100–102, 104, 110–112, 134, 196, 197, 252–257, 259–261, 263, 282–284, 287, 303–306, 308–310
 - arbitrary 341
 - bulk 59
 - coherent 331
 - electric 100
 - longitudinal 183
 - magnetostatic 376
 - monochromatic 55
 - octupole 126
 - stable 302
 - symmetric 258, 260, 269
 - symmetrical 263
 - transverse 319
- plasmon propagation 343–345, 461, 462, 465, 469
- plasmon properties 61, 79, 99, 159, 180, 226, 227, 229, 232, 252, 253, 281, 374, 416
- plasmon resonances 91, 92, 98, 100, 127, 150, 166, 178–180, 206, 207, 216, 217, 241, 326, 327, 329, 374–376, 423, 480
- plasmons 59, 60, 63, 102, 103, 112, 265, 271–273, 275, 278, 279, 281–283, 301, 374–376, 415–417, 421, 422, 424, 425, 467–469
 - bulk transverse 59
 - channel 465
 - hybridized 329
 - longitudinal 59
 - quasi-static 319
 - symmetric 412
- plasmon wavefunctions 163, 168, 271
- plasmon waveguides 261, 306, 339–341, 461, 469
- Platonic solids 221–226, 236, 239
- PML *see* perfectly matched layer
- polarizabilities 102, 149, 150, 152, 169, 170, 172, 173, 185, 186, 210, 211, 213, 222, 224–227, 236, 237, 239, 255, 256, 258, 284
 - dipolar 135, 137
 - dodecahedron's 225
 - ellipsoidal nanoparticles 212
 - longitudinal 187
 - magnetic 379
 - octahedron's 225
 - plasmon 103
 - polyhedron 225
- polarizations 47, 48, 79, 126, 127, 172, 173, 213, 216, 217, 242–245, 257, 283, 296–298, 319, 320, 322, 323, 340, 383, 535
 - circular 327, 408
 - horizontal 246, 435
 - longitudinal 257, 300, 319, 321, 339
 - macroscopic 52
 - perpendicular 283
 - plasmon 212

- processes 11, 25, 38, 174, 178,
 - 180, 230, 252, 413, 420, 450,
 - 462, 472, 528, 529, 545
- agglomeration 453
- complex 527
- light-scattering 188
- nonoptical 530
- nonoptical relaxation 530
- nonradiative 137, 138, 474, 527
- nonradiative decay 476
- optical 178, 240
- physical 307, 469
- radiative 527
- technological 180
- tunneling 410
- propagation 51, 65, 68, 133, 141,
 - 385, 386, 426, 465
 - long-range 465, 466
 - plasmon signal 461
- properties 3–7, 32, 33, 63, 110,
 - 212, 213, 281, 282, 352, 358,
 - 364, 377, 382, 383, 405, 406,
 - 461, 560, 562, 563
- asymptotic 541
- catalytic 13
- chiral 378, 380, 382
- electric 358
- fundamental 92
- geometric 377
- hydrophobic 14
- magnetic 359, 376, 563
- mathematical 540, 541
- paramagnetic 360
- plasmonic 284, 285, 293, 318,
 - 322
- polymorphous 472
- spectral 472, 473
- thermo-optical 469
- quantum dots 19, 22, 115, 158,
 - 291, 304, 327, 339, 472, 474,
 - 476, 477, 482, 559, 560
- quasi-static approximation 77, 78,
 - 101–103, 159, 161, 163, 165,
 - 167, 185–187, 210, 211, 306,
 - 307, 318, 320–322, 324,
 - 430–432, 434
- quasi-static solution 101, 136,
 - 186, 193, 319, 415
- radiation 99, 101, 103, 131, 133,
 - 297, 299, 351, 355, 356, 392,
 - 393, 395, 397
- infrared 6
- laser 23
- microwave 358
- multipole 126
- near-infrared 446
- optical 358
- short-wavelength 494
- ultraviolet 13
- radiation pattern 425, 426, 429, 482
- radiation source 136, 297, 358
- radiation wavelength 128, 351, 431
- radiative decay rate 133, 137, 147,
 - 152, 215–218, 327, 396, 397,
 - 399, 485, 527
- radiative losses 122, 186, 318,
 - 525, 526
- real metals 55, 56, 69, 74, 163,
 - 415, 416, 426
- reflection coefficients 65, 71, 84–86,
 - 151, 370, 371, 449, 546
- refraction 7, 353, 360, 366,
 - 368–370
- refractive index 231, 241, 248,
 - 351–353, 357, 361–363, 365,
 - 374, 390, 449, 469, 508
- resonances 79, 81, 121–126,
 - 170–173, 187–189, 207–209,
 - 227, 234, 245, 269, 270,
 - 321–323, 359, 371, 374, 421,
 - 422
- arbitrary multipolar 151
- chiral-plasmon 396, 398, 399

- high-quality 561
- magnetic 359
- magnetic permittivity 361
- phonon 561
- phonon-polariton 329
- resonance values 101, 125, 163, 182, 183, 209, 227, 253, 258, 260, 269, 274

- scanning electron microscopy (SEM) 283, 361, 417, 461, 498, 560
- scattering 91, 92, 102, 125–127, 129, 135, 136, 147–149, 169, 172–174, 212, 213, 239, 246, 247, 390, 391
 - diffuse 30
 - optical radiation 169
 - plane-wave 186
- SEM *see* scanning electron microscopy
- sensors 3, 6, 450–452, 456, 458, 469, 476, 477, 563
- SERS *see* surface-enhanced Raman scattering
- silver nanocubes 31, 32, 228–230
- silver nanoparticles 10, 11, 129, 229, 241, 248, 308, 342, 478, 479
- simulation 188, 322, 339, 545
 - direct numeric 318
 - finite element 297, 298
 - numeral 423
 - numerical 187, 190, 315, 319, 422, 507
 - pulse propagation 340
 - theoretical 344
- sources 50, 93, 116, 120, 207, 262, 356, 366, 368–370, 382, 480, 482, 534, 540
 - arbitrary 196
 - charge 540
 - inhomogeneous field 342
 - light 523
 - motionless 355
 - multipolar 119, 541
 - multipole 540, 541
 - nanolocalized 299
 - spatial dispersion 49, 51, 55, 59, 141, 142, 144, 353, 381
 - spatial distributions 130, 184, 216, 263, 264, 270, 304, 316, 317, 321, 340, 366, 406, 417
 - spatial structure 79
 - spectrum 73, 76, 109, 146, 147, 237, 242, 244, 279, 282, 309, 313, 314, 416, 418, 419, 421, 455
 - continuous frequency 76
 - discreet 340
 - discrete 76, 91, 252, 559
 - fluorescent marker 477
 - light-scattering 11
 - optical 1
 - spheres 119–122, 125–127, 130–137, 167, 168, 170, 172–174, 224–226, 229–231, 233, 234, 266–268, 271, 272, 331–333, 336, 337, 375–377
 - chiral 387–391, 397
 - lossless 139
 - lossy 137
 - metal 129, 133
 - nonmagnetic 371, 374
 - sodium 143, 145, 147
 - spherical harmonics 119, 204, 311, 331, 387, 538, 539, 541
 - scalar 118
 - vector 145
 - spherical nanoparticles 2, 5, 30, 133, 135, 137, 139, 146, 148, 257, 258, 266, 295, 338, 339, 381, 383
 - spherical particles 115–120, 122, 124, 126–132, 134–136, 138–148, 150–152, 157, 193, 256, 312, 315, 340, 370

- spherical system 148, 151, 502
- spherical waves 120, 121, 151, 537, 538
- spherocylinder 188, 189
- spheroidal nanoparticles 157, 159, 161, 163, 165, 167, 175, 285
- spheroidal particles 159, 172, 174, 187
- spheroids 161, 165, 166, 169–177, 179, 182, 186, 188, 189, 193, 209, 211, 215, 293, 295, 299, 301
 - arbitrary 287
 - coaxial 289
 - confocal 180
 - solid 185
- split-ring resonators (SRRs) 359–362, 364, 505–507, 561
- spontaneous decay rates 140, 148, 169, 177, 326, 329, 330, 333, 428, 431–433, 475, 479, 524, 526
- spontaneous emission 151, 174, 175, 214, 215, 217, 328, 331–333, 342, 428, 430, 484, 523, 525
- spontaneous emission rate 169, 174, 175, 177, 194, 333, 376, 377, 428–430
- SPPs *see* surface plasmon polaritons
- SRRs *see* split-ring resonators
- structure 26, 79, 270, 271, 306, 329, 331, 359, 361, 364, 380, 382, 472, 474
 - band 58, 219
 - chiral 380
 - chromium 489
 - complex layered 4
 - complex periodic 27
 - electronic 19
 - layered 180
 - periodical 425
 - planar 361, 363
 - polymer 381
 - three-dimensional 451
- substrate 25, 26, 28, 237, 242, 459, 462, 469, 478, 479
 - quartz 37
 - sapphire 28
 - silicon 28, 32
- surface 16, 18, 19, 28, 70, 84, 85, 94, 95, 106–108, 137, 138, 176–180, 183, 184, 233, 292, 415, 488, 489, 557, 558
 - body 194
 - convex 107
 - external 94, 212, 278, 422, 501
 - film 422
 - flat 83
 - hyperboloid 411
 - inner 504
 - nonsmooth 109
 - photoresist 492, 493
 - reaction chamber 23
 - rear film 426
 - sensor 563
 - spheroid 172, 176, 177
 - wet 14
- surface-enhanced Raman scattering (SERS) 272, 299, 301, 561
- surface plasmon excitation 67, 81–85, 419, 420, 423, 558
- surface plasmon polaritons (SPPs) 65, 467, 561, 565
- surface plasmons 2–4, 6, 7, 63–70, 72–76, 78–89, 92, 415, 418–422, 424, 425, 449–451, 488, 489, 491, 493–495, 497
- symmetric modes 71, 74, 162, 289, 290, 294, 412, 414, 415
- synthesis 18, 21, 31, 227, 240, 280
 - multistage 22
 - nanodevice 38
 - nanorod 157
 - reverse micelle 19

- TEM *see* transmission electron microscopy
- transition 46, 172, 204, 212, 214, 233, 234, 248, 328, 376, 430, 524–528, 530
 - continuous 234
 - interband 46, 53, 56, 57, 232
 - nonoptical 530
 - nonradiative 528
 - nonradiative intersystem 529
 - spin-forbidden 528
 - spontaneous 530
 - structural 558
- transmission 6, 71, 341, 413, 416, 417, 419, 422, 424, 460, 461
 - anomalous 422
 - single slit 425
- transmission coefficient 409, 410, 416, 418–420, 422–426
- transmission electron microscopy (TEM) 12, 158, 247, 410

- vectors 51, 84, 102, 130, 141, 253, 257, 311, 354, 355, 358, 385, 420, 536, 538
- vector spherical harmonics 116, 117, 148, 387, 388, 537, 540, 541

- wavefunctions 110, 111, 124, 134, 197, 251, 270–272, 275, 288, 335
- waveguides 6, 46, 318, 340, 342, 344, 345, 460, 461, 463, 464, 466, 469
 - dielectric 465
 - planar 471
 - plasmonic stripline 463
 - semiconductor 466, 468
 - straight 464
- wavelength 69, 79, 123, 129, 237, 239, 281, 361, 382, 416–420, 463, 465–467, 494, 562, 564, 565
 - cutoff 416, 425
 - plasmon resonance 455
 - resonant 419
 - telecom 469
- wavenumber 102, 186, 208, 260, 318, 384, 388, 393
- wave propagation 50, 58, 81, 385, 425
- waves 50, 58, 64, 66, 77, 83, 383, 385, 386, 388, 408, 493, 502, 546
 - axisymmetric 77
 - left-polarized 383, 386
 - monochromatic 358
 - optical 34, 382

