

Index

- aberration correction
Cs 160, 245
- absorption 23–31, 33–34, 37, 41, 43, 45–46, 51, 58, 83–85, 89–90, 94, 103, 130, 151, 227
- absorption coefficients 26–27, 31, 66, 69, 76, 129
- absorption difference 25, 27, 33
- absorption cross section 23, 29, 40, 84, 85, 94, 121, 130
- absorption edge 23, 28, 87, 136, 238
- absorption spectra 32, 86–88, 97
- ALCHEMI 47
- angular momentum 2, 28, 33, 54, 67, 83, 102, 103, 105, 130–31, 135, 204, 238, 250–54
- operators 56, 83, 139
- anisotropic crystal 12, 14
- anisotropy 12, 14–16, 18–19, 21–22, 52, 127, 142, 157
- apertures 46, 70, 151, 154, 167, 175, 179–80, 221, 230–31, 237–38, 247–49
- artefacts 175–78, 185–86, 220
- asymmetry 57, 95–96, 144–49, 183, 188, 192, 196, 245
- asymmetry parameter 109
- atomic core state 10
- atomic multiplet theory 65–67, 69–77, 101
- atomic positions 61, 192, 247
- atomic scale 57, 213, 222, 243, 254–55
- atomic sites 73–74
- attenuation coefficient 55, 56, 66
- background subtraction 20, 131, 166, 186, 187, 189, 190, 219, 220
- basis functions 66–67, 80–82
- beam energies 125, 127
- relativistic electron 102
- beam simulation 210
- beam splitter 57, 152, 197, 209
- beam tilt 144, 150, 153–54, 162, 208
- Bessel function 10, 204, 244
- Bloch waves 60, 150–53, 198, 204–5, 209
reciprocal wave 198
- Born approximation 2, 44
- boundary conditions 60, 150–51, 153–54, 199, 227
- Bragg spots 63, 70, 72–73, 144–45, 151, 155, 161–63, 247–48
- CBED *see* convergent beam electron diffraction
- CCD *see* charge coupled device
- CDF *see* chiral dark field
- charge coupled device (CCD) 178, 214, 229
- chiral dark field (CDF) 247–48
- chiral dichroism, energy loss magnetic 133
- chiral positions 216–18, 220–21
- chirality 43, 53, 62–63, 149, 152–54, 164, 222, 245, 250
opposite 183, 216–18
- chirality in electron energy loss spectrometry 43
- chirality of electronic transitions 44, 63
- circular dichroism 41–42, 51, 56, 64, 76, 97, 99, 102, 112, 147–49, 172–73, 223, 254
- Clebsch–Gordan coefficient 28, 34, 82, 84, 102, 137
- coherence 46, 50, 52, 197, 201–03, 206, 214–16, 231, 232
- collection angles 16–17, 59, 125–26, 154, 161, 167, 169, 185, 209, 214
large 15–17, 163, 169
- collector aperture 119, 124, 126–27
- convergent beam electron diffraction (CBED) 162, 171
- core, vortex 38–39
- core electron 2, 33, 82, 89, 95, 115
- core hole 27, 65, 85–91, 93, 96
- core spectral functions 95–96
- core state 6, 65, 82, 84, 93, 98, 143

- correlations, electron-electron 94–95
 Coster-Kronig transitions 191
 Coulomb integral 67–69
 crystal field 68
 crystal field 67–69
 crystal field parameters 68–69
 crystal orientation 12, 60, 62, 64, 173, 207,
 210–11, 216
- data cube 163, 167–68, 170, 175–79, 181,
 187–92
 artificial 179, 189
 reference 181–82, 184–85
 data treatment 143–44, 175–77, 179, 181,
 183, 185–89, 191–93
 DDSCS *see* double differential scattering
 cross section
 density functional theory (DFT) 65,
 74–76, 79, 81, 83, 85, 87–89, 91, 93,
 95–96, 157
 density matrix 4, 10, 20, 51, 130–132, 136,
 139, 197, 199–202, 203, 205, 206, 243,
 251–53
 definition 202
 back focal plane 200
 Fourier transform 201
 ground state 130, 131, 136
 image plane 202
 one-electron 132
 propagation in free space 201
 reduced 4, 10, 200, 243, 251, 252
 detector positions 48, 58, 137, 143–44,
 192, 198, 220
 detector shift method 157–58, 161,
 169–70, 175, 217
 DFF *see* dynamic form factor
 DFT *see* density functional theory
 dichroic maps 167–69, 180, 187, 195
 dichroic signal 32, 56, 59–63, 83, 85,
 106–7, 109–10, 153–54, 156–57, 164–66,
 169–70, 179–86, 188–90, 214, 217–20
 dichroic spectra 32, 40, 88, 90, 179
 dichroism 89, 120–21, 149, 156, 162,
 169–70, 182, 188–89, 219
 diffracted beam 15–16, 18, 179
 diffraction, electron energy spectroscopic
 175
 diffraction mode 18, 155–56, 158, 162–64,
 185
 diffraction pattern 12–13, 18, 48, 50,
 70–71, 73, 156, 158–62, 164, 166–67,
 178, 180–81, 205–9, 217–18, 248–49
 diffraction patterns of magnetic samples
 173, 196, 255
 diffraction plane 12, 49, 56–57, 144–47,
 151–55, 158, 163, 169, 176, 180, 185–86,
 189, 192, 216–17, 249–50
 diffraction spots 10, 160, 178–82, 188–89
 dipole 8, 53, 142–43
 electric 83–84
 dipole approximation 7–8, 10, 12, 21, 34,
 44, 50, 79, 83–85, 102, 104, 119, 121,
 126, 130
 dipole transitions, electric 106, 115, 119,
 121, 124
 Dirac equation 3, 82, 102, 105
 double channelling approximation 202,
 203
 double difference approach 146
 double differential scattering cross section
 (DDSCS) 2, 6–8, 11–12, 20, 43–44,
 47, 50–51, 56, 63, 117–21, 123, 126–27,
 157, 198–99, 214
 double slit experiment 47–49, 51
 dynamic form factor (DFF) 6, 10–12, 44,
 50–52, 54, 64, 70–71, 76, 153, 204, 254
 dynamical electron diffraction 59
- edge intensities 190, 195
 EELS *see* electron energy loss spectrometry
 EELS intensity 73
 EELS spectra 71, 73–74, 76, 134, 150, 155,
 167, 170, 175, 190, 195, 207
 EELS spectrometer 166, 185, 206
 EELS spectrum 1, 73, 132–33, 191
 effective photon 44–47, 51, 57–58, 62, 151
 EFS *see* energy filtered series
 EFTEM mode 176
 eigenstates 84, 232
 elastic scattering 1, 10, 15–16, 26, 44, 148,
 197, 203–4, 210, 247
 electric dipole
 E1 106
 electric dipole approximation 66, 71, 83,
 133
 electric dipole transitions 106, 119, 121,
 124
 electric quadrupole
 E2 106
 electron beam energy 125
 electron collector 5, 8, 123
 electron correlation 92, 97
 electron density 12, 79, 226

- electron diffraction 211, 254
 electron energies 5, 24
 electron energy loss 66, 148, 196
 electron energy loss magnetic chiral dichroism 77, 148, 172, 195
 electron energy loss spectra 72, 102, 127
 electron energy loss spectrometry (EELS) 1, 3, 5, 7, 9, 11, 13, 15, 17, 21, 43, 45, 47, 57, 101–2
 electron energy loss spectrometry *see* EELS
 electron energy loss spectroscopy 21, 64, 173, 195, 211, 223, 253
 electron–hole interaction 86, 91, 97
 electron lithography 37
 electron microscopy 22, 40, 59, 226, 244
 electron optics 150
 electron orbit 24
 electron orbital momentum 30, 225
 electron probe 43, 115, 126, 214–15, 245
 electron scattering 44–46, 164
 electron spectrometer 220
 electron velocity 1, 7, 115–16
 electron vortex beams 253
 electronic transitions 43–46, 49–50, 54, 63, 65, 85, 204, 225, 252
 electrons
 excited 65, 85
 low-energy 26, 37
 outgoing 2, 51
 scattered 13–14, 64, 163, 199, 214, 223, 251, 254
 secondary 26, 37
 spin-down 29, 85, 104, 107
 valence 65–66, 80, 115
 EMCD difference signal 191, 195
 EMCD difference spectrum 186–87
 EMCD effect 79, 169, 183, 207, 214
 EMCD maps 176, 206–9
 EMCD measurements 156–57, 166–67, 169, 196, 217
 EMCD pattern 207–8, 210–11
 EMCD signal
 relative 207–8, 210
 EMCD techniques 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171
 energy filtered series (EFS) 167–68
 energy recovery linacs (ERLs) 238
 energy renormalization 94
 energy shift 177–78, 185, 187
 energy spectroscopic diffraction (ESD) 166–68, 170–71, 175–78, 181, 187, 195
 entanglement 204, 251
 ERLs *see* energy recovery linacs
 ESD *see* energy spectroscopic diffraction
 Ewald spheres 144–45, 152
 fast electron inertial frame 116–17
 fast electrons 1–5, 10, 115–19, 121, 124, 137, 197–201, 211, 255
 inelastic scattering of 21–22
 scattered 22, 64, 211, 254
 Fe/Au multilayer 213, 217–19
 FEFF code 106, 108
 Fermi's golden rule 4, 27, 31, 79, 83, 85, 94, 130
 ferromagnetic nickel 76–77, 98
 form factor
 dynamic 6, 44, 50, 51, 70
 mixed dynamic 10, 44, 50, 76, 153, 204
 Fourier decomposition 228
 Fourier transform 12, 111–12, 117, 201, 245–46
 Fourier transform holography (FTH) 229–30, 233–34
 free electron X-ray lasers 232
 Fresnel propagator 201
 Fresnel zone plate 226
 FTH *see* Fourier transform holography
 full width at half maximum (FWHM) 161, 218
 FWHM *see* full width at half maximum
 GaAs substrate 156–57
 gauge
 Coulomb 117, 118
 Lorenz 117, 118
 graphite 12, 16, 19–20, 88, 99
 Green's function *see* RSGF
 ground state density matrix 130–31, 136
 HAADF *see* high-angle annular dark field
 HAADF detector 214, 218
 HAADF image 218, 221–22
 HAADF signal 215, 218
 Hamiltonian 67–68, 80, 92, 118
 hard X-rays 24–25, 42, 230–31, 240
 helicity 45, 51, 58, 62–63, 150, 152–55, 157–58, 164–65, 171, 246
 opposite 149, 154, 157, 170, 233
 high-angle annular dark field (HAADF) 163, 213–15
 Hohenberg–Kohn theorem 79
 hologram 227–34, 236, 238, 240

- holography 226–28, 231, 236, 238–39
 Gabor 229
 in-line 229–30, 233, 239
 Hubbard model 91
 hysteresis loop 234–35
- image distortions 176–77
 image drift 176, 178, 181–82
 real 182
 image filters 177
 image mode 158, 161, 163, 168
 image plane 158–61, 170, 202
 image simulation 64, 212
 incoherence 201
 inelastic diffraction pattern 202, 206, 208
 inelastic electron scattering 21, 51, 64, 79,
 113, 127, 214
- interference
 inelastic 47, 50
 interferometer 44, 150
- Kikuchi bands 50
 Kohn–Sham equations 80
- L-edges 23, 26–27, 34, 106, 186, 189, 191,
 195
- LACDIF *see* large angle convergent
 DIFfraction
- Large Angle Convergent DIFfraction
 (LACDIF) 159–62, 164, 170, 171
- lattice vectors, reciprocal 10, 70–71, 133,
 199, 215
- Laue circle centre (LCC) 146, 151–52,
 154–55, 157–59, 161–62, 169
- LCC *see* Laue circle centre
 values of 155, 161
- LDA+U 91
- LDOS 131
- linear dichroism 21, 55–56, 115, 117, 119,
 121, 123, 125, 225, 254
- linearized augmented planewave (LAPW)
 method 79, 81, 101
- Lorentz transform 116–17
- Lorentzians 48–49, 85, 87
- Lorenz gauge 117–18
- MAC *see* magic angle conditions
- magic angle 18, 113, 115, 117, 119, 121–27
- magic angle conditions (MAC) 124, 127
- magnetic contrast 39, 226, 233
- magnetic dichroism in X-ray holography
 225, 227, 229, 231, 233, 235, 237
- magnetic dipole term 33, 141
- magnetic extended X-ray absorption fine
 structure (MEXAFS) 102, 104, 106–7,
 109–11
- magnetic films, thin 232, 235
- magnetic images 233, 236
- magnetic moments 55–56, 109, 129, 138,
 141, 149, 172, 220, 222, 254
- magnetic multi-electron excitations
 (MMEEs) 110
- magnetic quantum numbers 46, 53, 56,
 85, 138, 243, 250
- magnetic vortex cores 38–39, 41
- magnetite 72–77, 248
- magnetization 23, 25, 66, 110, 113, 135,
 149–50, 152, 155, 157, 168, 170, 225–26,
 232–33
- magneto-optics 226
- magnets 24–25, 38, 196
- majority spin 89, 109, 132
- many-body effects 79, 88, 91, 94–96
- MDFFs *see* mixed dynamic form factor
- MEXAFS *see* magnetic extended X-ray
 absorption fine structure
- MEXAFS signal 105, 107, 112
- microscopy
 X-ray 23, 36, 38, 40
- minority spin states 84–85
- mixed dynamic form factor (MDFFs) 10,
 44, 50–54, 56, 58, 64, 70–71, 73–74, 76,
 132–33, 136–37, 141–42, 198–99, 204,
 215–16
- mixed dynamic object spectrum (MDOS)
 204–5
- mixed state 200, 202, 243, 251
- MMEEs *see* magnetic multi-electron
 excitations
- momentum-resolved EELS 69, 72, 76
- momentum transfer 8, 13, 21, 43–44, 46,
 50, 150, 155, 158, 228, 237
- momentum transfer vectors 12–14, 19,
 137–38, 140, 198
- MS *see* multiple-scattering
- multielectronic functions 66–67
- multiple-scattering (MS) 101–3, 105, 107,
 109, 111–13, 138
- N-sum rule 142
- nanometric EMCD 215, 217, 219, 221
- nickel 79, 87, 95–97, 155
- Noether theorem 247, 251, 252

- non-isochromaticity 170, 178, 184–85, 187, 191
- OA *see* objective aperture
 objective aperture (OA) 153, 158–59, 167–68, 248
 octahedral sites 72–73
 orbital moment 23, 28–30, 32, 33–36, 40, 85, 131, 135, 138, 140, 141, 225, 243
 orbital polarization 23, 29, 30, 32, 34, 91, 129
 oxidation state 43
- partial coherence 206
 PEEM *see* photo-emission electron microscopy
 perpendicular anisotropy 232, 234–36
 photo-emission electron microscopy (PEEM) 171
 photoelectrons 29–32, 34, 83, 101–2
 photon absorption 44–46
 photon flux, coherent 237–38
 photon helicity 23, 28–29, 43–44, 62
 plural scattering 147–48, 186, 194–95
 point group 68, 121
 polarization state 225, 232
 polarization vector 45, 55, 83–84
 polarized photons 28–29, 31–33, 55–56, 83, 153
 polarized X-rays 40–41, 106, 236, 241
 positions
 eucentric 159–60, 164
 symmetric 134, 153, 209
 pseudovector 54, 55
 pure state 4, 45, 199, 204
- reciprocity theorem 214, 250
 reference aperture 230, 233–34, 237–38
 reference beam 229–31, 237
 reference wave 227–30, 232, 237
 Rutherford scattering 44, 214
- SAA *see* selected area aperture
 scanning electron microscopy (SEM) 234
 scanning transmission electron microscope (STEM) 16, 64, 163, 213–14, 220, 249–50
 scattering
 resonant magnetic 232–33
 scattering cross section
 double differential 2, 6, 20, 43, 117
 elastic 11
 scattering vectors 12, 14–15, 44–45, 51, 54–56, 62, 156, 216, 244
 SEA *see* spectrometer entrance aperture
 selected area aperture (SAA) 155–56, 158–59, 161–62, 169–70
 self-energy corrections 95
 SEM *see* scanning electron microscopy
 single scattering (SS) 14, 111–12
 Slater determinants 66
 soft X-rays 226–27, 231, 241
 spectral brightness 232
 spectral functions 94–95
 spectrometer 12–13, 134, 165, 177, 209, 216, 218, 221, 244, 246
 spectrometer aperture 12–14, 16, 69–76, 132–33
 spectrometer entrance aperture (SEA) 12–13, 17–18, 153, 155, 157–59, 161–67, 170, 207, 209, 217, 220–21
 spectroscopy
 electron energy-loss 21, 149, 172, 211, 247, 254
 X-ray absorption 23, 44, 77, 82, 113, 149
 spectroscopy modes 164–65, 170
 spherical harmonics
 vector 53
 spin angular momentum 67, 135
 spin-dependent sum rules for X-ray absorption spectra 112, 147
 spin-dependent X-ray-absorption spectra 112
 spin flips 53, 83–84
 spin-orbit coupling 28, 32, 36, 67, 82, 83, 243, 246
 spin polarization 30–31, 83, 104, 246
 spin-polarized electronic transitions 211
 spin-polarized electrons 30, 41
 spin sensitivity 32
 spin sum rule 140–41
 SS *see* single scattering
 STEM *see* scanning transmission electron microscope
 STEM-EMCD 164, 216, 217, 220–22
 parallel 164, 216, 220–22
 serial 164, 216, 217, 220
 spatial resolution 160, 213
 structure factor 43, 73
 sum rules 23, 33–35, 40, 77, 83, 109, 129–32, 134–35, 137, 140–44, 146–48, 167, 189, 195–96, 220
 orbital momentum 138

- synchrotron radiation 24, 37, 57, 66, 239
 systematic row conditions 61, 144–45
- T-matrix 93
 TEM *see* transmission electron microscope
 Thales circle 144, 145, 151–54, 162,
 165–68, 210
 thermal diffuse scattering 157, 214
 three-beam case 146, 151, 162, 164, 186,
 192, 209, 211, 216
 transition metal oxides 65, 66, 69, 88
 transmission electron microscope (TEM)
 1, 8, 14, 21, 53, 56–57, 69, 79, 115–16,
 126, 130, 150, 170–73, 213, 216–18
 trichroism 121, 127
 two-beam case 144, 145, 151, 156, 164,
 165, 167, 192, 209, 211, 215
- uniformly redundant array (URA) 237
 URA *see* uniformly redundant array
- valence states 82, 85, 91, 94
 virtual apertures 166–68, 179, 181,
 188–89, 195
- wave functions
 multielectronic 65, 70, 75
 one-electron 66, 68
 wave vectors, transferred 8, 120–21, 126
- X-ray absorption 43–44, 54, 77, 83, 85, 88,
 91, 98, 102, 113, 121, 148, 225
- X-ray absorption data 106–7
 X-ray absorption spectra 99, 127
 X-ray absorption spectroscopy (XAS) 8,
 21, 34, 36, 43–44, 66, 77, 82, 88, 101–3,
 105, 113, 124, 129–31, 149
 X-ray holography 226, 232, 235, 238
 X-ray lenses 37
 X-ray magnetic circular dichroism (XMCD)
 23, 26–27, 33–36, 41, 66, 79–80, 82, 97,
 99, 101–7, 112, 129–30, 147–48, 171–72,
 225–26
 X-ray range, soft 25–27, 107
 X-ray sources 24, 231–32
 XAS *see* X-ray absorption spectroscopy
 XAS sum rules 129–30, 142
 XMCD *see* X-ray magnetic circular
 dichroism
 rare earth 106–7
 XMCD contrast 233–35
 XMCD experiments 63, 66, 88, 149
 XMCD signal 25, 27, 34–37, 103–5, 107,
 110, 137
 XMCD spectra 36, 56, 66, 73, 79, 83, 95,
 107, 134–35, 156
 theoretical 86, 108
- Zeeman Hamiltonian 67
 zone axis 13, 15–16, 73, 145, 151, 162, 164,
 207
 conditions 207–10, 217