

## Index

- AAA 9–10, 12–13, 18–23, 44–49, 55–57, 59–62, 65, 68–73, 75–79, 82, 104–108, 112–119, 159–161, 169–170, 208, 304  
dynein's 69–70, 153–154  
AAA domains 6, 12–13, 20, 58, 99, 104, 175, 195  
dynein's 60, 169, 358–359  
AAA rings 253–255  
AAA1 module 45, 47–48, 53, 55  
absence of dynein 16, 329–330  
absence of microtubules 48, 51  
actin cables 326–327  
adenylate kinase (AK) 308, 314–315  
ADP binding 47, 49, 58, 191, 198, 237, 277, 280, 319  
agarose 353  
AK *see* adenylate kinase  
AKAP *see* A-kinase anchoring protein  
A-kinase anchoring protein (AKAP) 212, 234, 238, 318  
amino acids 44, 64, 66, 69–70, 72, 102–103, 107–110, 252, 332–333, 335–336, 340–342  
anterograde microtubule transport 29, 32  
antibodies 129, 143, 149, 182, 184–185, 337  
arginine finger 13, 46–48, 69  
astral microtubules 37, 360  
asymmetric dynein arrangement 256  
atomic models 252  
ATP binding 47–48, 53, 131, 208  
ATP hydrolysis 10, 13, 19, 47, 49, 54, 58–59, 66, 68, 72, 75, 77, 81, 96, 207, 237–238  
ATPase activity 2, 11, 13, 45, 47–48, 55, 66, 124–126, 128, 130–131, 140, 159–160, 191, 209  
microtubule-activated 48  
ATPase activity of outer-arm dynein 305, 313  
ATPase cycle 10, 43–44, 47–51, 53, 55, 75, 146, 150, 190  
ATPase domains 9, 146, 331  
ATPase steps 54  
ATPases 1, 12–13, 19–22, 44, 48, 58–59, 62, 68–69, 77–78, 96, 120, 159–160, 173, 177, 195, 203  
microtubule-dynein 58, 77, 198, 263  
axonemal axis 216–217, 231, 241  
axonemal doublet 244, 324  
axonemal dynein activity 204, 212, 224  
axonemal dynein arms 5  
axonemal dynein ATPase 174  
axonemal dynein function 205, 210  
axonemal dynein isoforms 204  
axonemal dynein molecules 83, 174  
axonemal dynein motors 205, 216  
axonemal dynein sequences 272  
axonemal dyneins 15, 58–60, 64–67, 173–174, 178–179, 190–192, 198, 209, 266–272, 274–276, 278–283, 303–304, 306–308, 310–314, 318–320, 322–324  
inner-arm 67, 104, 153  
native 123  
outer-arm 67, 320  
purified 115, 126  
two-headed 28  
axonemal function 237, 281  
axonemal isoforms 43, 63, 68, 76, 99  
axonemal kinases 228–229, 232, 234–235  
axonemal microtubules 205  
axonemal monomers 7, 15  
axonemal motility 213, 223, 225, 227  
axonemal polypeptide 235, 318  
axonemal protein kinase 228, 236  
axonemal proteins 204, 210, 318  
axonemal structures 203–206, 210–211, 216  
axoneme anchors 240, 282, 322  
axonemes 5, 82–85, 90–94, 173–176, 204–205, 208–212, 214–217, 219–221, 223–224, 226–232, 238–240, 244–256, 260–262, 264–266, 274, 277–280  
disintegrated 11, 244, 278  
dynein-depleted 226–227  
elastase-treated 236

- intact 50, 188, 226, 260
- molecular architecture of 21, 96, 142, 199, 239, 264, 282, 321
- mutant 214, 274, 310
- outer doublet of 24, 97
  
- B-microtubule 52, 64, 66, 114
- B-tubule 2, 5, 8, 82, 97, 208, 213, 253, 258–259
- basal body 22, 213, 215, 249, 260
- bead assay 137, 182–184
- beat frequency 204, 208, 218, 223, 225–226, 274
- BFP *see* blue fluorescent protein
- binding interface 103, 290–291
- binding proteins 313, 320, 359
- binding sites 66, 84, 101, 105, 116, 141, 286–287, 289–290, 294–295, 297–298, 340, 342
- biochemical analyses 53–54, 209, 226, 228–229, 268–269, 271
- bivalency 297–298
- blue fluorescent protein (BFP) 50, 71
- bovine serum albumin (BSA) 129–131, 185–186
- BSA *see* bovine serum albumin
- budding yeast 43–44, 168, 325–327, 354, 356–359, 361
  
- C-sequence 70, 72
- C-terminus 151, 329, 331, 335–336, 340, 342
- calcium-binding proteins 211, 223–224, 226–227
- calcium regulation 218–219, 221, 223, 225
- calmodulin 212, 221, 224, 243, 313, 321
- cell biology methods 286
- cell body 209, 214
- cell center 164
- cell cortex 32, 168, 329, 335, 343, 345, 348, 354, 357
- cell cycle 325–326, 343–345, 352, 354, 360
- cell division 146, 156, 158, 325–326, 328–329, 338, 347, 350
- cell migration 29, 31, 43
- cell polarity 327, 344
- cell viability 333, 336
- cells 14–16, 29, 31, 123–124, 135–140, 161–162, 164–165, 167–168, 174, 179–180, 227–228, 327–329, 333–334, 336–337, 339–344, 348–353
- animal 16, 300
- cultured 126, 139
- daughter 156, 160, 326, 344–345, 351, 356
- eukaryotic 29, 145
- flagella-bearing 311
- flagellated 16
- frequency of 350–351
- human 137–139
- large-budded 328, 342, 348, 351
- live 138, 277, 350
- living 142–144, 147, 165, 169–171, 326, 329, 339, 350, 352
- resuspend 349, 353
- cell's antenna 23, 242
- cellular slime mold 43–44
- central pair (CP) 196, 205–206, 210–212, 216–224, 227, 229–231, 233, 235, 239, 245, 250, 256, 260, 263–264, 277, 312–313
- central pair apparatus 16, 204–205, 210, 217, 227, 231
- central pair orientation 218–220, 223
- central pair projections 18, 220–221, 241
- central pair structures 216, 219, 221–222
- centrifugation 34, 125–127, 180
- channel patterns 186–187
- chemical shifts 290–291
- Chlamydomonas* 5–8, 14–15, 21–23, 84–85, 174–175, 196–201, 203–206, 216–219, 221, 223–228, 232–245, 253–258, 260–265, 267–274, 276–283, 303–324
- flagella mutants of 60, 282, 321
- intermediate chain of 302, 320, 323–324
- intraflagellar transport machinery of 17, 234

- motility of 236, 276, 312
  - multiple species of 77, 198, 263, 280
  - mutant of 237, 254, 319
  - outer-arm dynein subparticles of 200, 282
  - proteins of 244, 266, 324
  - proximal portion of 144, 201, 240, 244, 283, 323
  - Chlamydomonas* dynein 95
  - Chlamydomonas* flagella 256, 264
  - chromatography 268–270
  - chromosome segregation 285, 328
  - cilia 1–2, 18–20, 23–24, 126, 173–174, 195–197, 203–204, 212–214, 216–218, 224–226, 234–236, 238–242, 244–246, 260–263, 267–268, 311–312
    - inner dynein arms of 77, 235
    - motile 205–206, 242, 245, 271
  - ciliary axonemes 1, 127, 203, 221, 226, 241, 244, 268
  - ciliary beat frequency 208, 225–226
  - ciliary dynein arms 211
  - ciliary dyneins 204, 206–207, 218, 231–232, 275
  - ciliary motility 14, 23, 209, 212–213, 228, 232, 234, 238, 241, 312
  - ciliary waveform 209, 228
  - coiled coil 6, 9–10, 19–20, 46, 52, 54–55, 58, 66–67, 72, 88–89, 94, 96, 99–104, 106–111, 116, 119–120
  - coiled coil core 108–110
  - coiled coil proteins 101, 306, 308–309
  - coiled coil stalk 6, 52, 54, 75, 82, 195, 246
  - coiled coil stalk structure 10
  - coiled coil structure 54, 66, 109
  - conserved prolines 67, 100, 102–104
  - CP *see* central pair
  - crystal structures 10, 16, 25, 52, 54–55, 66–67, 69, 100, 104, 109, 111, 291, 294–295, 302
  - curvature 66, 216–217, 219–220, 230, 232
  - cycles 55, 63, 72
    - unperturbed cell 351–352
  - cysteine crosslinking data 110
  - cytoplasmic dimers 7, 9
  - cytoplasmic dynein 14–15, 20–23, 28–30, 32–34, 36–41, 43–49, 52–56, 58–62, 64–66, 76–78, 124–125, 140–143, 145–158, 166–172, 299–304, 357–361
    - dimerized yeast 192
    - end-directed transport of 41, 144, 171
    - fungal 45
    - higher eukaryotic 331
    - ice-embedded 247
    - induced bidirectional stepping of 57, 76, 119, 166, 196
    - mammalian 192
    - microtubule motor 21
    - native 46, 87, 123, 128, 148
    - purified 125, 127, 135
    - purified brain 33
    - rat 148
    - recombinant 44
    - recombinant mammalian 124
  - cytoplasmic dynein-1 29, 132, 137
    - bovine 135
    - porcine 133
  - cytoplasmic dynein-2 43
  - cytoplasmic dynein ATPase activity 58, 77, 167, 197
  - cytoplasmic dynein behavior 35
  - cytoplasmic dynein constructs 118
  - cytoplasmic dynein light 39, 41, 302, 358
  - cytoplasmic dynein light chain 355
  - cytoplasmic dynein molecules 87, 121
  - cytoplasmic dynein motility 40, 61, 103, 149, 151, 153, 158–159, 161
  - cytoplasmic dynein motor 19–20, 23, 38, 60, 71, 167, 356
  - cytoplasmic dynein motor domain 33, 45
  - cytoplasmic dynein movement 90
  - cytoplasmic dynein nomenclature 22, 39, 301
  - cytoplasmic dynein processivity 150
  - cytoplasmic dynein regulation 33, 35–36
  - cytoplasmic dynein results 170
  - cytoplasmic dynein subcomplexes 20, 356
  - cytoplasmic microtubules 95, 326, 355, 357
- density maps 251–252
  - dephosphorylation 228–229, 275, 303, 312

- dimerization 57, 61, 146, 296, 299–300, 302, 306, 317, 357, 361
- dimerization domain 114
- dinoflagellates 14, 317
- directionality 99, 101, 116–118, 130, 151, 153, 162
- directionality of dynein 73, 116, 150
- doublet microtubules 1, 64, 134, 173, 205, 215–216, 218, 231–232, 243
- doublet sliding 222–223
- DRC *see* dynein regulatory complex
- DSH *see* dynein stalk head
- dye molecules 293
- dynactin 11, 30–31, 35–38, 40, 133, 145–147, 161–162, 165–167, 169–171, 334–336, 338, 343–344, 346, 354–356, 358–359, 361
  - dynein cofactor 155
- dynactin components 335, 337–338
- dynactin effect 31
- dynactin function 169, 334, 358
- dynactin mutants 336, 342
- dynactin-stimulated dynein processivity 31
- dynactin subunits 161, 297, 336
- dynein
  - crude 180
  - disordered 299–300
  - doublet-associated 220, 222
  - engineered 43–44, 52
  - inner 4, 310
  - isolated 101, 127, 267, 277, 279
  - mammalian 151, 155
  - minor 271
  - motor protein 302
  - mutant 94, 277
  - one-headed 270–272, 275–276, 278
  - outer 18, 77, 95, 120, 141, 225, 262
  - porcine brain 150, 155
  - rat 45, 332
  - recombinant yeast 135
  - single-headed 225, 310–311
  - two-headed cytosolic 40, 61, 79, 97, 171, 361
- dynein-1 29, 132–133, 316
- dynein-2 17, 29
- dynein activation 221, 238, 354
- dynein activity 33, 132, 204–205, 211–212, 214–217, 222, 224–227, 231–232, 236, 243, 314, 326, 328–329, 343–344, 347
- dynein activity patterns 222–223
- dynein arms 5, 8, 17–19, 22, 24, 194–195, 197–198, 200, 205–206, 211–212, 234–235, 239–241, 244–245, 252–253, 263, 282
  - dimeric flagellar 8
- dynein assembly 207, 287, 289, 297–298, 302, 304
- dynein-associated proteins 299, 316
- dynein cargo 164, 287
- dynein-coated beads 35, 155, 161, 184, 190
- dynein cofactors 161, 163
- dynein complexes 224, 341, 345
  - reconstituted microtubule-axonemal 50
- dynein constructs 70, 112
- dynein couples 20, 43, 58, 77, 96, 120
- dynein dimers 156, 158, 161
- dynein dissociation 54, 75
- dynein-dynactin complexes 39, 121, 142, 162, 170
  - single 161
- dynein-dynactin interaction 161, 300
  - mediated 300
- dynein-dynactin molecules 161
- dynein-dynactin motor 38
- dynein-dynactin pathway 38
- dynein extracts 197, 318
- dynein family 64, 99, 197
- dynein functions
  - essential cytoplasmic 300
  - mammalian 158
  - normal 334
- dynein heads 50, 89, 93, 134, 136, 150, 153, 156–158
  - globular 2
  - ring-shaped 135
- dynein inhibition 20, 33
- dynein isoforms 64, 67–68, 209
  - individual ciliary 231
  - monomeric axonemal 67
- dynein light 38, 302, 332
- dynein light chain 235, 264, 287, 299–300, 319, 360
- dynein linker structures 210
- dynein localization 33, 170, 329, 333, 335, 339–340, 343–344, 346, 360

- dynein mechanisms 44, 46, 56, 113, 161, 285, 325, 339, 345
- dynein microtubule array 115
- dynein molecules 2, 4, 6, 10–11, 13, 16, 31, 33, 50–52, 81–87, 93–94, 123–124, 129–130, 132, 152–153, 189
- individual 35, 124, 155, 195
- inner-arm 173, 184
- multiple 35, 192
- outer-arm 82, 84, 86
- purified 81, 194
- recombinant 83, 123
- dynein motile activity 58, 198, 237, 280, 319
- dynein motile mechanism 93, 145
- dynein motility 11–12, 47–49, 51, 53, 55, 81, 92, 115, 123–124, 129, 132, 146, 149–150, 163, 181, 192–193
- blocked 132
- cytoplasmic 165
- impaired 132
- microtubule-based 51
- dynein motion 154, 158, 163
- dynein motor activity 31, 304, 313
- dynein motor domain 16, 18, 23, 25, 33, 36, 43–48, 50, 52, 54–58, 60, 62, 77–78, 83, 119, 123
- dynein motor function 61, 207–208, 231, 305
- dynein motor unit 20, 58
- dynein motors 23, 56, 60, 78, 97, 99–100, 102, 104, 106, 108, 110, 114, 120–121, 165, 203–205, 213–216
- dynein mutant cells 348
- dynein pathway 163, 327, 332, 335–336, 338–343
- dynein pathway components 335, 340
- dynein phenotypes 336, 350
- dynein powerstroke 112–115, 117
- dynein processivity 31, 39, 60, 78, 97, 121, 142, 162, 169, 200, 359
- dynein proteins 123, 263
- single 132
- dynein recruitment 30–31, 33, 36, 40, 339, 342, 345, 356
- dynein regulation 37, 145, 165–166, 171, 204, 212–213, 221, 223–224, 305, 334, 343–345
- dynein regulatory complex (DRC) 17, 22, 200, 204, 206, 210, 212–213, 231, 234, 240, 255, 258–259
- dynein species 11, 49, 131, 141, 237, 268, 273–274
- inner-arm 58, 310
- dynein stalk 10, 19, 57, 89–90, 99–112, 114–116, 118–120, 154, 247
- dynein stalk head (DSH) 102
- dynein-stalk-MT interactions 89
- dynein stalk sequences 103
- dynein stalling 157
- dynein stepping mechanism 145, 165
- dynein structure 10, 17, 56, 58–60, 76–77, 88, 95, 119, 140, 166, 196, 198, 207, 214, 233, 262–263
- dynein subcomplexes 30, 285
- dynein surface density 188–189
- dynein transport 30, 35
- dynein's motor activity 45–48
- dynein's structure 1, 64, 74
- electron microscopy 4, 16, 63, 81, 96, 125, 153, 203, 245–246, 248, 252, 262, 264, 331
- electron tomography 10, 194–195, 245–255, 257, 261, 263–264
- eukaryotes 12, 14, 23–24, 43, 57, 63, 77, 201, 282, 323, 325–326, 328, 344
- f-dyneins 126, 209
- flagella 14, 16–23, 174–175, 200–201, 206–208, 214–218, 224–226, 228, 232–246, 250–253, 255–263, 265–268, 282–283, 303–304, 312–314, 319–324
- algal 223–224
- eukaryotic 199, 240, 245, 266
- mutant 226, 233, 238, 279
- sperm cell 226
- flagella dynein assembly 265
- flagella of eukaryotes 57, 77
- flagellar assembly 22, 60
- flagellar axonemes 84, 173, 180, 239, 242–243, 281, 314

- human 317
- isolated 316
- paralyzed 228, 230
- split 232, 280
- flagellar beat 238
- flagellar dynein 20, 58, 235–236, 240, 242, 280, 318, 328
- flagellar dynein activity 234, 317
- flagellar dynein arms 59, 96, 257, 264
- flagellar dynein assembly 201, 243, 323
- flagellar dynein phosphorylation 244, 324
- flagellar dynein sequences 14
- flagellar function 19, 236
- flagellar microtubules 234
- flagellar motility 57, 119, 178, 203, 227, 234, 238, 240–243, 273, 275, 277, 282, 287, 303–304, 310–314, 322–323
  - control of 212, 229
- flagellar movement 201, 227, 232, 235, 243–244, 266, 283
- flagellar mutants 204, 228, 274, 281
  - paralyzed 227
- flagellar oscillation 233, 236
- flagellar structure 18
- flagellar waveform 211–212, 255, 257, 312
- flagellum 16, 56, 176, 196, 206, 228, 232, 235, 238, 260, 274, 317, 322
  - avian sperm 76, 95
  - eel sperm 243, 323
- flow cell 182, 185, 187, 189
- fluorescence 132–133, 141, 150, 197, 293, 350
- fluorescence intensities 133, 293, 341, 344
- fluorescent dyes 132, 134, 181–182
- fluorescent microtubules 181, 188, 244
- fluorescent resonance energy transfer (FRET) 50–51
- fluorophores 73, 133, 181–183, 188, 292–293
- Fourier space 251–252
- FRET *see* fluorescent resonance energy transfer
- functions 29–30, 35–37, 45–49, 54–56, 60–62, 67–69, 159–160, 207–208, 236–238, 268, 273–275, 277–278, 285–287, 303–306, 335–337, 341–344
- biological 76
  - cellular 43–44, 57, 63, 137, 174
  - dynein's 103, 146
  - microtubular 355
  - outer-arm 275
  - structure-diverse 22, 59, 169
- Gaussian curve 133, 136
- GFP *see* green fluorescent protein
- GFP-labeled dynein-dynactin 150
- GFP-labeled MTs 350–351
- globular structures 176
- green fluorescent protein (GFP) 50, 52, 71, 73, 124, 329, 349
- HC *see* heavy-chain
- HCs *see* heavy chains
- head domain 45–47, 49–51, 53, 55, 66, 68, 91–92, 175
- heads 6–9, 11, 16, 45–46, 49–56, 58, 64–68, 70–73, 82, 86–94, 101, 134–136, 150, 222, 246–247, 254–255
  - compact 6–7
  - dynein's 68
  - partner 157–158
- heavy-chain (HC) 4, 6, 9, 11, 16, 29, 131, 146–147, 177, 206–209, 217, 270, 315, 330–333, 341, 345–346
- heavy chains (HCs) 6–11, 18–21, 43–47, 55–61, 63–71, 124–128, 130–131, 174–177, 191–192, 253, 267–273, 275–278, 303–306, 308–311, 313–316, 328–331
- high-resolution structures 11, 81, 89, 285–286
- high-salt buffers 125–126
- homologues 163, 241, 320–321
- hydrolysis 47, 60, 69, 169, 208, 358–359
- hydrophobic residues 103, 108, 110
- hydroxyurea 351–353
- IAD *see* inner-arm dynein
- IC1 30, 207, 225, 270, 304–306, 308, 313, 315

- IC2 9, 30, 270, 304–306, 308, 315  
 IC3 9, 308, 313, 315  
 IC97 180, 209, 230–232, 243, 310–311, 323  
 ICs *see* intermediate chains  
 ICs of outer-arm dynein 308  
 IFT *see* intraflagellar transport  
 IFT dyneins 99, 103, 114  
 inner-arm dynein (IAD) 8, 14–15, 175, 198–199, 235–236, 238, 263, 269–271, 273, 280–281, 283, 312, 318, 323–324  
 inner-arm dynein folds 64  
 inner-arm dynein species 198, 281  
 inner-arm dyneins 8, 15, 93–94, 126, 131–132, 173–180, 186–188, 190–192, 194, 198–199, 200–201, 235–238, 255–257, 267–271, 273–274, 276–281, 283, 305–307, 309–313, 318, 324  
   best-studied 209  
   dyads of 194–195  
   fastest 210  
   minor 272  
   one-headed 267, 271–276, 278  
   potential 311  
   single-headed 311  
   subspecies of 131, 179, 237, 319  
   two-headed 209, 267, 271–275, 311  
   unique 207  
 inner dynein arm system 209–210  
 inner dynein arms 17–18, 140, 196, 199, 203, 206–209, 217, 227, 229, 233, 237–240, 242–243, 262–265, 280–281, 316–317, 320  
 insect cells 43–44, 148  
 intermediate chains (ICs) 6, 9, 11, 15–16, 29–30, 33, 39–41, 82, 84–85, 125, 174–175, 177, 207–209, 269–270, 303–304, 308–311  
 intraflagellar transport (IFT) 4, 15, 19, 22–23, 99, 207, 241, 250, 260, 264, 272  
 isolated axonemes 126, 208, 210, 213–214, 226–227, 229  
 kinesin 24–25, 28, 44, 49, 51, 57, 59–60, 69, 83, 97, 101, 103, 135–137, 139–146, 170–172, 192  
 kinesin-1 150, 152  
   plus-end-directed motor 154–155  
 kinesin motor proteins 37, 166  
 kinetochores 16, 22–23, 29, 31, 33, 38, 40, 119, 328, 343, 358–360  
 LCs *see* light chains  
 LC1 9, 217, 230, 232, 269–270, 305, 312, 315  
 LC2 9, 270, 305–306, 312, 315  
 LC3 9, 270, 305–306, 313, 315  
 LC4 9, 224, 270, 305, 313, 315  
 LC5 9, 270, 305–306, 313, 315  
 LC6 270, 305–306, 315  
 LC7 146, 231, 287–288, 294–296, 298–299, 301, 316  
 LC7 binding 298  
 LC7a 209, 270–271, 306, 310, 315  
 LC7b 209, 271, 306, 310, 315  
 LC8 20, 146, 209, 270–271, 287–289, 291–299, 301, 306, 309–310, 315, 319–320, 323, 333  
 LC8 binding 291–292, 295–296, 298  
 LC9 270, 305, 315  
 LC10 270, 306, 315  
 LICs *see* light intermediate chains  
 ligands 297, 299–300  
   bound 296  
   monovalent 297  
 light chain subunits 285–286, 289, 291, 293  
 light chains (LCs) 4, 9, 11, 29–30, 125–126, 146–147, 174–175, 206–207, 261–262, 269–271, 285–286, 288–291, 296–298, 300–305, 309–310, 312–316, 319–320, 333  
 light intermediate chains (LICs) 9, 11, 15, 29–30, 41, 125, 146–147, 207, 330–333  
 mammalian brain dynein-dynactin 154  
 mammalian dynein-dynactin complexes 154  
 MAP *see* microtubule-associated proteins  
 mass spectrometry 289–290, 299

- mechanochemical cycle 53–56, 150, 265, 310, 314
  - dynein's 48, 55, 74
- metazoa 221, 224, 267, 269–270
- metazoan cilia 218, 220, 239, 321
- microtubule-associated proteins (MAP) 21, 28, 39, 59–60, 169
- microtubule association 58, 77, 96, 120, 141
- microtubule-based motors 141, 182, 197, 359
- microtubule-based searching
  - mechanism 359
- microtubule binding 20, 34, 38, 53–55, 58, 63, 66, 77, 96, 102, 112, 120, 167, 195, 242, 322
- microtubule-binding affinity 47, 49, 55
  - dynein's 53
- microtubule-binding domain 4, 20, 31, 58–59, 64–67, 69, 73, 75, 100–102, 120, 355
  - cytoplasmic dynein's 66
  - dynein's 17, 56, 76, 95, 166, 262, 354
- microtubule binding structures 210
- microtubule cytoskeleton 32, 35–36
- microtubule doublets 63, 176, 245, 256, 258, 260
  - adjacent 245, 258
- microtubule dynamics 39, 242, 359, 361
- microtubule-gliding assay 51–52
- microtubule gliding assays 114, 129
- microtubule-gliding velocities 48, 52, 130
- microtubule length 189
- microtubule motility 189, 191
- microtubule polarity 74, 215
- microtubule purification 28
- microtubule structure 215
- microtubule translocation 24, 51, 58, 79, 144, 198, 200–201, 237, 279, 281–282, 319
- microtubule transport 39, 356
- microtubules 21–24, 37–40, 43–45, 47–55, 65–69, 94–97, 105–114, 116–121, 128–145, 167–169, 181–182, 187–189, 191–198, 237–244, 274–278, 354–359
  - bovine brain 97, 142
  - brain dynein crossbridges 16, 76, 95, 140, 354
  - directional control of 193
  - dynein-c-driven 194
  - dynein-dependent interactions of 38, 356
  - dynein's 119
    - extended 18, 57, 77, 119
    - outer-arm dynein translocates brain 22, 282
    - polarity-marked 130, 275
    - robust sliding of 21, 59, 78, 142, 169, 199
    - rotation of 68, 77, 198, 263, 276, 278, 280
- mitosis 22, 30, 37, 43, 137, 299–300, 306, 316, 326, 330, 332, 344, 347–348, 350–351, 354, 358
- mitotic cell cycle 21, 357
- mitotic spindles 22–23, 329, 360
- model of ciliary motility 23, 241
- molecular masses 304–306, 308, 311
- molecular mechanisms 17, 33, 44, 55, 123–124, 157, 165, 174, 285, 289, 328, 339
- molecular motor proteins 79, 121
- molecular motors 60, 78, 81, 97, 139, 141–142, 167–170, 199, 201, 303
- molecules 2, 11, 53, 64, 73, 82, 85, 87, 89, 91–92, 94, 114, 125, 127, 160, 247
  - isolated 7–8, 87, 93–94
- monomeric dynein 61, 65, 130, 143, 147, 159, 242
- monomers 7–8, 63, 102, 174, 288, 296
- mother-bud neck 343–345
- mother cell 327, 332, 336, 342, 344
  - bi-nucleate 350–351
- motility 20, 31–32, 125–126, 129–133, 137, 148–149, 177, 181–182, 214–215, 218, 225–229, 231–232, 234–236, 273, 276–277, 319–320
  - cell 15, 137
  - dynein-based 45
  - dynein-mediated 31, 36
  - microtubule-based 24, 70, 143
- motility activation 227, 276–277
- motility assays 11, 51, 68, 78, 123–124, 129, 132, 135, 138, 141, 149, 161, 173, 178–179, 182–183, 194–195
- motility mechanism of dynein 43, 118, 124, 165

- motility proteins 21, 281  
 motor activity 44, 46, 49, 68, 123, 129,  
 203, 216, 285, 305, 327, 347  
 motor domain 25, 34–35, 45–46, 52,  
 56, 83, 87–88, 114, 118–119, 128,  
 146, 150–153, 195, 305, 341–342,  
 346  
   double-labeled dynein 50  
   dynein's 99, 158  
   multiple 56, 128, 194  
   rear 105–106  
   single dynein 113–114  
 motor function 78, 170, 231, 242, 317  
 motor molecules 30, 129, 183–184  
   active 184  
 motor proteins 18, 29–30, 38, 49, 57,  
 61, 120, 124, 130, 133–134, 137,  
 144, 171, 201, 270, 274–275  
   ancient 40, 61, 79  
   cytoskeletal 56, 101, 146  
   hood of molecular 79, 121  
 mouse 216, 305, 318–319  
 movement of dynein 8, 90, 116, 133,  
 135  
 MT-bound dynein molecules 81, 94  
 MT-bound dynein stalks 90  
 MT-bound stalks 90, 93  
 MT dynamics 339, 348, 350  
 multiple dynein motors 35, 158  
 mutant cells 216, 340–341  
   null 339, 349  
 mutants 201, 228–229, 232–233, 236–  
 237, 239–240, 243–244, 253–255,  
 257–258, 263–264, 267–268,  
 272–281, 310, 327–328, 336–342,  
 344, 347–348  
   dynein-deficient 279  
 mutations 31, 47–48, 55, 68, 102, 106,  
 148, 153, 159–160, 163, 208–209,  
 218, 221, 237–238, 240–241,  
 336–337  
 myosin 40, 44, 49, 51, 60–61, 69, 101,  
 115–116, 141, 144–146, 171, 178,  
 182, 200, 252, 263  
  
 N-terminal tails 6, 9, 174, 253, 256  
 native dynein 124, 128, 147–148, 342  
  
 nuclear DNA 347–348, 350  
 nuclear migration 21, 32, 41, 168, 328,  
 332, 357–359  
   dynein-dependent 169, 358  
 nuclear segregation 329, 347, 349, 355  
 nuclei 14, 32, 35–36, 136–138, 325–  
 330, 335, 338, 341–342, 345,  
 347–348  
 nucleotide binding 46, 48–49, 68–69,  
 75, 119, 195  
   roles of 60, 169, 358–359  
 nucleotide-binding sites 18, 47, 49, 57,  
 69, 120, 128  
 nucleotide states 8, 16, 53, 55, 69, 81,  
 90, 93  
 nucleotides 8–9, 13, 59, 65, 68, 71–72,  
 75, 83, 86–87, 89–92, 96, 101,  
 106–107, 195, 208, 252–253  
   cyclic 204, 211–212, 225–226, 232  
 null mutants 168, 333–334, 340  
 null mutations 287, 338–340  
  
 optical trap 35, 139, 184–185, 189–  
 190, 192, 200  
 oscillation 17, 76, 134–135, 178, 217,  
 233  
 outer-arm dynein 4, 20, 82, 84–85, 87,  
 89, 91–94, 126–128, 130–133,  
 173–174, 179, 191–192, 198,  
 267–279, 303–310, 312–316  
   activity of 309  
   adjacent 308  
   binding of 304, 306  
   intact 277  
   multiple 278  
   reconstituted 254  
   three-headed 91  
 outer-arm dynein (OAD) 4, 7, 9, 14–15,  
 140, 196, 224, 234–235, 239, 241,  
 272, 280–281, 317–318, 320–323  
 outer-arm dynein light chain 319, 321  
 outer-arm dynein motor function 317,  
 323  
 outer-arm dynein mutant 265, 282  
 outer-arm dynein of metazoan cilia  
 239, 321

- outer arms 2, 5–6, 9, 14–15, 96, 131, 135, 143, 194, 208–209, 225, 233, 257, 273–274, 277–278, 302
- outer doublet microtubules 203, 206, 208, 213–214, 216, 222, 229–230, 274, 278, 280, 304–306, 312, 316
- outer dynein arm activity 225–227, 308
- outer dynein arms 4, 19, 57, 176, 199, 203–209, 212–213, 217, 224–227, 230–233, 237, 239, 253–254, 262–263, 280–281, 319–323
  
- periodicity 2, 82–83, 88, 246, 251, 254, 260, 306
- PH domain 342–343
- phenotypes 160, 227, 263, 329, 333, 337–338, 340–342, 344, 347
- phosphorylation 39, 165, 170, 203–204, 208, 225–231, 235–236, 241, 274, 280, 296, 301–302, 309, 312, 318, 354
  - cAMP-dependent 227, 312
- PKA *see* protein kinase A
- poly-bivalency 297–298
- polypeptides 12, 19, 64, 68, 158, 161, 200
- porcine dynein 135, 157
- process
  - biological 28
  - dynein-mediated 40
  - tethering 129
- processive motor 31, 62, 145, 150–151, 162, 171, 184, 210, 276
  - low 183–184
- processive movement 56, 87, 141, 192, 195, 197, 200
  - dynein's 49
- processivity 20, 31, 34, 36, 38, 49, 56, 59, 76, 124, 132–133, 159–160, 166–167, 178, 188–189, 355–356
  - low 183–184
- processivity enhancement 161, 165
- proline residue 67–68, 100, 104
- protein kinase A (PKA) 206, 212, 222, 226, 228, 230, 232, 234, 312, 319
- protein kinase inhibitors 228
- protein kinases 222, 224, 230, 312, 319
  - control axonemal 229
- protein motors, microtubule-based 178
- protein phosphatases 229, 343, 354–355
- proteinase inhibitors 180
- proteins 2–4, 12–18, 23–24, 33, 56–57, 68–70, 76–77, 210–212, 234–236, 261–262, 289–291, 307–311, 313–316, 320–324, 335–337, 339–341
  - actin-related 168, 338, 358–359
  - amino acid 337–338, 342
  - bound 291–292
  - cellular 287
  - cytoplasmic dynein-binding 300
  - disordered 290
  - kDa 175, 305–306, 309, 314, 321
  - kinesin-related 357, 359
  - microtubule-associated 28
  - microtubule orientation 358
  - novel axonemal 323
  - redox-sensitive calcium-binding 233, 317
  - regulatory 32, 132, 154, 287, 345
- purified dynein 11, 18, 57, 77, 82, 84, 120, 125, 135, 181
  
- QD *see* quantum dot
- quantum dot (QD) 124, 133–134, 137, 139, 142–144, 150–151, 169, 183
  
- radial spokes 5, 17–18, 196, 204–206, 211–213, 218, 220–222, 224, 227, 231, 235, 242, 245, 260–261, 263, 275
- recombinant proteins 10, 129, 147–148, 159
- ring structures 13, 68, 70, 331
  
- scaffold 33, 210, 221, 299, 306, 336, 339–341, 343
- sea urchin 5–7, 15, 82, 85–87, 91–92, 207, 233, 308, 312–315, 317, 319
- sea urchin sperm 14, 18, 96, 203, 235–236, 243–244, 253–254, 258, 260, 268, 282, 314, 320

- sea urchin sperm axonemes 85, 221  
 sea urchin sperm flagella 19, 23, 97,  
 131, 174, 254, 256, 260–261, 309,  
 311, 314, 316, 319, 323  
 self-association domain 296–298  
 single dynein molecules 12, 123–124,  
 132, 134, 136, 139, 155, 163, 189,  
 192  
 single dynein motors 74, 150  
 single kinesin molecules 141, 169, 197,  
 201  
 single-molecule level 183, 279  
 sperm flagella 18, 21, 134, 233, 236,  
 239, 307–309, 311–312, 314, 319,  
 322–323  
   demembrated sea urchin 233, 316  
   metazoan 303, 313  
   outer dynein arms of sea urchin 23,  
   97  
 sperm flagellar axonemes 269, 319  
 spindle movements 329–330, 344, 350,  
 352–353  
 spindle orientations 21, 356–359  
 stalk 5–10, 20, 45–46, 51–55, 58,  
 64–71, 73, 75, 77, 82–86, 88–94,  
 96–97, 99–121, 156, 174, 253  
   coiled-coil 18, 57, 77, 95, 119  
   cytoplasmic dynein's 67  
   expressed dynein 106  
   microtubule-binding 53  
   normal dynein 111  
   rear 105–106  
   thin 2, 101  
   tilted 154  
 stalk angle 66–67, 93–94, 107  
 stalk domain 45–46, 49, 51, 53–55,  
 66–67, 69, 208  
 stalk length 103, 115, 117  
 stalk movement 114  
 stalk mutant motor 154  
 stalk region 88, 109, 331  
 stalk structure 52, 68, 101, 106  
 stepping behavior 78, 150–152, 157,  
 166, 192  
   dynein's 162  
 structural analysis 88–89, 94, 96, 210,  
 245–248, 252–253, 258, 260–261  
 structures 10, 15–19, 55–56, 70–72,  
 75–76, 81–83, 86–89, 93–95, 107–  
 109, 210–213, 216–219, 245–247,  
 250–251, 253, 257–259, 299–301  
   domain 146–147, 175  
   molecular 57, 246, 303  
   nucleotide 91, 93  
   regulatory 205–206  
 TIRF *see* total internal reflection  
   fluorescence  
 total internal reflection fluorescence  
   (TIRF) 133, 149–150, 184  
 tubulin 10, 21, 59, 73, 84, 89, 94–95,  
 102, 129, 181, 201, 217, 230, 304–  
 305, 339–341, 354–355  
 tubulin dimers 82–83, 88–89, 133  
 two-headed dynein 150, 270, 276, 310  
 two-headed structure 28, 125, 127  
 vesicle transport 40, 137–138, 170  
 wall patterns 186–187, 193  
 wild-type axoneme 227, 229, 231, 269,  
 273  
 wild-type cells 226, 329, 333, 341  
 wild-type dynein 158, 160  
 X-ray crystal structure 101, 107,  
 111–112  
 yeast 8, 14–16, 21, 32–33, 124, 134,  
 148, 151, 158, 160–162, 326–329,  
 331, 333–335, 339–340, 347,  
 354–359  
 yeast cells 156, 326  
 yeast cytoplasmic dynein 46, 49, 106,  
 192, 330  
 yeast dynactin 161, 355–356  
 yeast dynein 148, 151, 154–157, 160,  
 325–326, 330, 341  
 yeast dynein-dynactin 154  
 yeast dynein mutant 357  
 yeast homologue 336–337, 340

