

Index

- AC (activated carbon) 306–7, 313, 329
adhesion 163, 222, 224, 286, 293, 328–29, 347, 350, 354, 360–62, 364–65, 375, 379, 384
acidic solutions 112, 257, 260
activated carbon *see AC*
adsorption 346, 348, 352, 393
alloyed materials, mechanically 167
alloying 85, 170, 216
alloying elements 40, 42, 113, 149, 195, 387, 398
alloys 5, 33, 40–41, 44, 47–50, 67, 93–94, 103–5, 107–8, 112–13, 115–17, 137–40, 142–46, 204–5, 397–98
bare 131
cast 40, 208
cobalt 39–40, 118
cobalt-base 40–41
coupled 139
implant 34, 118, 162, 391
nanotubular 131
noble metal 32, 50
non-anodized 124
 β -Ti-based 244
Ti-based 6, 67, 166
alumina 48–49, 51–54, 65, 78, 84, 104, 294, 349, 352–53, 377, 382, 400
aluminum oxide 52–53, 78, 180
amorphous alloys 7
amorphous materials 88, 169, 178–80, 208
amorphous phases 86, 88, 153–54, 168, 177, 179, 208, 225
anatase structure 225, 262
anodic oxidation 5, 108, 125, 129, 137, 224–25, 229, 231, 235, 241, 254, 289, 294–95, 302
anodic oxides 127–28, 130, 251
anodization 114, 117, 124, 133, 224–26, 229–30, 235–36, 241–44, 251–54, 258–61, 264–70, 297, 302, 356–57, 362–64
apatite formation 68, 300, 326–27
applications, biomaterial 65, 298
austenite 39–40, 138, 149, 158, 191, 197–200, 202–3, 207
austenite phase 197–99
austenitic stainless steels 36–37, 73, 151–52, 155, 158–59, 162–63, 384
austenitic steels 36, 149, 155, 159, 225
autoclaving 369, 371–72

bacteria 26, 305–6, 314, 327, 337, 344, 362
ball mills 83–84, 86
BG (bioactive glass) 57–58, 67, 76, 140–42, 183, 337–39, 344
bio-implant materials 358
bioactive glass *see BG*
bioactive materials 12, 56, 67, 70, 72, 165, 181, 325, 398
bioceramics 25, 51–52, 67, 69, 72–73, 353, 375, 401
biocompatibility 4, 26, 32–34, 38, 40, 60, 158, 161, 210–11, 223–24, 327, 345–47, 351, 386–87, 398
bioglass 3, 6, 32, 51, 56–57, 67, 72, 79, 166, 179, 273, 341, 369–70
bioinert biomaterials 67
biomaterials 29–32, 56–57, 60–62, 64–66, 70–79, 142–45, 162–63, 181–83, 293–96, 298–99, 301–2, 327–31, 341–43, 375–86, 401–3

- artificial 29
- biocompatibility of 26, 347
- composite 6, 65, 67, 73–74, 76, 183
- conventional metallic 157, 161, 373
- conventional micro-Ti-based 273
- degradable 405
- hybrid 12
- hydroxyapatite-based 163
- intelligent 32
- nanoceramic 352
- novel 346
- biomaterials adsorption 322
- biomedical implants 161, 183, 377, 396
- biomedical materials 30, 33, 41
- biomedical titanium alloys 44
- biomimetic nanomaterials 334–35
- bionanocomposites 83, 273, 314, 369
- blood clot formation 239
- body fluids 25–26, 40, 59–60, 108–9, 347, 386
- bone 4–6, 12, 17–18, 21, 24, 34, 56–59, 65–68, 74–75, 315–16, 346–48, 352, 375, 396, 400–2
 - lamellar 222, 317
 - living 3, 166–67, 325
 - natural 51, 158, 166, 281, 325
- bone-bonding 32
- bone cells 311, 352
- bone formation 73, 340, 376, 395–96, 401
- bone implant applications 14, 182, 298, 381
- bone implants 52, 358, 397
- bone ingrowth 4, 254, 353
- bone regeneration 33, 67, 315
- bone response 249, 299, 375, 392
- bone surgery 74, 76, 306
- bone tissue 42, 78, 166, 222, 310–11, 315, 317, 347, 351, 356
- bone-to-implant contact 395, 401–402
- bridge materials 399–400
- bulk implant material 308
- bulk titanium alloys 5, 225
- Ca-containing implants 246, 248
- Ca implants 246–49
- calcium 69, 137, 169–70, 246, 275, 287, 299, 302, 310, 312, 319, 337, 339, 343–44, 352
- calcium carbonate 306–7, 329
- calcium carbonate crystals 307
- calcium ions 137–38, 283, 381
- calcium phosphate ceramics *see* CPC
- calcium phosphate coatings 282, 292–93, 380, 383
- calcium-phosphates 132, 286–87
- carbon 4, 13, 35–36, 42, 51–52, 55, 69, 77, 149, 306–7, 311, 319–21, 323–25, 327–31, 382
 - activated 306–7, 313, 329
 - biocompatibility of 327–28
 - modified 306–7
- carbon biomaterials 306
- carbon fibers 55–56, 318, 322, 329
- carbon films 306–7, 332
 - antibacterial performance of 306
- carbon implant materials 55
- carbon microspheres 325–26
- carbon nanocage 321–22, 331
- carbon nanofibers 222, 317–19, 321–23
- carbon nanomaterials 305, 322, 329
- carbon nanoparticles 324–25
- carbon nanotube powders 315–16
- carbon nanotubes 56, 64, 71–72, 74, 309–13, 315, 327–28, 330–31
- carbonated apatite 59, 76
- castings, dental precision 48–49
- cell adhesion 241, 272, 281, 310, 324, 346–48, 350–51, 353, 355, 374

- cell behavior 346–48, 356, 366, 368, 377, 381
osteoblastic 355–56, 380
- cell proliferation 240, 350, 366–67, 371, 373
- cells, bone-forming 222, 349, 352
- ceramic biomaterials 31, 50–51, 53, 55, 57, 59, 76, 345
- ceramics 2, 4, 12, 30, 32–33, 51, 58, 69, 71, 73–74, 98, 103, 105, 147, 158
- chemical vapor deposition *see* CVD
- chitosan 311–13, 330
- chitosan coatings 313
- chromium 35–36, 40, 147–50, 370–71, 373
- Co–Cr alloys 33, 138
- Co–Cr–Mo alloys 33, 39–40
- commercial-purity titanium 43–44
- composite resins 62–63, 65–66, 329
- contaminants 38, 247, 393
- contamination 83–84, 88, 90, 96, 287
- corrosion 15, 25, 31, 78, 107–46, 149–51, 157, 159–60, 162–64, 166, 175, 178, 214, 384, 398
fretting 31, 110, 113
localized 109, 122, 138
- corrosion behavior 110, 112, 118, 122, 127, 140, 143–45, 211
- corrosion fatigue strength 115, 144
- corrosion rate of Ti 175, 179
- corrosion resistance 6, 33–35, 38–41, 112–14, 117–20, 122–27, 129–34, 137–38, 140, 143–44, 148, 158, 160–61, 174–75, 373
- corrosion resistance of biomaterials 108
- corrosion resistance of Ti 175, 178
- CPC (calcium phosphate ceramics) 32, 51, 59–60, 73, 365
- critical surface tension *see* CST
- CST (critical surface tension) 351
- CVD (chemical vapor deposition) 92–93, 306, 310
- cytokine release 60, 350, 354
- dental alloys 48, 50
- dental arch wires 244, 302
- dental ceramics 52, 54
- dental implant applications 118, 302, 392
- dental implant materials 183, 385, 401
- dental implants 2, 40, 57, 67, 77, 212, 308, 355, 377, 387–88, 392–93, 395, 401, 404
osseointegrated 377, 386
roughened titanium 402
- dentifrobots 336
- dentistry 27, 29–30, 50, 54, 61, 67, 76, 78, 146, 335, 338, 342, 344, 387–88, 390
modern 13, 182, 378
- denture polymers 61–62, 69
- diamond-like carbon *see* DLC
- DLC (diamond-like carbon) 306, 308–9, 327, 329, 331
- ductility 38, 40–42, 205, 210, 308
- ECAE (equal channel angular extrusion) 4, 99
- ECAP (equal channel angular pressing) 44, 99–100, 388–89, 396
- electrochemical anodic oxidation 224–25, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253
- electrochemical etching 127–28, 135–36, 222, 224, 273, 276–79, 364
- electrochemical etching of titanium 5, 224

- electrostatic spray deposition *see* ESD
- enamel 21, 23, 336–37, 342
- equal channel angular extrusion *see* ECAE
- equal channel angular pressing *see* ECAP
- ESD (electrostatic spray deposition) 365, 380, 383
- fibroblasts 222, 310, 312, 316, 327, 348, 350
- fibronectin 346, 350, 352, 363, 376
- fillers 63, 65, 399–400
- filopodia 280, 359, 369
- fixed partial dentures *see* FPD
- flexural strength 53–54
- fluoride 59, 119, 122–23, 143–44, 235, 333, 394, 401
- fluoride solutions 119, 122–23, 258
- FPD (fixed partial dentures) 53–54, 78
- fracture toughness 51, 53–54, 68, 162, 172–73
- friction stir processing *see* FSP
- FSP (friction stir processing) 99, 101
- galvanic corrosion 109, 139–40
- glass, borosilicate 318–19, 365
- graded TiO₂ nanotube arrays 253, 302
- H-free carbon films 306–7
- HEBM (high energy ball milling) 3–4, 82, 83, 85
- high energy ball milling *see* HEBM
- high pressure torsion *see* HPT
- HPT (high pressure torsion) 99–100, 104, 388
- hydroxyapatite 32, 59–60, 65–67, 70–71, 143–44, 158, 161, 166–67, 169–70, 175, 181, 280–81, 289–90, 295–96, 352–53
- hydroxyapatite ceramics 162
- hydroxyapatite coating 288, 301–2, 381
- hydroxyapatite formation 138, 280
- hydroxyapatite nanoparticles 366, 375, 383
- implant materials 24, 42, 48, 51, 78, 108, 222, 297, 300, 354, 391
- conventional 315
- joint 41
- mechanical performance of 387, 396
- stent 398
- titanium-based 382
- implant superstructure dental alloys 145
- implantable materials 345–46
- implantation, calcium ion 137
- implantology 24–25, 27
- implants
 - metallic 142, 224
 - rough titanium alloy 394
 - surgical 40, 48, 50, 70, 142
 - temporary 396
 - titanium alloy 402
- interactions, cell–materials 249, 294, 375
- interfaces
 - biomaterial–body 347
 - implant–tissue 57, 376
- laser ablation 93–94, 308, 310, 338

- magnetic shape memory alloys *see* MSMAs
- magnetic shape memory materials *see* MSMMs
- martensite 47, 151, 190, 194–95, 197–200, 207
- martensite phase 191, 195, 197, 200, 203, 205
- martensite structure 201
- martensite transformation 198
- martensite variants 191–92, 197, 199
- mastication 22–23, 61
- mechanical alloying 3–4, 7, 12–15, 83, 85–88, 102–5, 129, 153–56, 158–59, 161–62, 167, 171, 176–77, 208, 276–78
- mesoporous carbon materials 321
synthesis of 321
- metal alloys 87, 95
- metal implants 6, 25, 166, 306, 355, 362
- metallic biomaterials 30–31, 33–35, 37, 39, 41, 43, 45, 47, 49, 69, 221
- microcrystalline materials 83, 135, 173–74
- microcrystalline titanium 6, 167, 170, 175, 178–81, 369–70
- microhardness 44, 155–56, 158–60
- micropores 229, 320, 322, 364
- milling 83–85, 87–88, 167, 169, 177, 207, 273, 277, 279
- molecular switches 192–94
- molybdenum 35–37, 40, 149, 373
- monoclinic zirconia coating 358, 360–61
- MSMAs (magnetic shape memory alloys) 189, 192–93, 216
- MSMMs (magnetic shape memory materials) 188–89
- nanocomposite biomaterials 33
- nanocomposites, sintered 178
- nanocrystalline materials 12, 88, 135, 137
- nanocrystalline Ti–6Al–4V 136–37, 279, 290
- nanocrystalline Ti–6Al–4V alloys 129, 132
- nanodentistry 334–35, 342, 344
- nanomaterials, alloyed 12
- nanometric bioactive glass 337–38, 344
- nanoparticles 8, 10–12, 81–83, 85, 92–95, 97, 102, 179, 334, 344, 367–68, 393
- nanoparticles of titanium 177
- nanophase alumina 301, 365, 385
- nanophase carbon 318–19
- nanophase ceramics 183, 301, 385
- nanophase metals 15, 300–1, 349, 385
- nanopores 142, 255–56, 259–62, 364
- nanoporous TiO₂ 225, 243
- nanopowder densification 96–97
- nanopowders, synthesis of 83, 85, 87, 89, 91, 93
- nanoscale biomaterials 165
- nanoscale topography 348, 350–51, 365, 374, 380, 394
- nanostructured hydroxyapatite 365, 382
- nanostructured nickel-free stainless steels 153, 155, 157
- nanotechnology 1–2, 6, 8, 10–15, 81–82, 84, 86, 88, 90, 92, 102, 182–83, 342, 376–79, 385–86
- NHOst (normal human osteoblast) 369, 371
- Ni–Ti alloy 33, 117–18, 122
- nickel 35–36, 39, 89–90, 147–49, 153, 211–12, 310, 373
- nickel-free austenitic stainless steels 39, 77, 148, 150–51, 153–54, 156, 158, 160, 163–64, 371, 384
- nickel-free stainless steels 4–6, 148–49, 151, 155–58, 161, 384, 386

- nickel-titanium shape memory alloy 205, 207, 209
NiTi alloy 122, 195, 209, 216, 295
nitinol 195, 205, 210
normal human osteoblast *see* NH Ost
- oral cavity 21, 25–26, 61, 63, 139, 214, 334, 336
orthopedic implant materials 317
osseointegration 5, 12, 24, 27, 29–32, 71, 127, 224, 286–87, 347–48, 351, 354–55, 374, 376, 392
osteoblast adhesion 222, 280, 301, 347–48, 350–51, 353, 361, 369, 375, 382, 385
osteoblast cells 236, 280, 308, 312, 350, 365–66, 396, 398
osteoblast functions 254, 283, 374, 382, 385
osteoblasts 15, 222, 237, 293–94, 296, 300–1, 310, 312, 318, 348–51, 358, 364, 368–69, 377–78, 385
- PBMC (peripheral blood mononuclear cells) 60
peripheral blood mononuclear cells *see* PBMC
phosphorus 114, 224, 242, 246, 271, 275, 279
physical vapor deposition *see* PVD
pitting 109–10, 118, 122–23, 125, 128, 261
pitting corrosion 107, 111, 116, 118, 122, 124, 126, 133, 137–38, 151
plastic deformation 61, 68, 99–100, 105–6, 171, 200, 215, 404
polycarbosilane 314
polymer architecture 192–93
polymers 2, 4, 25, 30, 32–33, 61–63, 65–66, 75, 192, 194, 310, 327, 347, 350, 378
synthetic 33, 311
polymethyl methacrylate 62, 66
porosity 4, 6, 15, 32, 34–35, 53, 64, 66–67, 104, 172–73, 175, 208, 211, 223, 284
porous materials 15, 57, 209, 222, 364
porous metallic materials 127
porous TiO_x 127–28, 232–33, 364
porous TiO_x biomaterials 13, 143, 182, 295
porous titanium 127, 132–33, 143, 145, 223, 280, 287, 296, 300, 302
porous titanium alloy implants 280
porous titanium compacts 223, 298
powders
elemental metal 85, 87
pre-alloyed 208, 210
preosteoblast cells 396–97
preventive dentistry 25, 333–34, 336, 338, 340, 342, 344
protein adsorption 349–50, 352, 355–56, 358, 362–63, 383
proteins 108, 117, 236, 241, 312, 346–48, 351, 353, 356, 358
PVD (physical vapor deposition) 92
pyrolytic carbon 55, 315
- Ringer's electrolyte 127–28
rutile 108, 116, 224–25, 269, 271
- saliva, artificial 118–20, 124, 145
SAMs (self-assembled monolayers) 350, 383
SBF (simulated body fluid) 68, 113–14, 127, 129, 137–38,

- 213, 242, 280, 284–85, 300, 311–12, 325–26, 339
- self-assembled monolayers *see* SAMs
- severe plastic deformation *see* SPD
- shape memory alloys *see* SMAs
- shape memory effect *see* SME
- shape memory materials 189, 191, 193–94, 198, 213, 217
- shape memory materials
- application 213
- shape memory NiTi materials 185–86, 188, 190, 192, 194, 196, 198, 200, 202, 204, 206, 208, 210, 212, 214
- shape memory polymers *see* SMPs
- shape memory titanium alloys 49
- silica 3, 63, 69, 149, 166, 176, 178–80, 243, 287, 339, 399
- simulated body fluid *see* SBF
- SMAs (shape memory alloys) 49, 187–89, 192–201, 203–5, 208, 216–18, 244, 299
- SME (shape memory effect) 49, 60, 189, 192–93, 195–96, 200–1, 203, 210
- SMPs (shape memory polymers) 188–89, 192–93
- spark plasma sintering *see* SPS
- SPD (severe plastic deformation) 3, 96, 98–101, 104–5, 171, 387, 404
- SPS (spark plasma sintering) 295, 315, 331
- stainless steel 33, 35–38, 66, 108, 118, 138, 140–41, 147–48, 155–58, 160–63, 306, 348, 356–58, 371, 378
- stoichiometric hydroxyapatite 340
- stomatognathic system 17–27
- structures
- crystallographic 3, 43, 196–97
 - rutile 269
- TE (twist extrusion) 99, 101
- temporomandibular joint 17–18, 22
- tensile strength 31, 34, 37, 41–42, 44, 66, 147, 311
- thermal expansion 31, 55, 63, 399
- thin films 55, 90, 103, 125, 229, 243, 306, 308, 330
- Ti (titanium) 3–5, 33, 42–43, 45, 48, 67–68, 123–25, 132–33, 139–40, 144–45, 165–72, 174–83, 224–29, 231, 254–58, 263–64, 293–95, 299–303, 352–53, 362–64, 389–90, 396–97, 401–2
- anodization of 251, 267
 - corrosion behavior of 142, 144
 - corrosion resistance of 123, 145, 180
 - nanostructured 142, 352, 388–89, 404–5
- Ti-6Al-4V alloy 33, 112, 114, 116, 120–21, 129, 135, 137–38, 142–43, 270–71, 282, 297, 308, 386, 389–90
- Ti alloys 3, 6, 116–19, 123–24, 166, 270, 272, 296
- Ti-based biomaterials 45
- Ti-based ceramic nanocomposites 165–66, 168, 170, 172, 174, 176, 178, 180, 182
- Ti-based nanomaterials 221–22, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250
- Ti-based porous materials 127, 129, 131
- Ti-bioceramic nanocomposites 369
- Ti composites 178, 181
- Ti dental implants 12, 72, 380, 402
- Ti-glass 128, 135, 273
- Ti-glass nanocomposites 128, 273–76, 289–90
- Ti implants 4, 132, 139–40, 223–24
- TiNi shape memory alloy 49

- TiO₂ nanotubes 252–53, 255–57, 262, 280–81, 293, 297, 302
- titania 75, 222, 224, 349, 352–53, 396, 400
- titanium *see* Ti
- tooth 21, 23, 32, 59, 66, 77, 333, 335, 403
- twist extrusion *see* TE
- vanadium 48, 112–13, 144, 149, 271, 392
- zirconia 51–55, 76, 84, 158, 400
- zirconia coating 358–59, 384
- plasma-sprayed monoclinic 359–61