

Index

- absorption spectra 186, 194, 198, 203, 207
acceptor 6–7, 10
 shallow 7
adsorbates 92, 98, 100
adsorption 140, 143, 155, 158, 160, 166, 207
AFM *see* atomic force microscopy
Ag 6–7, 106, 110–11, 120, 123, 148, 154
Ag cathode 106, 110
Ag electrodes 106, 110–11, 116, 119
Ag layer 106–7
aligned nanorods 16–17, 19, 21
 radiative lifetime of 16–17, 19, 21
aligned nanowires (ANWs) 16, 30–31, 33–36, 39
amperometric biosensor 165
amperometric response 175
amplified spontaneous emission (ASE) 43–45, 47, 49–50, 57, 68
amplitude 4, 136, 138
analysis, quantitative 24, 85
anode 87, 90–91, 94–95, 98, 104, 107, 112, 114, 116, 118, 121–23
anode field 112, 116, 118
anode voltage 114, 116, 121–23
ANWs *see* aligned nanowires
applied voltage 73, 87, 91, 94–95, 98, 104–5, 139–40
aqueous thermal decomposition 141, 166–68, 170
arrays 92, 126, 132–33, 145, 149, 152–53, 155, 157, 183, 225
 patterned 44
 synthesized ZnO nanotubes 156
as-grown GB intensity 34
as-grown ZnO 24, 26, 38, 229
as-grown ZnO comb fingers 25
as-grown ZnO nanofibers 45, 85, 87
as-grown ZnO nanorods 170
as-grown ZnO nanostructures 30, 96, 171
as-grown ZnO nanowire array 133
as-grown ZnO nanowires 229
as-grown ZnO NWs 30, 218, 226–30, 232
as-grown ZnO rods 72
ASE *see* amplified spontaneous emission
atomic force microscopy (AFM) 218
Au electrodes 154, 176, 229

background noise 34
bandgap 2, 8–9, 21, 132
behavior, two-slope FE 100
bendability 189, 193
bending 38, 81, 190–95, 216
bending stress 189
bending times 191–92
bias
 applied 139
 forward 66, 70, 74, 76, 204
bias voltage 16, 22, 24, 26–27, 33–36, 39, 76, 228
 applied 34
 applied forward 68
binding energy, acceptor 73
biosensors 165–68, 170–72, 174–78, 181, 215–16
 nanocombs 172, 176
buffer solution, phosphate 167–68

carrier concentration 34, 86, 160, 226
catalyst 2, 44, 47, 56, 93, 106, 112, 119, 218
cathode 87, 90–91, 94–95, 98, 101, 104, 107, 110, 112, 114, 117, 119–21, 123, 126
 surface emission 126

- viologen-modified ZnO nanowire 132
cathode electrodes 119
cathode surface 112
cations 232
CBD *see* chemical bath deposition
cell
 nanoflower-based 186–87
 nanorod-based 186–87
channel, nonradiative 18–19
channel FETs 215–16
charges
 accumulated 138
 interface trap 223
 trapped 220
chemical bath deposition (CBD) 201
chemical stability 125, 166
chemisorbed oxygen adions 148–49,
 154
CO sensors 154–55
coloration 131, 140–41
coloration efficiency 137–38
 high 131–32, 141
coloration time 138–39
comb fingers 25
concentration, gallium doping 85
conductance 1, 115, 155, 217, 219,
 221, 226
conductance of ZnO 114
conduction 116
conduction band 4, 6, 8, 34, 38, 84, 89,
 100, 105, 200, 210
conductivity 39, 83, 89, 124, 148, 154,
 232
copper plate substrate 93
crystal structure 2–3, 47, 83, 89, 95,
 100, 104
CV *see* cyclic voltammograms
CV curves of Nafion/GOx/ZnO/
 172–73
cyclic voltammograms (CV) 135–36,
 172–76
cyclic voltammograms of GOx/ZnO
 nanodisk/Au electrode 176
density, current 82–83, 87–88, 91–92,
 95–96, 98–99, 104–5, 108–9,
 112, 122–23, 126, 203, 208
deposition 17, 22–23, 90, 111, 184,
 223
depth, ion implantation 34
depth of native defects 38–39
devices
 electro-optic 6
 electro-optical 8
 functional spin-electronic 2
 nanostructure-based 161
 single ZnO NWFeTFT 225
 vacuum electron 81
 vacuum microelectronic 81
 layers 119
diffraction peaks 85, 90, 102, 106,
 145, 151, 156, 168, 184
diffraction spots 32
doping 5–6, 61, 71, 82–83, 124, 232
 intentional 215–16
driving voltage 117–18
DSSCs
 see dye-sensitized solar cells
 characteristics of 193–94
 fabrication of 191–92
 flexible 188–89, 191–92, 195
dye-loading 185–88, 191, 194–95
dye molecules
 detaching 193–94
 organic 131
dye-sensitized solar cells (DSSCs)
 181–82, 184–86, 188–92, 194,
 196, 198, 200–2, 204–6, 208,
 210, 212, 214
EC Cell 133–34, 137, 140
 assembled ZnO nanowire 136
EC devices 131, 140
EC display device 141
EC electrode 131–32, 141
EDX spectrum 24, 94, 97–98
efficiency, electron injection 204, 210
EL spectra 67, 69, 76
electrochemical deposition 89, 100,
 181

- electrochemistry 167
 electrode spacing, smaller 118
 electrodes 87, 105–6, 119, 123, 134, 140, 144, 165, 167–68, 172, 176–77, 185, 191, 206
 hierarchical ZnO nanodisk 168
 viologen-modified ZnO 137–38
 electrolyte 90, 92, 134, 137, 140, 182, 185, 188, 196, 206
 electron affinity, negative 81, 83–84
 electron concentration 6, 62, 83, 159–60, 226, 229–31
 electron emission 82–83, 87, 91, 94, 98, 104, 108, 112
 electron emission efficiency 112, 114–16, 126
 electron-exchange, fast 175
 electron scattering 122–23
 electron trajectory 113–14
 electron transfer 165, 176, 206, 210
 electron transfer rate 211
 electron transport, excited 205
 electronics applications, flexible 189
 electrons
 scattered 116
 secondary 123
 emission, defect-related 75
 emission decay 209–10
 emission efficiency 116, 121–22
 emitters 99, 106, 121–26
 composite 112, 119, 121–22, 126
 excitation 17, 52, 56
 near-infrared 56–57
 excitation fluence 52–53, 56
 excitation intensity 18, 49
 excited electrons 204–5
 exciton-related phenomena of ZnO 15–16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42
 excitonic lasing 43–44, 46, 48, 50, 52, 54, 56, 58
 excitons 8, 16, 18, 20–22, 28, 51
 donor-bound 26, 28, 72
 free 18, 21, 28
- Fabry–Perot modes in ZnO nanowire cavities 51
- FDTD *see* finite-difference time-domain
- FE
 see field emission
 stability of 94–95
- FE applications 125
- FE devices 117, 125
- FE of ZnO nanostructures 81
- FE performance 82–83, 124
- FE test 91, 103, 110
- FeFET *see* ferroelectric FET
- ferroelectric FET (FeFET) 216–17, 225
- ferroelectrics 216–17, 223, 225
- FETs *see* field effect transistors
- FETs, single ZnO nanowire 220, 224
- FIB *see* focused-ion-beam
- field
 electrostatic 113–14
 turn-on 95, 99, 111, 126
- field effect transistors 181, 215–16, 223–24, 226
- field emission (FE) 7, 29, 38, 81–104, 106, 108–24, 126, 128, 130, 181, 235
- field emission applications 38
- field emission nanodevices 235
- field emitters 2, 105, 112, 125, 166
- film surface 218–19
- films 5, 8, 23, 61, 86, 108, 114, 116, 120, 123, 125, 134, 155, 184, 186–90
 ferroelectric 216, 221, 223
 nanostructure 186
- finite-difference time-domain (FDTD) 55
- flower-like ZnO nanorod structure 200–1, 203
- flourine-doped tin oxide (FTO) 62, 70, 133–34, 183, 201, 206
- FN (Fowler–Nordheim) emission 108
- FN equation 83, 91, 104
- focused-ion-beam (FIB) 52, 55
- FTO *see* flourine-doped tin oxide
- FTO glass substrate 183, 186
- FTO substrates 184, 201, 206
- functional materials 150, 235

- Ga film 85
 Ga nanofiber array 84, 87–89
 Ga nanofibers 84–88
 gain medium 50
 gallium doping 89
 gas concentrations 146, 148, 153–54,
 156
 gas sensors 143–46, 148–50, 152–54,
 156, 158–60, 162, 164, 166,
 215
 aligned thin ZnO nanorod array
 147
 gate electrodes 114, 119, 121
 gate voltage 114, 121–23, 126, 220–
 21, 223
 GB *see* green band
 GB emissions 16, 34, 37, 39, 228
 GB intensity 34, 36, 38
 GB origin 16, 34–35, 228
 GB suppression 34, 36
 glucose biosensor 166, 172, 174–76
 glucose detection 166, 174, 178
 green band (GB) 15, 34, 38, 228
 green emission 11, 29, 31, 33, 35, 37,
 39, 75
 quenching of 29, 31, 33–35, 37,
 39
- hexagonal ZnO 91, 102, 152, 157
 hierarchical ZnO nanodisk biosensor
 175
 hierarchical ZnO nanodisk glucose
 biosensor 175
 hierarchical ZnO nanostructure
 photoanode 200
 high-resolution transmission electron
 microscopy (HRTEM) 26,
 32, 45, 48, 70, 101, 107, 146,
 150, 152, 157, 197, 227
 homojunction devices 63, 70
 HRTEM *see* high-resolution
 transmission electron
 microscopy
 hydrothermal decomposition 93, 100,
 150, 156
- hydrothermal synthesis 145, 181,
 184, 190
 hysteresis 220–21, 223
 hysteresis loops 219–20
 counterclockwise 221
- indium-tin-oxide (ITO) 87, 91, 104,
 132, 185, 191, 213–14
 ion dose 24, 30, 34, 227
 ion energy 29, 63, 66, 77
 ion implant depth 29, 34–35
 ion implantation 22, 62–64
 ionic binding 4
 ionic radii 6–7
 ITO *see* indium-tin-oxide
 ITO electrode, bare 135
 ITO glass 132–34, 140, 195
 ITO glass substrates 135, 195
 ITO substrates 133, 190–91, 195
- lasing peaks 52, 54–55
 lattice fringes 45, 85, 171, 197
 lattice mismatch 77
 light harvesting 182, 187–88
 line defects 32
 Lineweaver-Burk equation 173, 175
 Lineweaver-Burk plot 173
- materials
 carbon-based 81, 88
 nanostructured 43, 81
- mesoporous film
 nanoparticle 140–41
 transparent TiO₂ 133–34
- metal-insulator–metal field emitter
 112
- micro-roughness 82
 microstructures 144, 146, 155
 microtubes 125, 151–52, 154
 molecules, biological 165
 monochromator 17
 morphology, nanoflower 183–84
- n-type behavior 229–30
 n-type channel 221, 223, 225

- n-type doping 6, 83
- n-type semiconductors 154, 156, 158
 - natural 215–16
- n-ZnO 66–67, 73
- n-ZnO/n-Si 66–67
- nanoarrays 145–46
- nanocombs 169, 176
- nanodevices 165–66, 227–28
 - functional 43
- nanodisks 51–53, 56
- nanoelectromechanical systems 215–16
- nanofibers 44, 82, 84–85, 89
 - branch 45–46, 50, 56
- nanoflower 144, 182, 184–86
- nanoflower films 184–88
- nanoinjectors 96–97, 99, 126
- nanoneedles 82, 125
- nanoparticle-based DSSC 192–93, 195
- nanoparticles 8, 132, 165, 182, 189
- nanopins, random ZnO 88
- nanorod arrays
 - applying ZnO 144
 - up-standing 182–83
- nanorod films 184, 188
 - up-standing 183, 187
- nanorods 16–17, 77, 97, 102, 125, 144–47, 169–71, 182, 184–87, 197, 202, 210, 235
 - branching 169
 - up-standing 182–83
- nanostructured materials, one-dimensional 43
- nanostructures 1, 4–5, 8–9, 22, 32, 38–39, 56, 84, 86, 93, 124–25, 132, 143–44, 148–50, 168–69
 - surface modification of 22, 39
- nanotubes 93–94, 100, 105, 125, 149–50, 157–58, 161, 177, 223
 - carbon 81–82, 89, 92, 112, 177
- nanowire array 141, 189
- nanowire-based DSSC 192–94
- nanowire electrodes 192–93
 - viologen-modified ZnO 133, 135–37
- nanowire film 194
- nanowires 61, 82, 119, 125, 135, 144, 147, 170–71, 182, 193–94, 197–98, 215–16, 221, 226–27, 230–31
- NBE *see* near band-edge
- NBE emission 34
- near band-edge (NBE) 26, 74, 228
- NO₂ exposure 159–60
- nonvolatile ferroelectric memory 215, 217, 219, 221, 223, 225
- optoelectronic devices 2, 8
 - nanostructured 15
- organic vehicles 107, 114, 119
- oxygen vacancies 3, 5, 15, 38, 48, 75, 108, 148, 159, 215–16
- p-type doping 6, 61, 77
- p-type regions 77
- PBS *see* phosphate buffer solution
- PBS buffer 171, 173–75
- PCE *see* power conversion efficiencies
- phosphate buffer solution (PBS) 167–68, 172, 174–76, 200
- photolithography 218–19, 227
- photoluminescence (PL) 8, 15, 17, 19, 34, 52, 228–29
- photonic applications 2
- photons 8, 21, 50, 182, 208
- PL *see* photoluminescence
- PL intensity 49–50
 - integrated 18, 20
- PL spectra 15, 26, 48, 72
- PL spectra of ZnO nanostructures 8
- plastic substrates 188–89
- power conversion efficiencies (PCE) 181–82, 185–86, 188, 191–92, 194, 196, 200–1, 203, 211
- pumped ZnO nanowire lasers 55
- QD *see* quantum dot
- QDSSCs *see* quantum dot-sensitized solar cell
- quantum dot (QD) 181–82, 195, 199–201, 206, 209–10

- quantum dot-sensitized solar cell (QDSSCs) 181, 200, 205–6
- quartz boat 166
- quartz tube 17, 23, 44, 166
- radiative lifetime 16, 18, 20–22
- radiative recombination 15, 18, 20–21, 26
- red emissions 67, 70
- redox chromophores 131, 140
- reflectance 138–39, 186–87
- reflectance change 138–39
- reflectance difference 138
- remnant polarization 216–19, 222
- ruthenium 185, 191, 200–1
- SAED *see* selected area electron diffraction
- SAED pattern 102, 135, 152, 157
- sapphire substrate 47, 70, 77
- scanning electron microscope (SEM) 17, 44, 53, 64, 84, 113, 120, 134, 150, 156, 184, 216, 228
- SCFE *see* Surface-conducted FE
- selected area electron diffraction (SAED) 70, 146, 152, 157, 169–70, 197, 227
- SEM *see* scanning electron microscope
- semiconductor materials 108, 230
- semiconductors 8, 81, 83–84
wide-bandgap 81
- sensing applications 2, 150
- sensing device, preparation of 144, 150
- sensing materials 143, 149
- sensing mechanism 155–56
- sensing performance 144, 148, 153–55
- sensitizers 200, 205
- silicon substrate 52, 144, 150, 156, 166–67
- silver paste 114
- single-nanowire transistor, surface-modified 226–27, 229, 231
- single ZnO nanowire FeFET 220, 224
- single ZnO NW FET 228–29
- solar cells 165, 181, 185, 196, 200, 205–7, 235
- spintronic applications 2
- surface-conducted FE (SCFE) 112–13, 118–19, 122–24
- surface excitons, quenching of 22–23, 25, 27
- TEM *see* transmission electron microscopy
- TPA *see* two-photon absorption
- transition metals 2
- transmission electron microscopy (TEM) 25, 31, 85, 156, 169, 171, 196–97, 227
- triode configuration ZnO nanotrapod emitters 112, 114
- two-photon absorption (TPA) 51
- ultrasonic spray pyrolysis (USP) 195, 206
- ultraviolet amplified spontaneous emission 43, 45, 47, 49
- USP *see* ultrasonic spray pyrolysis
- UV emission 8, 48–49, 68, 70, 74–75
- vapor-phase transport (VPT) 62, 82, 84–85, 87, 93, 111
- VPT *see* vapor-phase transport
- VPT-grown ZnO nanostructure 98
- WG *see* whispering-gallery
- WG modes 53–55
- whispering-gallery (WG) 51
- x-ray diffraction (XRD) 48, 113, 134, 150, 156, 196–97
- XRD *see* x-ray diffraction
- YAG laser 48–49
- Zn interstitials 105, 215–16
- ZnO arrays 89–90
- ZnO crystal 24, 26, 30, 32, 85
- ZnO Disk 50–51, 53, 55

- ZnO EC cell 137–39
 ZnO EC device 137–41
 ZnO film 86, 116, 133, 150, 168,
 204–5, 209
 ZnO gas sensor 143–44, 148–49
 ZnO/gold electrodes 167
 ZnO hierarchical nanodisk biosensor
 175–76
 ZnO homojunctions fabricated on Si
 substrate 64–65, 67, 69
 ZnO homojunctions grown on FTO/
 sapphire substrate 71, 73, 75
 ZnO microrods array 151
 ZnO microtube gas sensor 153–54
 ZnO microtubes 150–54
 ZnO nanoarrays 145–49
 thin-diameter 146
 ZnO nanocomb biosensor 167
 ZnO nanocomb biosensor construction
 167–68
 ZnO nanocomb glucose biosensor 167
 ZnO nanocombs 23, 166–67, 169
 SEM image of 169
 XRD pattern of 169
 ZnO nanocrystalline films 184
 ZnO nanodevices 235
 ZnO nanodisk resonators 55, 57
 ZnO nanodisks 51–53, 55
 hierarchical 170–71
 single 52–53
 ZnO nanofiber network 44, 48
 ZnO-nanoflower 186–87
 ZnO nanoflower photoanode 188
 ZnO nanoflowers 183–85
 ZnO nanoinjectors 97, 99–100
 ZnO-nanoparticle film 132, 192
 ZnO nanoparticles 111, 190–91,
 193–95
 ZnO nanorod array
 preparation of 101
 SEM image of 101
 ZnO nanorod array fabrication 144
 ZnO nanorod array photoanode 201
 ZnO nanorod arrays 99, 101, 103,
 144–45, 149–50, 156, 184,
 199, 205
 XRD pattern of 145
 ZnO-nanorod films 186, 188
 ZnO nanorod films, XRD patterns of
 184
 ZnO nanorod growth 144
 ZnO nanorod homojunction light-
 emitting diodes 61–62, 64,
 66, 68, 70, 72, 74, 76, 78, 80
 ZnO nanorod solar cell, unsensitized
 209
 ZnO nanorod stems 47
 ZnO nanorods 16–22, 56, 61, 77,
 102–3, 105, 145–48, 150,
 167, 170–71, 176–77, 200–2,
 204–7, 209–10
 adjacent 182
 aligned 18, 101
 gas sensing properties of 146
 hexagonal 47
 surface of 207
 TEM image of 208
 up-standing 188
 XRD pattern of 184
 ZnO nanostructure-based biosensors
 171, 173, 175, 177
 ZnO nanostructure biosensor 177
 ZnO nanostructure emitter 105
 ZnO nanostructure fabrication 93
 ZnO nanostructure field emitters 105
 ZnO nanostructure film 168
 ZnO nanostructure morphologies 38
 ZnO nanostructure systems 16
 ZnO Nanostructures 15–16, 24, 29,
 43–44, 56, 81–82, 96, 98–102,
 104–6, 114, 124, 143–44,
 165–66, 177–78, 235–36
 hierarchical 167, 199–200
 hydrothermally grown 125, 161
 normal nanorod 200
 p-type 62
 single crystalline 178
 tetrapodlike 123
 tubular 159
 ZnO nanostructures, growth of 29
 ZnO nanostructures, UV emission of 8
 ZnO nanotetrapods, SEM image of 113

- ZnO nanotube arrays 156, 158–59
ZnO nanotube gas sensor 158–59, 161
ZnO nanotubes 93–96, 99, 157–61
 hydrothermally grown 93
 preparation of 93
 transition sensing behavior of 156–57, 159
 typical hexagonal 157
 XRD pattern of 157
ZnO nanowire array 132–33, 141
ZnO nanowire biosensor 175
ZnO nanowire electrode 135, 137–39
ZnO nanowire FeFET 217
ZnO nanowire lasers, upconverted 51
ZnO nanowires 61, 105, 111–12,
 132–35, 140–41, 149, 168,
 171, 190–91, 197, 200, 205–6,
 218, 225–26, 235–36
 aligned 88
 intrinsic 71
 metallic 226
 modified 193, 195
 ordered 182
 single 198
ZnO nanowires on PET/ITO substrate,
 SEM image of 190
ZnO rod array, patterned 91–92
ZnO rods 62, 64, 71, 75, 77, 90, 92,
 97, 154
ZnO Tetrapod 123
ZnO tube sensor 154–55
ZnO tubes 152, 154–55