

# Index

- ACFs *see* activated carbon fibers  
activated carbon fibers (ACFs) 13  
activation energy 32–34, 43,  
    63, 72, 82, 88, 156, 158,  
    162, 173, 233, 236, 256, 264  
anion–anion interactions 247  
anion–cation interactions 248  
anionic bridge 189, 194  
antiferromagnetic coupling 7, 18,  
    83, 85  
antiferromagnetic exchange  
    interactions 193, 195  
antiferromagnetic interactions 4,  
    171, 243  
    strong 88, 199, 202, 259  
    weak 31, 40, 193  
antiferromagnetic materials 139  
antiferromagnetic transition 16,  
    18, 22, 241  
Arrhenius plots 35, 87, 233, 256  
association donor/photochromic  
    anions 155  
asymmetric magnetic dipole  
    field 138  
asymmetric magnetic  
    positions 138
- bifunctional materials 2,  
    149–150, 152  
    magnetic/conducting 65, 95  
bifunctional properties 1–2  
bipartite graphs 11  
biphenolate bridge 79, 83  
bis(ethylenedithio)tetrasedeleno-  
    fulvalene (BETS) 16–17, 21,  
    153–154, 159–160,  
    223–226, 261, 267  
bis(ethylenedithio)tetrathia-  
    fulvalene (BEDT-TTF) 13, 16,  
    19–21, 62, 64, 153–157, 221,  
    223, 226–227, 230–231,  
    234–236, 240, 261  
blocking temperature 10,  
    105–106, 124–125, 251  
BTBN  
    characteristics of 44  
    conductance of 44, 46  
    crystal structure 42  
BTBN *see* tetrathiafulvalene  
    benzo-derivative bearing  
    nitronyl nitroxide  
BTBN crystal 43, 46
- cation–anion interactions  
    232–233, 248  
cation layers, radical 155–156  
cation salts, radical 16, 153  
cations  
    photochromic 162–163  
    substituted benzopyridine 248  
CDW *see* charge density wave  
charge density wave (CDW) 14  
chemical vapor deposition  
    (CVD) 151, 262
- B-type anions 227  
Ball-and-stick representation 188,  
    190, 194, 205  
BEDT-TTF *see* bis(ethylenedithio)  
    tetrathiafulvalene  
BETS *see* bis(ethylenedithio)tetra-  
    selenafulvalene  
BETS layers 160, 224–225  
BETS molecules 153, 159–161,  
    223–224

- chiral anions 230–231, 233–234  
chiral crystals 135–136  
chiral donor molecule 21  
chiral helimagnetic  
    structure 136–137  
chiral ligands 119  
chiral magnetic  
    structures 138, 143  
chiral magnets 136, 138–140, 144  
chiral SMMs 118–119  
chiral structures 135, 139, 235  
chirality 118, 133–136,  
    138–140, 142, 144,  
    224, 230–232, 236  
assembly of 118, 121  
crystallographic 136, 140  
clusters 44, 67, 72, 120,  
    125, 251, 254  
    tricyanometalate-based 111  
Co atoms 8–9, 23  
Co-Pd alloy nanoparticles 8–10  
Co-Pd nanoparticles 10  
complex magnetic  
    structures 136–137  
complex representations 137  
complexes  
    binuclear 189, 193  
    molecular 164  
compounds  
    molecule-based 263  
    photochromic 115, 154  
conducting electrons 37, 66,  
    152, 160, 252  
conducting layers,  
    molecular 67, 95  
conducting magnets 4, 26–27  
conducting properties 32–33,  
    67–68, 152, 164, 220,  
    222–223, 228, 231, 234,  
    260, 267  
conduction 15–16, 21–23, 43  
conduction band 13, 38, 43,  
    64–65, 238  
one-dimensional 23  
conduction electron spins 4, 17  
conduction electron system 4, 9  
conduction electrons 2–5, 7, 9,  
    15, 23, 27–28, 31–32,  
    35–36, 39–40, 44, 46–47,  
    125, 186, 245  
conductive bricks 152, 154  
conductive units 110, 167  
conductivity 1–4, 6, 8, 14, 18,  
    24–36, 38–40, 46, 77,  
    81, 150–151, 174, 230,  
    252–253, 255–256  
    electronic 68, 71, 89, 108, 196  
    low-room temperature 159  
    material 164  
    molecular 107  
    room temperature 168, 226, 233  
conductivity measurements 158,  
    236, 246  
conductivity values 263  
electrical 251  
conductor 261, 263  
coordination complexes 186, 205,  
    212  
coordination polyhedra 188, 190,  
    193, 200  
coordination sphere 188–191,  
    193, 200, 205  
Coulomb repulsion 33  
counter-anions 153  
counterions 33, 224, 249, 255  
crystal design 139–140  
crystal field 191, 202  
crystal lattice 119, 152,  
    168–169, 212, 221  
crystal packing 31, 42, 71, 84, 194,  
    196–197, 200, 206, 237, 247  
crystal structures 16–17, 20–22,  
    24, 30, 32–33, 78, 111,  
    139–140, 156, 162, 172,  
    195, 202, 227, 247–248  
crystallization 90, 140, 188,  
    190, 265  
crystallization solvents 90–91

- crystals 12, 16–17, 23–25, 32, 34, 40, 42–43, 46, 67, 111, 133–136, 144, 155, 163, 226  
 molecular-based 137  
 neutral 40, 42–43  
 Curie constant 31, 45, 82, 93  
 Curie law 191, 202  
 Curie–Weiss law 82, 93, 233, 243, 245  
 CVD *see* chemical vapor deposition  
 cyanide-bridged systems 140
- DACT *see* donor–acceptor charge transfer  
 data recording 152  
 density function theory (DFT) 205  
 DFT *see* density function theory  
 dihedral angles 80, 85, 244, 260  
 dimer model 83, 257  
 dimer units 65  
 dimerization  
   strong 33, 65, 88, 259  
   strong intermolecular 88, 259  
 dimers 78, 83–84, 86, 88, 90, 93–94, 159–161, 190, 197–198, 206, 212, 224–227, 257, 259, 261–262  
 DM interactions *see* Dzyaloshinsky–Moriya interactions  
 donor–acceptor charge transfer (DACT) 208–209  
 donor–anion stacking patterns 20  
 donor column 32, 34  
 donor–donor interactions 155  
 donor layers 18, 21  
 donor molecules 16, 21, 153, 155, 158, 160, 162–164, 187  
 organic 19, 236  
 donor part 27  
 donor radicals 24–25, 27–28, 30–31, 33, 35  
 donor units 28, 42–43  
 oxidized 26  
 donors 2, 16, 18, 20, 22, 24–25, 27–28, 33–34, 64–65, 152–153, 161, 189–191, 196, 198–199, 205  
 intramolecular 208  
 Dzyaloshinsky–Moriya (DM) interactions 138, 140, 143
- electrical conductivity 14, 71, 77–78, 81, 92, 152, 162–163, 173, 186, 237, 250, 258  
 high 251  
 improved 226  
 electrical properties 163–164, 166–167, 169, 171, 173, 263  
 electrocrystallization 31–32, 155, 161, 168, 170, 223  
 electrocrystallization conditions 155–156  
 electrocrystallization technique 223, 263  
 electrodeposition 151, 262  
 electrodes 40–42, 46–47, 123  
   interdigitated 32, 43–44  
 electron density 160–161  
 electron layers 15, 18  
 electron paramagnetic resonance (EPR) 198  
 electron spins 4, 12, 16–18, 23, 27  
 electron systems 11–12, 15, 17–19, 21, 24  
 electron transfer, photo-induced 210  
 electron transport 25, 122, 124  
 electronic interactions 78, 89, 204  
 electronic structure 11, 13, 24, 26–27, 29, 65, 221  
 spin-polarized 2, 42  
 electronic system 16–17

- electrons 3–6, 11–12, 15–18, 23–25, 29, 37, 43, 46–47, 186, 199, 204, 220, 222, 228–230, 251  
 intramolecular 167  
 localized 4, 7, 186  
 mobile 6–7, 186  
 unpaired 12, 24, 26, 47, 84  
 emission 203, 210–211  
 emission bands 204, 209, 211  
 emission spectra 209–210  
 enantiomers 118, 231–232, 234–235  
 energy 3, 191, 207, 210–211, 251, 253  
 thermal 9, 35  
 energy barrier 9, 62–63, 251  
 energy difference 24, 26  
 energy level 207–208, 211  
 energy splitting, small 65  
 energy transfer 210–211  
 EPR *see* electron paramagnetic resonance  
 EPR spectra 202, 227–228
- graphenes 11–13, 47  
 graphite 11  
 ground state 7, 12, 15, 18, 21, 29, 84, 86, 94, 125, 151–152, 202  
 electronic 11, 15, 17–18
- H-bonding 221, 223, 267  
 halogen–halogen contacts 21–22  
 Hamiltonian 6–7, 74, 84  
 highest occupied molecular orbital (HOMO) 24–25, 27, 29–30, 37, 39, 62, 64–65, 84–85, 207, 238–239  
 HOMO *see* highest occupied molecular orbital  
 Hückel calculations 88, 259  
 hydrogen bonds 19, 21, 247–248, 250  
 hysteresis 74, 118, 124, 164–165, 168–169, 173  
 hysteresis loop 114, 167–169, 171, 251

- Fermi energy 13  
 ferroelectricity 106, 120–121  
 ferromagnetic alignment 6–7  
 ferromagnetic coupling 6–7, 93, 257  
 ferromagnetic interaction 25, 27, 44–45, 138, 140  
 ferromagnetic materials 139  
 ferromagnetic ordering 236, 238  
 ferromagnetism 3, 6, 21, 106, 120, 164, 221, 236  
 weak 140, 143, 225, 243  
 films 262–264  
 nanowire 264  
 fluorescence band 204, 209  
 FM conductor 261
- interatomic hopping 6  
 interchalcogen–atom interactions 107, 110–111  
 interelectronic repulsions 202  
 intermolecular anion–anion interactions 21  
 intermolecular contacts 15, 21–22, 78, 227, 239, 244  
 intermolecular electron transfer 64  
 intermolecular interactions 83, 94, 150, 189, 197, 222–225, 233, 239, 251, 257, 265, 267  
 ion–radical salt 28, 30–31, 33–34, 36, 38  
 ions 6, 16, 23, 34–35, 39, 71, 83–84, 93–94, 152, 171,

- 188, 191–196, 198–202,  
212, 257  
counter 40, 68, 140  
hexa-coordinated Mn<sup>III</sup> 69, 79  
lanthanide 185–186, 191,  
199–200, 206  
IR spectra 70, 163
- lanthanide complexes 186, 188,  
190, 192, 194, 196, 198,  
200, 202, 204, 206, 208,  
210, 212, 220  
anionic 204  
lanthanides 186–187, 190–191,  
195, 200, 204, 211  
layered crystal structure 248  
layers 18, 80, 89, 91–92, 155,  
158, 172, 224, 228–229,  
231–232, 240, 242, 247,  
255–256  
alternating 158, 231, 234,  
237, 250  
organic 18, 158, 206, 232,  
234, 237  
LIESST *see* light-induced excited  
spin trapping  
ligands 16, 19, 23, 64, 140,  
185, 187–190, 194, 210,  
221, 238, 240  
bridging 107, 115, 139, 196  
croconate 231–232  
dmdt 240  
halide 21–22  
hfac 188–189, 200, 211  
light-induced excited spin  
trapping (LIESST) 165, 169,  
171, 173  
localized spins 1–7, 9, 11, 13, 15,  
18, 27–29, 32, 35, 37–40, 44,  
46–47, 72, 108, 164
- organic 36, 40, 44  
lowest unoccupied molecular  
orbital (LUMO) 64–65,  
207, 238  
LUMO *see* lowest unoccupied  
molecular orbital
- magnetic anion layer 18, 20  
magnetic anions 15–16, 21  
magnetic anisotropy 10, 83–84,  
125  
magnetic chirality 133, 135, 140,  
143–144  
magnetic clusters 118, 121  
magnetic conducting materials 188  
magnetic counter anion 16  
magnetic counter ions 15, 19, 22  
magnetic field 2, 36–37, 39–41,  
44, 46, 63, 105, 135, 139,  
157, 245, 264  
    applied 27, 118–119  
    external 16, 18, 23, 38–39, 44, 46  
    low 6, 36  
magnetic field effect 39, 46  
magnetic interactions 3, 19, 45–46,  
107, 224, 248  
magnetic ions 67, 137–138  
magnetic layers 15, 21, 110  
magnetic materials 67, 78, 105,  
139–140, 144, 262  
    metal oxide 139  
    molecule-based 105, 143  
    organic 2  
magnetic molecular  
    conductors 222–223, 225,  
    227, 229, 231, 233, 235, 237,  
    239, 241, 243, 245, 247,  
    249, 251  
magnetic moments 9, 15, 137  
magnetic orbitals 2

- magnetic phase transition 22, 240  
 magnetic properties 10–11, 13,  
   22, 31, 72, 78, 84, 88, 93, 106,  
   116, 224–225, 239, 248–249,  
   259–260  
   intrinsic 123–124  
 magnetic spins 135, 138  
 magnetic structure 138, 141  
   incommensurate 137  
 magnetic structures,  
   noncolinear 137–138  
 magnetic susceptibility 13, 22, 45,  
   72, 122, 189, 198–199, 230,  
   243, 245  
 magnetic transition  
   metal 9–10, 16  
 magnetic transitions 16, 230  
 magnetism 1–3, 11, 14, 20, 23,  
   27, 29, 31–32, 46, 106,  
   141–144, 150, 185–186,  
   193, 198  
   molecular 10, 106, 164  
 magnetization 8–10, 18, 36, 38,  
   62–63, 66, 74, 105–106,  
   108, 110, 118, 121,  
   124–125, 249, 251  
 magnetization-induced second  
   harmonic generation  
   (MSHG) 138–139  
 magnetoresistance 1–2, 18, 24,  
   35–36, 38, 41, 44–47  
 magnetoresistance effect,  
   negative 23  
 magnets 105–106, 136, 251  
 manganese–salen type  
   out-of-plane dimer 77, 79,  
   81, 83, 85, 87, 89, 91, 93  
 material science 219, 268  
 material scientists 66, 106  
 material synthesis 106, 136, 138  
 materials 1–2, 19–20, 64–66, 68,  
   77–78, 106, 123, 138–139,  
   143–144, 149–152, 163–164,  
   167, 174, 219, 221–224  
   crystalline 106  
   hybridized 61, 66–68, 108  
   layered molecular 267  
   molecular-based 186, 212  
   multiferroic 119, 121  
   organic 1, 47  
   organic molecular 2  
   photochromic 151–152  
 metal-dithiolene complex 77, 79,  
   81, 83, 85, 87, 89, 91, 93  
 metal-dithiolene complex  
   system 67, 69, 71, 73, 75  
 metal-dmit complexes 65  
 metal insulator (MI) 228  
 metal ions 4, 85, 125, 166, 260  
 metal–organic framework  
   (MOF) 19  
 metallic conductivity 6, 16, 21, 24,  
   106, 164, 261  
 metallic state 64, 224, 233, 238,  
   240, 245–246, 261, 267  
 metals 5, 7, 17, 65, 121, 212,  
   219–221, 224, 230, 240,  
   246, 261  
   rare earth 3–4  
 metamagnet 142, 247  
 metastable states 151, 154, 163  
 MI *see* metal insulator  
 MOF *see* metal–organic framework  
 molecular bricks 268  
 molecular conductors 13–15, 19,  
   23, 61, 64–67, 95, 151–152,  
   168, 221, 224, 230, 236, 238,  
   264, 268  
 molecular crystals 24, 41, 64  
   organic 25, 47  
 molecular interactions 267  
 molecular magnetic  
   conductors 223, 267  
 molecular metals 15, 64, 234, 238  
 molecule-based magnets 118,  
   139–141, 143–144  
 molecule-based materials 6, 22,  
   219–221, 267

- hybrid 268
- moments 228, 261
  - localized 6–7, 23
- monoanions 78, 226–227
- Mott insulator 24–25
- MSHG *see* magnetization-induced second harmonic generation
- MSHG effects 139
- multifunctional magnetic materials 2
- multifunctional materials 65, 89, 95, 151–152, 185, 212, 222, 230, 264, 266–268
- nano graphenes 11, 13
- nano graphites 13
- nanoparticles 7–10, 151
- nanowires 118, 121, 151, 266, 268
- Néel temperature 18, 22
- negative magnetoresistance 6, 18, 23, 36–40, 42, 44
- network compounds 66, 252
- neutral coordination
  - complexes 188–189, 191, 193, 195
- nitronyl nitroxide (NN) 26
- NN *see* nitronyl nitroxide
- non-centrosymmetric magnetic materials 138
- nonbonding states 11–12
- nonlinear conductance 46
- nonlinear conducting behavior 36–37
- OFETs *see* organic field-effect transistors
- OLEDs *see* organic light-emitting diodes
- optical effects 143–144
- magnetization-induced nonlinear 143–144
- orbitals 2–3, 6, 25, 64–65, 85, 202, 208, 226, 260
  - acceptor-centered 208–209
- ordering, ferroelectric 119, 121
- organic donors 2, 15, 24, 38, 191, 223, 236
- organic field-effect transistors (OFETs) 263, 265
- organic light-emitting diodes (OLEDs) 187
- out-of-plane dimer 79–80, 89–90
- oxalate-bridged systems 139–140
- oxalate bridges 223–224
- oxalate dianion 139, 141
- oxidation 196, 210
  - electrochemical 67–68, 77
- oxidation states 91, 160, 166, 238
  - fractional 168, 170, 172
- oxide ligand 189–190, 205–206
- oxidized coordination
  - complex 196–197, 199, 201, 203, 205, 207, 209, 211
- packing 70–71, 90–91, 108, 169, 191, 197, 201, 223–225, 232, 234, 248, 254, 267
  - isostructural 83–84
  - molecular 229, 231, 236
- packing diagrams 91, 110
- packing motif 235, 237, 240
- pattern, anion-layer 261
- patterning 266
- Pd atoms 9
- Pd-based alloys 7, 9
- Pd system 65
- photochromic salts 152–153, 155–157, 159, 161
- PLEDs *see* polymer light-emitting diodes

- polarization 26, 120–121  
 polymer light-emitting diodes (PLEDs) 187  
 polymorphs 168, 234, 236, 250  
 potential barrier, effective 33
- QTM *see* quantum tunnel magnetization  
 quantum tunnel magnetization (QTM) 62, 74, 259
- racemic lattice 234–235  
 radical cation forms 212  
 radical cations 174, 189, 197–200, 202, 204, 223  
 radical ion salts 2, 15–16, 21, 29, 32, 152  
 radical salts 34, 39, 65  
 radical sites 31, 33, 44–46  
 radical units 28, 45  
 radicals 64, 200–201  
 residual CT emission 210  
 resistivity 6, 18, 23, 38–39, 72, 108, 170, 172–173, 201, 230, 233, 238, 244–245, 256  
 resistivity values 173, 201  
 room temperature conductivity 32, 38, 43, 156, 244, 253, 264  
 room temperature conductivity value 237, 240  
 room temperature resistivity 236
- SAM *see* self-assembly monolayer  
 SCLC *see* space-charge-limited conduction  
 SCLC mechanism 42–43  
 SCM *see* single-chain magnet
- SCMM *see* single-component molecular metal  
 SCO *see* spin crossover  
 SCO cations 167, 172  
 SCO compounds 165, 167  
 SCO properties 164, 167, 174  
 SdH *see* Shubnikov de Haas  
 SDW *see* spin density wave  
 SDW state 18, 21  
 self-assembly monolayer (SAM) 123–124  
 semiconductor/  
 antiferromagnet 78, 260  
 sensitization 187, 204, 210–212  
 sensitization process 210  
 Shubnikov de Haas (SdH) 157, 238  
 silicon wafers 263–264  
 single-chain magnet (SCM) 67, 105–106, 108, 110, 112, 114, 116, 118–122, 124–125, 186  
 single-component molecular metal (SCMM) 221, 238–239, 245, 247, 251, 267–268  
 single-crystal electrical conductivity 158  
 single crystals 32, 35, 71–72, 92, 108, 110, 141, 156, 162, 189, 198, 201, 239, 246, 263–264  
 field-oriented 74, 108  
 single-molecule magnet (SMM) 61–62, 105–106  
 singly occupied molecular orbital (SOMO) 24–26, 29–30, 204  
 SMM behavior 62, 68, 77, 87, 94, 108, 110–111, 255  
 clusters 67, 252  
 layers 67, 91–92, 255  
 molecules 122  
 properties 88–89, 252, 259  
 semiconductor 67–68  
 unit 68, 74, 77–78, 110, 255  
 SMM *see* single-molecule magnet

- SMM-based molecular complexes 258
- SMM building block 89, 255
- SMM character 73–74, 254, 261
- SMMs, conductive 106–107, 109, 111
- SOMO *see* singly occupied molecular orbital
- space-charge-limited conduction (SCLC) 40–41
- space groups 68–69, 79, 133, 135, 137, 161
- space groups of crystal 135
- spin crossover (SCO) 151–152, 164, 168, 171
- spin density wave (SDW) 14, 17–18
- spin ground state 62–63
- spin polarization 5, 7–10
- spin-polarized donor 25–27, 29
- spin-polarized donor radical 24–25
- spin structures 140, 143
- chiral conical 140, 143
- spin transition 151–152, 166, 168–169, 171, 173
- spintronic devices 1–2, 46
- spintronics 106, 220, 266, 268
- Stark sublevels 191, 202
- states
- charge-ordered 33–34, 37
  - donating 211
  - insulating 224, 245
  - ordered 20, 22
- solid 115, 150, 203–204, 208–209, 238, 267
- triplet 25–26, 211
- Stoner model 3–4, 46
- superconductivity 16, 19, 157, 164, 219
- field-induced 16, 223
- superexchange interactions 191, 255
- synergy 77–78, 186
- TCNQ *see* tetracyanoquinodimethane
- tetracyanoquinodimethane (TCNQ) 28, 164
- tetrathiafluvalene benzo-derivative bearing nitronyl nitroxide (BTBN) 40, 42–46
- tetrathiafulvalene (TTF) 13–14, 35, 112, 153–154, 156–158, 161, 167, 185, 192, 194, 196–199, 201–211, 225–226, 230–231, 251
- thin films 46, 151, 262–263, 266–268
- transition metal 20–21, 23, 160–161
- transition metal complexes 1–2, 14–15, 17, 19, 21, 23, 47, 151, 153, 263
- transition metal ions 4, 186, 209
- transition metal oxides 6–7
- transition temperature 6, 19, 22, 241
- TTF *see* tetrathiafulvalene
- TTF-based donor radicals 27–28
- TTF cores 153, 191, 197–198, 201, 207–208
- TTF derivatives 14, 163, 188, 196, 202, 212, 221, 265
- TTF fragments 190, 194, 197–198, 205
- TTF ligands 195–196, 212
- TTF molecules 153, 225
- unit cell 135, 137–138, 173
- zero-field cooling (ZFC) 8, 10, 249
- zero-field splitting (ZFS) 62, 72, 83, 94, 120, 233, 251, 257
- ZFC *see* zero-field cooling
- ZFS *see* zero-field splitting

