

Index

- AA (ascorbic acid) 202, 209, 211–12, 219, 221, 251–52, 259, 261, 293, 301, 303, 404–5, 435–36
- AC (activated carbon) 181, 185, 318, 475–80, 482, 485, 487–91, 499, 501, 509, 511–12
- ACA (adamantine carboxylic acid) 438
- acetaldehyde, decomposition of 22–23, 35–36
- ACF (activated carbon fiber) 482, 488
- activated carbon *see* AC
- activated carbon fiber *see* ACF
- adamantine carboxylic acid *see* ACA
- Ag nanowires 430–31
- anatase 17, 19, 26, 41, 43–45, 47–49, 51, 53, 65–66, 70–72, 103–5, 114, 123–24, 130–32, 140–41
- anatase crystals 49, 52, 58–59, 65, 68, 105, 110, 351
- anatase TiO₂ 38, 43, 47–50, 53, 56, 62–64, 66, 70–71, 249, 273, 351, 490
- anatase TiO₂ sheets 60–61, 63–64
- antase TiO₂ crystals 50–51, 53–55, 57, 59, 61, 63, 65
- apoptosis 115, 120–21, 123–25, 128–31, 137, 151, 153, 232
- artificial nanostructures 699–700, 702, 704, 706, 708, 710, 712, 714, 716, 718, 720, 722, 724, 726, 728
- ascorbic acid *see* AA
- Au (gold) 192, 195–96, 208–9, 224, 228–30, 239–40, 242–44, 246–47, 264–66, 294–95, 301–2, 306, 309, 312–16, 321–23
- Au/CeO₂ nanorods 306, 308
- Au cores 261, 267, 287–89, 291, 294, 299, 301, 322
- Au-Cu₂O core–shell heterostructures 263–66, 271, 277–78
- Au nano-octahedra 321, 383
- Au nanocrystals 199, 219, 249–52, 258, 273–74, 277, 311, 322, 338, 393
- cubic 257, 262
- Au nanoparticles 192, 194–95, 201, 208, 236–39, 243–45, 269, 278, 288–89, 306–7, 309, 311–12, 377, 388–89, 391
- branched 216–17, 219
- highly-faceted 265–66
- Au nanorods 195, 209–15, 220, 228, 231, 237–38, 242, 244–45, 251, 265–66, 272, 300–2, 305, 321, 371–72
- Au nanoshells 194, 196, 202, 229, 231, 234, 238–39
- Au seeds 197–201, 209, 220, 294, 298, 301
- Au shell 196–204, 208–9, 236, 295, 302, 319
- Au surface 224–25, 234, 299
- bandgap 2–4, 17, 54, 76, 78, 81–82, 85, 89, 91, 97, 126, 658–59, 670–71, 676, 685
- batteries 474–75, 494, 512, 518, 521–22, 525–26, 532, 565, 572, 574, 604–5, 609, 611, 614–15, 617–20
- BG (bioactive glasses) 165–66, 185
- bioactive glasses *see* BG

- bronchial cells 118, 124, 126
- cancer cells 188, 198, 223–24, 226–28, 232, 234, 236, 242, 244–45
- capping agents 210, 223, 252, 259, 284, 288, 290, 301, 303, 333, 337, 339, 400–1, 403–4, 438
- capping surfactant 262, 335, 352–53
- carbon 148–49, 417–18, 466, 481–83, 486–87, 496–97, 513–16, 525–27, 545–46, 551, 560–61, 565–69, 599–600, 602–4, 651–55
- amorphous 527, 557, 559, 567, 654
- carbon atoms 623–24, 628
- carbon-based materials 546–47, 555, 557, 559, 625, 637
- carbon-coated SnO₂ 535, 545, 547, 549–50, 553, 599
- carbon gels 479, 481
- carbon nanofibers 475–76, 478, 481
- carbon nanotubes 14, 253, 275, 293, 372, 407, 417, 463, 466, 475–76, 478, 482–83, 525–26, 602–3, 624–25
- carbon steel 626–28
- carbonaceous materials 479, 525, 529, 654
- carbonization 479–81, 527
- carboxyl groups 199–200, 225–26, 555
- catalysts 5, 12, 101, 280, 288, 303–4, 306–11, 313–15, 322–25, 329, 417–18, 441–42, 444, 448–49, 455–56
- CdS nanocrystals 299, 338–39, 362
- CdSe Nanocrystals 100, 272, 295, 366, 460, 690, 692
- cell death 106, 113–18, 127, 130–31, 138, 141, 143, 223, 228
- cell lines 116, 123–25, 128, 130–31, 138, 143–45
- cell viability 116, 127, 130–31, 137–39, 171
- cells, lithium-ion 568, 601, 638–39, 643–44, 647–48
- cellular toxicity 113, 115, 117, 119, 121, 123, 125, 127, 129, 131–32
- central nervous system *see* CNS
- CeO₂, nanocrystalline 306, 323
- CeO₂ nanoparticles 307–8
- CeO₂ nanorods 306, 322
- ceria nanoparticles 308, 347
- cetyl trimethyl ammonium bromide *see* CTAB
- chemical etching technique 25, 27, 29
- chemical stability 221, 324, 499, 700
- chemical vapor deposition 298, 479, 653, 709
- circulation, systemic 111–12
- CNS (central nervous system) 106, 110–11, 153
- color rendering index *see* CRI
- composite materials 174, 371, 378, 598, 600, 648–49
- conducting polymers *see* CPs
- conductivity 271, 497, 507, 571–73, 575, 579–80, 618, 649
- core-shell heterostructures 248, 260–61, 263, 271
- synthesis of 260–61, 263
- core/shell nanoparticles 197, 204, 207, 240–41, 294
- core-shell nanostructures 260, 293, 300
- core/shell QDs 670–71, 677, 685–86, 689
- CPs (conducting polymers) 475–76, 497, 499, 506–7, 509, 618
- CRI (color rendering index) 674–76, 694
- CTAB (cetyl trimethyl ammonium bromide) 171, 177, 202, 204, 211–14, 217, 220, 223–24,

- 250, 261, 288, 293, 300–1, 304, 372
- CTAC (hexyltrimethylammonium chloride) 215, 220, 251, 261–62, 293, 300–1
- Cu_2O nanocrystals 254, 256, 259, 267–68, 270, 273, 275
- CV (cyclic voltammetry) 446, 502–3, 562, 565, 578, 592, 621, 643
- cyclic voltammetry *see* CV
- deposition 104, 107, 177, 201, 210, 288–89, 292–93, 302–3, 309, 373–75, 421–22, 426, 571, 614–15, 641
- electroless 201, 409, 425, 464
- diamond nanostructure fabrication 708–9, 711, 713, 715
- diamond nanowires 708, 713–16, 727
- diamond surfaces 714–15, 726–27
- DMFC (direct methanol fuel cell) 396, 439, 446
- DNA damage 115, 117, 124–25, 127
- drug carriers 155–64, 166, 168, 170, 172, 174, 176, 178–80, 182, 184–86, 188–89, 191
- drug delivery 156, 174–75, 180–83, 185–86, 189, 191, 198, 222, 243, 328
- drug release 156–57, 159–60, 174, 179, 182, 184, 186
- DSSC (dye-sensitized solar cell) 84–85, 101, 725
- dye-sensitized solar cell *see* DSSC
- EC (ethylene carbonate) 79, 489, 540, 548, 556, 573, 586, 661
- EDLCs (electrochemical double layer capacitors) 475–78, 485
- EIS (electrochemical impedance spectra) 542, 553, 595, 598
- electrical conductivity 270–71, 291, 483–84, 486, 488–89, 500, 578, 625
- electrocatalysis 409, 456, 470–71
- electrocatalysts 14, 304, 322, 397, 408, 417, 439, 443–44, 446, 456–57, 471
- electrochemical capacitors 475–76
- electrochemical deposition 408, 493, 535–37, 539–40, 582, 600
- electrochemical double layer capacitors *see* EDLCs
- electrochemical impedance spectra *see* EIS
- electrochemical measurements 92, 553–54, 569, 599
- electrochemical reactions 493, 521, 646
- electrochemistry 530, 533, 538, 576–77, 608, 611, 614
- electrodes
- composite 506, 535, 562, 564, 566–67, 570, 578, 615
 - microtube 541–42, 544, 553, 599
- electrolyte, aqueous 487, 505–7, 510–11
- electron diffraction pattern 52, 423, 431
- electrons, photo-generating 76–77, 80, 82, 91, 96
- electropolymerization method 570, 578, 581
- electrostatic capacitor 474–75
- electrostatic interactions 133, 199, 201, 223, 225, 372, 375
- ethylene carbonate *see* EC
- exfoliation, electrolytic 631–32
- FAOR (formic acid oxidation reactions) 440, 450, 453

- Faradaic pseudocapacitors 475–77
 ferromagnetic nanoparticles *see*
 FMNPs
 FESEM (field-emission scanning
 electron microscopy) 407,
 633, 640, 643
 fibroblasts 118, 121, 123, 137–39,
 141, 143–44, 151
 field-emission scanning electron
 microscopy *see* FESEM
 FMNPs (ferromagnetic
 nanoparticles) 375, 377–78
 formic acid 396, 415, 435–36, 439,
 443, 450–53, 469–70
 formic acid oxidation 450–54, 471
 formic acid oxidation reactions *see*
 FAOR
 fuel cells 9, 11, 74, 328, 395, 405,
 408, 416–17, 439, 456, 468,
 470
- gold nanostructures for biomedical
 applications, synthesis of
 192, 194, 196, 198, 200, 202,
 204, 206, 208, 210, 212, 214,
 216, 218, 220
 graphene 525, 602, 623–38, 640,
 642–46, 648–56
 characterization of 632–33, 635
 properties of 624–25, 627
 controlled size and shape of
 623–24, 626, 628, 630, 632,
 634, 636, 638, 640, 642, 644,
 646, 648, 650, 652
 graphene nanosheet dispersion
 631, 636–37
 graphene nanosheets 602, 632–36,
 638–43, 645–48, 653–54
 graphene oxide 630, 654
 graphene paper 626–27, 632, 650
 graphene sheets 624–31, 634,
 637–38
 graphite 483, 490, 522, 524,
 527–29, 602, 624–25,
 627–31, 634, 637, 648–49,
 651–53, 709
 graphite oxide 630, 653
- HeLa cells 127, 130, 139, 232
 hexyltrimethylammonium chloride
 see CTAC
 hollow gold nanoparticles 194,
 197, 204–5, 207, 241
 hollow nanostructures 204, 248,
 265, 267, 271, 277, 335, 347
 synthesis of 265, 267, 347
 HSCs (hybrid supercapacitors)
 477–78, 501, 512
 hybrid capacitors 475–76, 491
 hybrid inorganic nanocrystals
 286–87, 289, 291, 293, 295,
 297, 299, 301, 303
 hybrid nanomaterials 280–81,
 294, 315, 318
 hybrid supercapacitors *see* HSCs
- LEDs (light emitting diodes) 11,
 657–58, 673–75, 677, 688–89
 Li-ion battery 484, 491, 495,
 521–22, 524, 529, 611–12,
 615, 618, 623–24, 626, 628,
 630, 632, 636–48
 light emitting diodes *see* LEDs
 lipid peroxidation 110, 112, 115,
 120–21, 130
 lithium insertion 527, 567, 603–4,
 637–38, 643, 654
 lithium-ion battery 13, 485, 492,
 502, 601–5, 607, 611, 616,
 619, 653, 655–56
 LLCs (lyotropic liquid crystals)
 429–30, 437, 469
 LMD (lysosomal membrane
 destabilization) 115, 121,
 128, 130–31
 low-temperature CO oxidation
 279, 283, 314, 322–24

- lyotropic liquid crystals *see* LLCs
- lysosomal membrane
destabilization *see* LMD
- macrophages 107–9, 113–14,
117–19, 122, 125, 131–32,
137–38, 140, 142–43, 146,
150
- magnetic resonance imaging *see*
MRI
- MBG (mesoporous bioactive glass)
156, 166, 185
- MCA (morphology controlling
agent) 54, 57–59, 65
- mesoporous bioactive glass *see*
MBG
- mesoporous materials 155–56,
179, 181
- mesoporous Pt nanorods 429–30
- mesoporous Pt nanotubes 429–30,
467
- metal nanoparticles 192–93, 365,
373–74, 387, 459, 461
anisotropic 242–43, 274
- metal-organic chemical vapor
deposition *see* MOCVD
- metal-organic frameworks *see*
MOFs
- metal oxide colloidal nanocrystals
348–49, 351, 353, 355, 357
- metal oxide nanocrystals 274,
327–46, 348, 350, 352, 354,
356, 358, 360, 362, 364, 366
synthesis of 330–31, 333, 335,
337, 339, 341, 343
- metal oxide nanoparticles 327–28,
330, 339, 357, 361, 364
- metal precursors 284–85, 295–96,
357, 414
- methanol oxidation 440, 447–50,
463, 465–66, 470–71
- methanol oxidation reaction *see*
MOR
- microemulsion 307, 328–29,
345–46, 365, 427
- microflakes 583–87, 592–97
- microglial cells 113, 117, 122, 131,
143, 146
- mitochondria membrane potential
see MMP
- MMP (mitochondria membrane
potential) 123, 131
- MOCVD (metal-organic chemical
vapor deposition) 420, 700
- MOFs (metal-organic frameworks)
480
- MOR (methanol oxidation reaction)
101–2, 304, 439–40, 446–48,
450, 457
- morphological evolution 251–52,
275, 434
systematic 263–64
- morphology control 257, 259–60,
273, 458–59, 498
- morphology controlled rutile TiO₂
nanorod 19, 21, 23
- morphology controlling agent *see*
MCA
- MRI (magnetic resonance imaging)
156, 174, 196, 202–3, 234–36,
246, 280, 316, 344
- nano anode materials for
supercapacitors 478–79,
481, 483, 485, 487, 489
- nano cathode materials 491, 493,
495, 497, 499, 501, 503, 505,
507, 509, 511
- nanocages 194–95, 248, 265–68,
435
- nanocomposites 171–72, 491,
499–500, 509, 512, 558–61,
566, 568, 608, 617, 642,
646–47, 655
multifunctional 176–77
- nanocrystal synthesis 249, 251,
253, 255, 257–59
- nanohybrids 279–82, 286–89, 291,
297, 305, 307, 309, 311, 313

- nanoparticle assemblies 373–77,
 390
 nanoparticles 12–13, 148–51,
 191–93, 222–24, 234–37,
 288–90, 317–21, 328–29,
 350–52, 370–78, 387–88,
 390–92, 447–48, 545–47,
 640–41
 aggregation of 192, 345
 assembly of 369, 374–75, 377,
 655
 composite 188, 246, 375
 inorganic 189, 243, 316, 327,
 360, 370, 387
 ultra-fine 539, 541–42, 544,
 553, 598
 nanoporous carbons *see* NPCs
 nanoribbons 583–90, 592–99, 614
 nanorods 5–6, 12–13, 23–25,
 139–40, 194–95, 215–17,
 229–32, 242–46, 295–97,
 321, 332–34, 350–52,
 365–66, 371–73, 406–7
 nanosheets, graphene-oxide 631,
 641
 nanoshells 195, 198, 202, 223,
 227–29, 236, 239, 245
 nanospheres 53–54, 107, 139, 180,
 193, 195–96, 212, 216, 241,
 333, 337, 340, 353, 356, 406
 nanotubes 5, 13, 67, 82, 127, 292,
 406–7, 426–30, 464, 527–28,
 534–36, 539, 542–44, 603,
 607
 nanowires 14, 86–87, 89, 292,
 407–10, 412–13, 415–16,
 422, 445–46, 453, 459–62,
 582–87, 592–97, 606–7,
 712–13
 noble-metal nanocrystals 249, 397
 NPCs (nanoporous carbons) 475–
 76, 478–80, 485–88, 491

 OA (oleic acid) 66, 201, 252–53,
 289, 299, 334–35, 339, 342–45,
 351–52, 354, 375, 401

 octahedral gold nanocrystals
 250–52
 oleic acid *see* OA
 oleylamine 10, 66, 201, 203–4,
 286, 289, 298, 334–35, 401
 one-dimensional gold nanoparticles
 209, 211, 213, 215
 synthesis of 209, 211, 213, 215
 organic electrolytes 487–89, 501
 ORR (oxygen reduction reaction)
 152, 290, 304, 318–19,
 396–97, 439–45
 oxidative stress 112, 114, 117–20,
 139, 151
 oxide nanocrystals 283, 329,
 332–33, 364
 oxygen deficiencies 62–64, 532
 oxygen-deficient anatase TiO₂
 sheets 62–63
 oxygen diffusion 684–86
 oxygen evolution 80, 539
 oxygen reduction 31, 322, 440,
 442, 454, 457, 465, 470–71
 oxygen reduction reaction *see* ORR
 oxygen vacancies 62, 65, 72, 306,
 310, 312, 332

 PAA (porous anodic alumina) 225,
 424–25
 particle–particle interactions 280,
 283, 305
 PCC (protein carbonyl content)
 120
 PEL (permissible exposure limits)
 136
 PEMFCs (proton exchange
 membrane fuel cells) 395–96,
 439–41, 443, 445, 447, 449,
 451, 453–54, 457, 465
 permissible exposure limits *see* PEL
 photocatalysts 11, 46–47, 54–55,
 75–77, 80, 105, 126
 photocatalytic reactions 24, 35, 37,
 40, 46, 80

- photoelectrochemical cells 76, 78, 98, 101
 photoelectrochemical electrode 83, 85, 87, 89, 91, 93, 95
 photostability 670–71, 673–74, 689–90
 photosynthesis 74–75
 platinum 2, 9, 40, 305, 321, 396–97, 400–3, 409, 434, 437, 457–60, 462–63, 465, 468, 471
 platinum-based nanostructures 439, 441, 443, 445, 447, 449, 451, 453
 platinum nanocrystals 403, 454, 457, 460–61
 platinum nanoparticles 398–99, 458, 460
 platinum nanostructures 395–400, 402, 404, 406, 408, 410, 412, 414, 416, 418, 432–36, 438, 444–46, 454, 462–64
 platinum nanotubes 421, 428, 442, 445–46
 platinum nanowires 15, 406, 459, 461, 463
 synthesis of 407, 414
 polyhedral nanocrystals 248, 259–60, 268
 polymerization 392, 498, 507–8, 576, 618
 polypyrrole 478, 498, 508, 530, 570–71, 578–79, 599, 618–19, 722
 polyvinylidene fluoride *see* PVDF
 porous anodic alumina *see* PAA
 pristine SnO₂ nanoparticles 545–46, 548, 552
 pristine ZnO nanowires 86–87, 89, 96
 protein carbonyl content *see* PCC
 protein oxidation 114, 120–21, 151
 proteins 99–100, 117–18, 120, 130, 135, 145, 153, 166, 191, 225–26, 235, 290, 318, 373, 387
 proton exchange membrane fuel cells *see* PEMFCs
 pseudocapacitance 477, 505, 507, 509
 Pt–Fe/SiO₂ catalysts 312–13
 Pt-loaded rutile TiO₂ 20, 24
 Pt nanocrystals 397, 400, 402–4, 437
 Pt nanocubes 404, 441
 Pt nanomaterials 10–11, 425
 Pt nanoparticles 10, 396–97, 400–1, 405, 411, 413, 431, 438, 443, 445, 461–62, 466
 aggregates of 412–13
 Pt nanorods 411, 413–14, 462
 Pt nanostructures 10, 397, 409, 411–13, 415, 420, 437, 443, 446–48, 455–56, 463
 Pt nanotubes 421–27, 431–32
 Pt nanowires 396, 408–10, 412–14, 416–19, 445–47, 450, 453, 463
 PVDF (polyvinylidene fluoride) 535, 548, 552, 556, 561, 563–65, 586, 590–91
 QDs (quantum dots) 2–3, 81–83, 88, 90, 92, 95–96, 99–100, 102, 167, 185, 299, 394, 616, 657–90, 692–97
 controlled growth of 657–58, 660, 662, 664, 666, 668, 670, 672, 674, 676, 678, 680, 682, 684, 686
 giant 684, 686–87, 690
 stability of 88, 682–84
 synthesis of 658–59, 661, 663, 665, 667, 669, 671
 QSE (quantum size effect) 281, 283, 294, 658–59
 quantum dots *see* QDs
 quantum size effect *see* QSE
 quantum yield *see* QY

- QY (quantum yield) 156, 182, 231, 659, 669–70, 672–73, 678, 680, 687, 691
- radio frequency *see* RF
- reactive ion etching *see* RIE
- reactive oxygen species *see* ROS
- reagents, chemical-etching 18–19, 25
- rechargeable batteries 524, 546–47, 549–50, 552, 570, 602, 606, 618
bendable 575–77, 579–80
- reduction kinetics 303, 410–12, 459
- reversible capacity 511, 525, 548, 568, 638
- RF (radio frequency) 700–2, 709, 711–12, 726
- RIE (reactive ion etching) 708, 712, 715, 727–28
- room temperature
electrodeposition 537, 543
- room temperature ionic liquids *see* RTIL
- ROS (reactive oxygen species) 105, 110, 118–21, 124, 126–28, 130–31, 141, 150
- RTIL (room temperature ionic liquids) 523, 581–82, 587–92, 598–600
- RTIL electrolyte 582, 586–88, 590–91, 594–95, 598
- rutile 17, 19, 21, 23–24, 26, 40–41, 43–45, 51, 71, 103–5, 109–10, 114, 122, 130–31, 140–41
- rutile particles 24, 26–29
- rutile TiO₂ 17, 21, 23–26, 28, 30–31, 33, 105
- rutile TiO₂ nanorods 19–21, 23–34, 38–39
- sacrificial templates 205, 267, 408, 431–32
- SAED (selected area electron diffraction) 21, 51, 53, 258, 539, 634–35
- scanning electron microscopy *see* SEM
- SCE (saturated calomel electrode) 448–49, 508, 510, 536, 539
- SDS (sodium dodecyl sulfate) 52, 219, 254, 269–71, 413
- seed-mediated growth 210, 212, 214–15, 217, 293, 299
- seed solution 211, 217–18, 221, 252
- SEI (solid electrolyte interphase) 526, 548, 638
- selected area electron diffraction *see* SAED
- SEM (Scanning-electron-microscopy) 20, 51, 140, 162, 169, 172–73, 178, 385, 409, 415, 536, 571, 585, 716
- semiconductor nanocrystals 81, 100, 102, 189, 248, 252, 260, 268, 271, 296, 315, 657, 690, 692, 696
- semiconductor nanorods 276, 281, 319, 360
- semiconductor photocatalyst 67, 76–77
- semiconductors 2–3, 5, 44, 78, 80, 85, 88, 95, 249, 280, 295–96, 317, 328, 659–61, 699–700
- SERS (surface enhanced Raman spectroscopy) 198, 216, 218, 385–86
- silicon substrates 384–85, 463, 629
- single-crystal Pt nanowires 415, 463
- single-wall carbon nanotubes *see* SWCNTs
- Sn/graphene nanocomposites 640–43, 645, 655
- Sn nanoparticles 640–43
- SnO₂ nanoparticles 545–46, 552, 615, 646–47

- carbon-coated 545–47, 552–53, 599
- commercial 535, 547, 551, 553, 599
- SnO_2 nanotubes 534, 536, 538–41, 543–44, 551, 553, 598
- sodium dodecyl sulfate *see* SDS
- solid electrolyte interphase *see* SEI
- sphere-shaped gold nanostructures 196–97, 199, 201, 203, 205, 207
- SPIO (superparamagnetic iron oxides) 196, 203, 235–36
- SPIO nanoparticles 197, 202, 209, 234
- SPR (surface plasmon resonance) 193–94, 197, 209, 231, 234, 238–39, 247
- supercapacitors 11, 473–79, 481, 483–91, 493–94, 497, 499, 501–4, 512, 624, 653
 - electrode materials of 482, 492
 - hybrid 475–78, 506
- superlattices 375–76, 379–83, 385
- superparamagnetic iron oxides *see* SPIO
- surface chemistry 18–19, 47–48, 71, 115, 145–46, 152, 222, 227, 268, 317, 379, 532
- surface enhanced Raman spectroscopy *see* SERS
- surface ligands 329, 682, 684
- surface modification 192, 222–24, 277, 288, 360, 542, 600
- surface plasmon resonance *see* SPR
- surfactant molecules 66, 286, 329, 345–46, 427
- surfactants 195, 202–4, 219–20, 250–51, 253–54, 258–59, 330–31, 341, 345–46, 351, 353, 358, 399, 415–16, 582–83
- SWCNTs (single-wall carbon nanotubes) 483, 526
- systematic shape evolution 248–49, 251, 254, 257–59, 272, 274–76
- Te nanowires 421, 433
- TEM (transmission electron microscopy) 51, 89, 104, 116–17, 140–41, 162–63, 172–73, 178, 217–18, 388, 409, 418, 420–21, 436, 642–43
- thermal decomposition 204, 281, 286–87, 289, 294, 329, 331, 341–42, 344, 350, 404, 479
- thermodynamic growth regimes 353–54
- three-dimensional gold nanoparticles 216–17, 219
- TiO_2 (titanium dioxide) 17–19, 24, 28–31, 34–36, 39, 41, 43–45, 51, 60–61, 70, 103–5–6, 108–9, 122–28, 132, 137–41, 144–53, 484–85, 700
- TiO_2 , modified 33–36
- TiO_2 nanocrystals 18, 71, 334–35, 348, 354, 366
- TiO_2 nanomaterials 39, 70, 147
- TiO_2 nanoparticle cytotoxicity 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132
- TiO_2 nanoparticles 18, 20, 71, 100, 103, 147, 149, 152–53, 334, 340, 361
- TiO_2 nanoparticles cytotoxicity, characterization of 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132
- TiO_2 nanorods 19, 23–25, 27, 38, 41, 354
 - etched rutile 25, 28, 30–31, 38
- titanium dioxide *see* TiO_2

- toluene 26, 30–31, 59–60, 201, 207–8, 294, 298, 333, 338, 365, 375, 631
- transmission electron microscopy
see TEM
- truncated octahedra 249, 255–56, 263–64, 269–70, 350, 399–400, 404, 407
- tumors 202, 223, 226–27, 229–30, 233–34, 243, 245
- V_2O_5 , morphologies of 582, 587, 592, 595–96
- visible-light irradiation 18, 31–32, 35–38, 75, 83
- water splitting 73–84, 86, 88, 90, 92, 94, 96, 98–102
- photocatalytic 74–75
- wavelength converters 658, 673–77, 679, 681, 683, 685, 687, 689
- X-ray-diffraction *see* XRD
- XRD (X-ray-diffraction) 86, 135, 256, 452, 536, 539, 546, 560–61, 575–76, 583, 632
- ZnO nanostructure fabrication 700–1, 703, 705, 707
- ZnO nanostructures 91, 700, 702–3, 705–7, 722, 725
- ZnO-nanowire sensitization 88, 90
- ZnO nanowires 85–89, 91–96, 724–26
- bare 92–95
- ZnS shell 672–73, 680–81