

Index

- absorption 2, 12, 26, 71, 84, 86, 124–126
- activity 22, 35
 - fluorescence 92
 - metabolic 12, 84
 - proton 105
- air–liquid interface (ALI) 22, 23, 90–92, 135, 137, 143
- airway epithelium 17, 22, 25, 26, 28, 33, 90, 106, 145
- ALI *see* air–liquid interface
- ALI cultures 22, 136, 141, 142
- animals 2, 5, 28, 36, 109, 110, 136
- applications 14, 15, 18, 19, 23, 28, 55, 66, 149–152, 154, 156, 157
 - biological 152
 - clinical 54
 - medical 67
 - routine screening 150
- assays 17, 66, 68, 69, 71, 78, 85, 154, 156, 157
 - drug metabolism 51
 - real-time PCR 48
- asthma 20, 33, 90, 106, 135, 136, 145
- barriers 26, 68
 - biological 124, 126
 - blood–brain 125
 - intestinal 124
 - physical 91
 - primary 90
- basal cells (BCs) 17, 22, 138, 142
- basal metabolic rate (BMR) 3, 4, 7
- BCs *see* basal cells
- BEBM *see* bronchial epithelium
 - basal medium
- BECs *see* biliary epithelial cells
- biliary epithelial cells (BECs) 20
- bioreactors 6, 9, 12, 14, 47, 93, 137
 - multicompartmental 21
- biotransformation 1, 6, 10, 13
- blood 17, 19, 20, 87, 125
- BMR *see* basal metabolic rate
- body mass 3–5, 7–11
- bonds 66
 - carboxamide 105
 - siloxane 102, 103
- bovine serum albumin (BSA) 50, 57, 72–74
- bronchial epithelium basal medium (BEBM) 138, 139
- BSA *see* bovine serum albumin
- buffers 37, 38, 58, 100
 - coating 73, 83
 - collagenase 38, 39
 - perfusion 37
 - sodium phosphate 94
- cardiac progenitor cells (CPCs) 53, 54, 56–63
- cardiomyocytes 54, 55, 58, 59
- CCs *see* ciliated cells

- cell culture 60, 136, 138–144, 150–152, 154, 155, 158, 160, 162, 163, 167
 - permeable 125
 - static 41
- cell culture medium 68–71, 75–77, 127, 129, 132
- cell culture models 125, 150
- cell culture plates 74, 85, 95, 132
- cell death 22, 92
- cell growth 149, 151, 154, 156, 157, 161
 - optimal 150
 - prolonged 157
 - three-dimensional 149, 168
 - uneven 84
- cell invasion 165, 166
- cell lines 17–21, 30, 123, 137
 - airway epithelial 18
 - human keratinocyte 165
 - human liver 165
 - intestinal 19
 - macrophage 124
- cell numbers 4, 6, 8, 9, 74, 84, 156
 - endothelial 9
 - ideal scaled 6
 - monolayer 6
- cell number scaling model (CNSM) 6, 8
- cell pellets 128, 140
 - fibroblast 115
 - resuspended 140
- cell penetration 154, 156
- cell proliferation 22, 157
- cells 6, 7, 11–13, 17–20, 40, 41, 43, 44, 53–59, 69, 70, 74–77, 82–84, 91, 92, 123–128, 139–141, 149–152, 155–157, 162, 163
 - basal 17, 22, 138
 - confluent 74, 75
 - cultured 75, 159
 - effector 19, 20
 - fibroblastoid 57
 - hepatic 21
 - human hepatoma 70
 - immortalized 19
 - immune responsive 91
 - inoculated 91
 - keratinocyte 117–120
 - murine 53
 - parenchymal 2
 - peripheral blood mononuclear 91
 - physiological model 10
 - polarized 124
 - serous 138
 - smooth muscle 54
 - subepithelial 91
- cell suspension 43, 61, 114, 128, 140, 144, 151
- cell types 2, 3, 11, 17, 30, 36, 84, 91, 123, 154, 156, 157, 160, 162–164
- centrifuge 37, 39, 47, 78, 96, 115
- chambers 1, 3, 4, 6–8, 10–13, 40–42, 44–47, 142
 - bioreactor 8
 - endothelial 8, 9
 - hepatocyte 8, 9
 - lung 10
 - perfusion culture 22
- chronic obstructive pulmonary disease (COPD) 22, 90, 135, 136
- ciliated cells (CCs) 22, 136, 138, 142
- CNSM *see* cell number scaling model
- cocultures 2, 20, 31, 32, 91, 128, 129, 157, 158, 163
- controls 11, 41, 42, 46, 62, 66, 68, 69, 76–78, 94, 107, 117, 150
 - background 85
 - high 77
 - internal 11
 - negative 70, 73, 76, 77, 81
 - positive 73, 77, 116, 117

- static 41, 47
- template 80
- unstimulated 118–120
- COPD *see* chronic obstructive pulmonary disease
- CPCs *see* cardiac progenitor cells
- culture medium 22, 41, 43, 44, 50, 76, 118, 138, 159, 161
- fibroblast 115
- fresh 50, 71, 74, 75
- culture models 151, 167
 - complex cell 91
 - human cell 89
 - multicell 89
 - three-dimensional cell 149
- cytokines 19, 20, 23, 26, 69, 91, 111, 118, 121
- cytotoxicity 27, 66, 68, 76, 77

- DCs *see* dendritic cells
- dendritic cells
 - cell-derived 19
 - immune responsive 91
 - monocyte-derived 20
- dendritic cells (DCs) 19, 31, 91, 106, 124, 126, 128, 133
- differentiation 2, 18, 33, 53, 61–63, 92, 137, 150, 156, 160, 161
 - cardiac 58
 - cardiomyogenic 55
 - progressive 22
 - squamous 18
- disease
 - airway 135, 136
 - chronic obstructive pulmonary 22, 90
 - cystic fibrosis 25
 - respiratory 23
- DLS *see* dynamic light scattering
- drugs 2, 19, 52, 123, 124
 - candidate respiratory 136
 - fluorescent 131
 - permeable 125
 - preclinical 36
- dynamic light scattering (DLS) 69, 71, 75

- Eagle's minimum essential medium (EMEM) 69
- EGF *see* epidermal growth factor
- EMEM *see* Eagle's minimum essential medium
- endothelial cells 2, 6, 9, 11, 14, 31, 54, 58, 66, 68, 112
 - human 66
 - human umbilical vein 20, 69, 87
- enzymes 137
 - drug-metabolizing 36
 - xenobiotic-metabolizing 36
- epidermal growth factor (EGF) 40, 69, 113, 138, 139
- epithelia 22, 23, 26, 28, 124
 - airway 17, 25
 - alveolar 17, 31, 125
 - intestinal 125, 129
 - mucociliary 136
 - nasal 25
 - respiratory 26
 - upper-airway 18
- epithelial barrier 123–125, 133
- epithelial cells 23, 31, 90–92, 125, 126, 132
 - airway 26, 147
 - biliary 20
 - ciliated 17
 - human 22
 - human bronchial 137
 - intestinal 10, 66, 124, 133
 - pulmonary 18
 - respiratory 90
- experiments 6, 20, 28, 40, 41, 74, 110, 115, 116, 130, 144, 150, 155
 - acute 2
 - dynamic 41

- long-term 41, 132, 155, 163
- monoculture flow 11
- multiplex 81
- FCS *see* fetal calf serum
- fetal calf serum (FCS) 69–71, 73, 75, 113, 118, 127, 128, 138, 140
- fibroblasts 2, 109–118, 121, 156
 - human 112
 - nonincubated 117
- flow rates 4, 6, 11–13, 37, 39, 45, 46, 52, 94
- function 4, 11, 16, 17, 24, 52, 60, 106, 150–152, 168
 - cellular 92
 - hepatic phenotypic 45
 - metabolic 11
 - myocardial contractile 60
 - physiologic 8
- GCs *see* goblet cells
- gene expression 21, 48, 150, 157, 167
- goblet cells (GCs) 17, 123, 138, 142
- growth factors 2, 26, 57, 91, 138
 - basic fibroblast 69
 - epidermal 40, 113, 138, 139
 - human epidermal 69
- Hank's balanced salt solution (HBSS) 138, 140
- HBSS *see* Hank's balanced salt solution
- hematopoietic progenitor cells (HPCs) 19
- HPCs *see* hematopoietic progenitor cells
- human cells 16, 17, 22, 55, 61, 62, 68
- human hepatocytes 7, 36
- human keratinocyte 109, 110, 112
- human umbilical vein endothelial cells (HUVECs) 20, 69, 73, 74, 87
- HUVECs *see* human umbilical vein endothelial cells
- hydrolysis 96, 102, 103
 - monomer 103
 - siloxane bond 103
- immune cells 19
- incubation 75–77, 85, 119, 120, 128, 159, 161
- incubator 44, 46, 82, 115
 - humidified 160, 162
 - standard-size 45
- inflammation 25, 66, 111, 112, 123, 124, 129, 130, 133
 - acute 111
 - controlled 129
 - reversible 126
- inflammatory mediators 20, 26
- inhalation toxicity 15, 16
- interactions 3, 21, 31, 32, 66, 68, 87, 91, 106, 126, 146
 - cell–cell 89, 91
 - complex 150, 155
 - paracrine 109
 - physical 21
 - physiological 1
- interface 21
 - air–liquid 10, 22, 90, 135, 137, 158, 163
 - lung's alveolar–capillary 21
- keratinocytes 110–116, 118, 121
- LGF *see* liver growth factor
- liver growth factor (LGF) 40

- lung diseases 90, 135
- lungs 9, 10, 16, 17, 21, 32, 68, 89, 90, 92, 123, 136, 146, 147
 - human 25, 30, 33, 90
- lung slices 20, 21, 32
 - human 20, 32
- macrophages 20, 31, 106, 128
 - alveolar 20
 - blood-derived 20, 126
- markers 54, 55, 66
 - cardiac 55
 - cardiomyoblast 58
 - hematopoietic lineage 55
 - inflammation 126
 - stemness 54
- measurements 26, 66, 76, 78, 82, 84, 85, 99, 100, 124, 132
 - absorbance 68
 - charge 69
 - cytokine 124
- medium 11, 38, 40, 41, 44, 46, 47, 50, 57, 60, 73–78, 83, 84, 127, 128, 139, 140, 152, 155, 156, 158–166
 - apical 141
 - basal 141
 - cell-free 68
 - extracellular 51
 - fibroblast-conditioned 117
 - long-term 40, 44, 45
 - modified Eagle's 69, 113, 139
 - washing 160, 162
- MEM *see* modified Eagle's medium
- membrane 2, 68, 91, 144, 155, 157–159, 161, 162, 165
 - anodized filter 93, 97
 - permeable 125
 - permeable cell culture 91
 - polyester 125
 - polyethylene terephthalate 144
 - semiporous 23
- metabolism 2, 7, 9, 51, 124, 146
 - basal 7
 - exogenous 6
 - glucose 10
 - hepatic 9
 - whole-body 9
- metabolites 2, 3, 21, 50, 51
- models 6, 7, 9, 12, 17, 21, 22, 28, 31, 92, 110, 121, 123–126, 133, 135–137, 142, 144
 - airway 28
 - allometric 8
 - biomimetic 90
 - cell aggregate 150
 - cell-type coculture 20
 - complex 3
 - cystic fibrosis 22
 - gas exchange 9
 - human airway 15
 - human bronchial epithelium 138
 - human lung 90
 - human respiratory tract 16, 30
 - induced disease 2
 - in-house airway epithelial 22
 - low respiratory tract 16
 - organ 12
 - paracrine 110
 - preclinical 90
 - scaled 3
 - triple coculture 126, 129
- modified Eagle's medium (MEM) 57, 69, 70, 113, 127, 139
- mucociliary clearance 16, 24, 25, 27
- mucus 17, 25, 124, 137
- mucus cells 17, 22
- nanoparticles 16, 24, 33, 65, 66, 86, 87, 96, 104

- nanosensors 93–97, 99–101
 - analyte-responsive 90
 - optically responsive 92
- organs 2, 3, 6, 8, 10
 - metabolic 7
- PAM *see* pressure-assisted microsyringe
- PBMCs *see* peripheral blood mononuclear cells
- PBS *see* phosphate buffered saline
- PBS
 - cold 47
 - ice-cold 56, 78
 - prewarmed 83
 - sterile 43, 60, 75
- PCR *see* polymerase chain reaction
- peripheral blood mononuclear cells (PBMCs) 91
- phosphate buffered saline (PBS) 42, 43, 45, 56, 57, 70, 72, 73, 83, 95, 100, 113–116, 127, 130, 139, 143, 159, 161
- polymerase chain reaction (PCR) 46, 48, 72, 79, 80, 85
- pressure-assisted microsyringe (PAM) 60, 63
- processes 4, 11, 13, 48, 104, 112, 124, 129, 152
 - allometric design 7
 - combustion 66
 - drug-testing 36
 - metabolic 6
 - paracrine-dependent 112
 - sol-gel 96, 105, 107
 - surface-mediated 6
- progenitor cells 54
 - cardiac 54, 62, 63
 - cardiac resident 54
 - hematopoietic 19
 - human 53
- progenitors 55
 - cardiac 54
 - mesenchymal 55
- properties 14, 54, 65, 66, 96
 - adhesive 42
 - antibacterial 66
 - electrical 59
 - functional 90
 - physicochemical 125, 133
- protein 41, 59, 68, 69, 78, 79, 87, 92, 121, 157
 - desmosomal 59
 - drug-related 137
 - ribosomal 49, 50
- rates 4, 25, 26, 96, 154, 163
 - basal metabolic 4
 - convection 12
 - metabolic 4, 136
 - population-doubling 160
 - recovery 69
- reagents 37, 45, 76, 78, 79, 84, 93
- redox quenching buffer (RQB) 72, 85
- response 18, 19, 21, 55, 91, 92, 96, 98, 106, 110–112, 136
 - allergic 21, 32
 - artificial 150
 - dose 118
 - human 135
 - inflammatory 20, 111, 112
 - nanosensor 94, 95, 98, 104
 - primary 109
 - primary cytokine 109
 - pulmonary 20
 - ratiometric 96
 - secondary 109
 - secondary cytokine 111
 - whole-body 3
- reverse transcription (RT) 48, 83, 84
- ribonucleic acid (RNA) 41, 48, 66, 72, 79, 85

- RNA *see* ribonucleic acid
 RQB *see* redox quenching buffer
 RT *see* reverse transcription
- samples 36, 39, 47, 56, 76–78, 81,
 82, 85, 95, 99, 100, 104, 115
 scaffolds 6–8, 12, 13, 53–56, 60,
 89, 92, 100, 150–152,
 154–156, 159, 161, 165–167
 biomimetic 137
 macroporous 151
 oxygen-responsive 95, 97, 100
 polymeric 92, 107, 167
 polystyrene-based 152
 solid 151
- SDS *see* sodium dodecyl sulphate
 sodium dodecyl sulphate (SDS)
 109, 112, 113, 115–120
 solution 24
 aqueous 93, 105, 159, 161
 cost-effective 152
 stimulation 20, 26, 58, 124
 external 26
 repetitive 26
 stimuli 26, 35
 biochemical 3
 physiological 26
 pro-inflammatory 23, 126
 substances
 airborne 135
 inhaled 16, 136
 neutral 24
 solid 24
 substrates 51, 149, 150, 152
 supernatants 39, 47, 51, 77, 96,
 115, 118–120, 129, 140
 surface area 5, 7, 9, 10, 67, 69, 86
 endothelial 6
 horse body 5
 vascular 8
 surfaces 6, 8, 17, 42, 66, 67, 124,
 150, 155, 160, 162
 capillary bed 8
- particle 67
 reactive 68
 system 1, 3, 4, 7, 10, 11, 13, 35–38,
 40–42, 44–46, 48, 50, 52, 60,
 68, 125, 131
 airway 16
 immune 123
 ready-to-use 22
 respiratory 16, 24, 145
- TEER *see* transepithelial electrical
 resistance
 TEM *see* transmission electron
 microscopy
 tests 15, 18, 19, 110, 130, 132
 dye exclusion 115
 phototoxicity 110
 rabbit Draize skin irritation 110
 tissues 1–3, 5, 6, 8, 9, 12–14, 19,
 36, 39, 55, 60, 91, 92, 106,
 107, 123, 125, 167
 cardiac 54
 cultured 156
 damaged 126
 decellularized 92
 diseased 123
 endothelial 6
 healthy 125, 126
 host 56, 60, 151
 real-life 149
 vascular 6
- TNF *see* tumor necrosis factor
 toxicity 2, 3, 14, 24, 27, 28, 35, 52,
 68, 120
 human pulmonary 136
 systemic 21
 transepithelial electrical resistance
 (TEER) 22, 24, 27, 28, 73, 82,
 85, 129–132, 137, 142, 144
 transfection 125, 157
 transmission electron microscopy
 (TEM) 69, 142
 transport 18, 26, 37, 68, 125, 126

- absorptive 125
- diffusive 12
- flow-dependent 3
- nutrient 10
- paracellular 125
- secretory 125
- transcellular 125
- tumor necrosis factor (TNF) 23,
72, 111, 129
- tumors 36, 54
 - metastatic 36
- xenobiotic-metabolizing enzymes
(XMEs) 36
- xenobiotics 24, 25, 124
- XMEs *see* xenobiotic-metabolizing
enzymes