

Index

- AC *see* alternating current
acids 48, 51, 53
 amino 134
 deoxyribonucleic 272
 folic 284
 hydrobromic 53
 hydrochloric 50, 51, 53
 hydrofluoric 54
 hydroxycinnamic 277
 nucleic 271, 289
 perchloric 50
 polyacrylic 284
 ribosomal ribonucleic 299
adhesion 57, 243, 246, 247,
 249
adsorption 63, 94, 212, 277, 278,
 280, 289
agglomerates 53, 63–65, 77, 86,
 284, 296
aggregates 20, 82, 83, 85, 87, 240,
 255, 256, 283, 285
 fractal 85
 higher-level 83, 87
 large 88, 255
 oriented 142
 porous nanodiamond 276
 primary 64, 83–88
 small 141
 solid 240
 strong 83
allotropic modifications 2, 5,
 23
alternating current (AC) 207
annealing 11, 64, 65, 84, 88, 131,
 135, 165, 169, 197, 219
 electron beam 258
 high-temperature 11, 22, 205
annealing times 219, 221, 223,
 225–230
antibodies 272, 280, 287
aromatic compounds 189, 210,
 211
aromatic hexagons 219
aromatic hydrocarbons 293
aromatic planes 213
aromatic residues 270
aromatic rings 213, 216, 217
- BAMs *see* biologically active
 molecules
bands 59, 60, 66, 67, 79, 80, 128,
 155, 156, 214, 215, 220, 221,
 229, 232, 233
 broad 60, 66
 conduction 115
 intense 59
 narrow 128, 139
 strong 66, 67
BCs *see* bordered cavities
benzene rings 212
biocompatibility 278, 291, 292
biologically active molecules
 (BAMs) 273, 276, 277
biological macromolecules 271,
 276
biological molecules 153, 270

- biomarkers 239, 282
fluorescent 279
optical 280
photoluminescent 121
biosensors 277, 278
bonding 91, 164, 187, 192–194,
 271
 chemical 182–184
 noncovalent 270
bonds 5, 6, 11, 60, 67, 104, 105,
 159, 185, 195, 212, 240,
 247
 bridging 87
 carbon sp^2 163
 chemical 2, 4, 183, 201, 245,
 258
 intermolecular 246
 valence 3
 valence-free carbon 269
bordered cavities (BCs) 300
boundaries 57, 128, 137, 216,
 217
 armchair-type 217, 220
grain 163
uneven 216
zigzag-shaped 164
bulk diamond 89–91, 116, 132,
 151, 187

calculations 7, 11, 23, 39, 41, 92,
 108, 109, 111, 112, 115, 118,
 124, 277
quantum-chemical 114
semiquantitative 23
theoretical 73, 89
thermodynamic 19
carbon
 condensed 41, 42, 44
 detonation 46
 elemental 41
 interstellar 22
 nanoporous 251
 oxidized 68
 sp^3 94, 195
 sp^3 -disordered 93
 sp^3 -hybridized 79
carbon cages 9
carbon fibers 4
carbon ions 131, 132
carbon nanostructures 4–7, 9, 11,
 13, 15, 17, 19, 21–23, 95, 257,
 269, 270, 293
carbon nanotubes 12, 13, 258,
 280, 283, 292
carbon onions 5, 9, 11, 12, 22, 78,
 95, 145, 205, 218
carbon soot 10, 11, 190
carriers 13, 213, 250, 252
 conduction 233
 delocalized 212, 214
 insoluble 272
 magnetic information 248
 photogenerated 9
 polymer-ferromagnetic
 information 247
 stable 164
catalyst 14, 19, 48, 49, 252, 255
high-efficiency 253
metal oxide 164
catalytic chemical vapor
 deposition (CCVD) 12
CCVD *see* catalytic chemical vapor
 deposition
cells
 colorectal carcinoma 287
 daughter 285
 endothelial 296
 endothelial murine embryo
 284
 fuel 253
 human embryo kidney 284
 human kidney 281
 human liver 135
 human lung epithelial 282
 large-area flexible solar 9
 living 137, 138, 297
 normal 284

- onion 289
- single tumor 282
- solar power 14
- centers
 - color 145
 - dense 298
 - impurity 121
 - luminescent 251
 - microtubule-organizing 298
 - optical 280
 - zone 124
- charges
 - discrete 231, 232
 - electric 56
 - electronic 111
 - explosive 43, 46
 - squared 63
- chemical shift 182–184, 187
- chemical vapor deposition (CVD)
 - 5, 12, 14, 15, 91, 125, 145, 248, 250, 277
- chromatography 251, 252, 274–276
- circuit 208, 209
 - electric 207, 209
 - flux-transformer 208
- coatings 242, 246, 247, 255, 277, 278
 - amorphized carbon layer 57
 - antifriction 248
 - anti-inflammatory 289
 - ferromagnetic 248
 - functionalized 94
 - hydrophilic 12
 - metal 242
 - Polyethylene glycol 271
 - polymer film 245
 - protective 248
 - skullcaps 89
- coherent-scattering region (CSR)
 - 86, 125, 127
- collisions 21, 22, 171
 - direct 173
 - knock-on 11
- composition 18, 20, 39, 43, 53, 56, 68, 74, 242, 246, 247, 251, 258, 287, 289, 295, 296
- abrasive 240, 241, 249
- ash 69
- chemical 67
- complex 67, 274
- elemental 69
- elemental impurity 69
- nanodiamond 68
- natural 48
- phase 46, 77
- polymer-fullerene 9
- qualitative 277
- compounds 21, 40, 271, 272, 277, 279, 287, 294
- active 287
- adsorbed 59
- chromium 50
- fluorine-intercalated graphite 193
- graphite-based intercalation 233
- inorganic 52
- low-molecular 272, 289
- low-solubility 287
- toxic 134
- continuous wave (CW) 141
- CP *see* cross-polarization
- cross-polarization (CP) 185
- crystallites 74, 77, 78, 89, 123, 126, 127, 131, 138, 141, 143, 160, 221, 231
- defect-free 221
- single 141
- small 211
- crystals 6, 16, 90, 102, 124, 139, 213, 233, 250
- cubic 91
- inorganic solid 269
- large 15
- large-size 86
- local 182
- semiconductor 250

- submillimeter-sized 16
- twinned 74, 89
- CSR *see* coherent-scattering region
- CVD *see* chemical vapor deposition
- CW *see* continuous wave
- cytochrome P450 294
- cytoplasm 137, 280, 281, 284, 285, 297, 298, 300
- cytotoxicity 292

- dangling bonds 10, 23, 89, 94, 158, 169, 189, 195, 196, 215, 269
- dangling sp^3 bonds 227, 228
- DC *see* detonation carbon
- DC oxidation 75, 80
- DC powders 74, 82
- DC SQUID sensor 207, 208
- DC structure 81
- deagglomerated nanodiamond 60, 61, 64–66
- deagglomeration 53, 64, 67, 102
- deaggregation 55, 87–89, 245, 250, 255
- deconvolution 167, 175, 187, 191, 193, 194
- defects 74, 127, 129, 130, 138, 151, 157, 159, 160, 165, 213, 218, 220, 221, 227, 228
 - active 138
 - extended 123, 127
 - impurity 145
 - nitrogen-vacancy 140, 142
- deoxyribonucleic acid (DNA) 272, 278, 280, 294, 295, 299
- detonation 15, 17, 37, 39, 44, 51, 127
 - detonation carbon (DC) 43, 45–47, 49, 51, 53, 55, 57, 59, 61, 63, 69, 74–76, 80, 81, 92, 207
- detonation chamber 44
- detonation diamonds 17, 47, 122
- detonation nanodiamonds (DNDs) 15–18, 101, 102, 121–130, 138–142, 151, 152, 158–164, 166–170, 195–200, 205–206, 239–256, 267–278, 282–291, 294–296
- detonation products 39, 40, 44, 82, 88, 92, 93
- detonation soot 43, 44, 59, 68, 74, 95, 118, 159, 160, 241
- detonation synthesis 16, 17, 24, 37, 44–46, 125, 126, 268, 269
- devices 129, 242, 250, 260
 - blocking 44
 - electronic 256
 - electronic memory 248
 - high-precision 248
 - loading 44
 - ultrafast electronics 14
- diamond 2–5, 16, 17, 22, 23, 30–35, 41–44, 46–49, 77–79, 94–96, 101–103, 123, 124, 129–132, 267, 268, 292, 293
 - artificial 249, 259
 - cubic 6
 - grinded 292
 - hexagonal 19
 - large 292
 - macro 3
 - microscale 17
 - natural 3, 195, 269
 - nitrogen-free 130
 - pounded 292
 - single-crystal 79
 - static 134
 - synthesized 280
- diamond core 6, 24, 57, 80, 81, 91, 92, 94, 113, 173, 187–189, 195, 196, 218, 269
 - crystalline 57, 103, 218
 - inert 164
 - spherical 95
- diamond crystals 16, 17, 23, 37

- diamond lattice 123, 128–131, 218
 diamond lines 79, 123, 125, 126, 128, 129, 141
 diamond nanocrystals 133, 143, 259, 279
 diamondoids 7, 268, 269, 294, 295
 diamond surface 56, 61, 92, 114, 134, 177, 269
 luminescent 132
 nanocrystalline 290
 reconstructed 116
 diamond synthesis 16, 17, 20, 33
DLS *see* dynamic light scattering
 DMEM *see* Dulbecco's modified eagle's medium
 DNA *see* deoxyribonucleic acid
 DND aggregates 24, 82, 95, 243
 DND applications 84, 240, 242, 244, 247, 248, 251–253, 255, 256, 260, 274, 275, 289, 295
 DND crystallites 78, 86, 141, 142
 DND deaggregation 84, 240, 255
 DND grains 128, 141, 170, 246, 253
 DND hydrosols 63, 110, 112, 117, 118
 DND particles 56, 57, 59, 60, 80, 81, 84–86, 88–91, 108, 109, 168–171, 173–175, 240, 241, 245–247, 249–253, 255–258, 260, 285–287, 289, 290
 crystalline 55
 deaggregated 245
 dielectric 258
 hydrophilic 295
 primary 64, 93
 DND powders 67, 74, 82, 83, 136, 158, 159, 161, 218
 commercial 64
 conventional 86
 dry 242, 251
 sintered 142
 DNDs
 amino-functionalized 271
 amino-modified 281
 carboxylated 284
 carboxyl-modified 284
 commercial 254
 complex 56
 conventional 52, 67
 deagglomerated 60, 67
 deaggregated 88
 dry-synthesized 59
 fluorescent 287, 296
 industrial 60
 irradiated 139
 nonfluorinated 192, 195
 nonmodified acidic 286
 peptide-functionalized 271
 photoluminescent 285
 single-particle 83
 sintered 252
 DNDs *see* detonation nanodiamonds
 DND samples 88, 117, 126, 158, 159, 161, 166, 169, 170, 174, 187–191, 197
 DND surface 24, 94, 123, 134, 164, 167, 173–175, 177, 187, 192, 196, 200, 269–273, 281, 287
 DND suspensions 59, 67, 82, 90, 111, 114, 256, 257
 Dulbecco's modified eagle's medium (DMEM) 285
 dynamic light scattering (DLS) 65, 85, 111
 edges 22, 114, 212, 214–217, 219, 221, 222, 224, 228, 229, 231, 233
 armchair-type 217
 hydrogen-terminated graphite 216
 pentagon shares 8
 sharp 292, 293

- sharpest 292
uneven 216
edge spins 164, 224, 227, 228
EDL *see* electric double layer
electric double layer (EDL) 56–59,
 61, 63, 67
electromagnetic radiation 12, 109,
 152, 153, 155, 258
electromagnetic waves 109, 118,
 153, 259
electronic states 9, 15, 25, 130,
 206, 214, 215, 219, 227
electron paramagnetic resonance
 (EPR) 53, 69, 142, 151–160,
 162, 213, 222, 224, 255
EMs *see* explosive materials
endocytosis 283, 284, 300, 301
 clathrin-mediated 283, 285
 non-receptor-mediated
 285
 receptor-mediated 284, 300
EPR *see* electron paramagnetic
 resonance
EPR signals 157–159, 161, 163,
 164, 173, 215, 227
EPR spectrum 153, 156–158, 165,
 169
explosion 38, 39, 41–45, 177
explosion chamber 43, 44, 46
explosive materials (EMs) 40
explosives 17, 21, 40, 41, 43, 95
 commercial 43
- FBS *see* fetal bovine serum
ferromagnetic resonance (FMR)
 152
fetal bovine serum (FBS) 285,
 286
FETs *see* field-effect transistors
field-effect transistors (FETs) 61,
 248
fluorescent nanodiamonds 269,
 280
- FMR *see* ferromagnetic resonance
frequency
 circular 211
 excitation 113
 higher 79
 internal 113
 lower 79
 microwave band 156
 phonon 124
 plasmon 113, 114
 vibration 123
friction 241, 243, 245, 247, 248
 dry 246
 mechanical 249
 rolling 241
friction coefficient 242, 245, 247
fullerenes 4–10, 22, 23, 269, 270,
 293
functional groups 56, 59, 60, 63,
 65, 93, 145, 163, 246, 260,
 269, 270, 272–275, 290
- GFP *see* green fluorescent protein
graphene 4, 5, 10, 13–15, 24, 214,
 229, 269, 293
graphene sheets 22, 23, 164, 206,
 212–217, 219, 228, 230, 231
green fluorescent protein (GFP)
 289
- highly oriented pyrolytic graphite
 (HOPG) 14, 216
high-performance liquid
 chromatography (HPLC) 275
high-pressure–high-temperature
 synthesis (HPHT synthesis)
 16
high-resolution transmission
 electron microscopy (HRTEM)
 9, 74, 75, 91, 128, 145, 159,
 161, 190, 219

- high-temperature treatment (HTT) 163, 218
- HOPG *see* highly oriented pyrolytic graphite
- HPHT synthesis *see* high-pressure–high-temperature synthesis
- HPHT diamonds 16, 131
- HPHT method 131, 135, 139
- HPLC *see* high-performance liquid chromatography
- HRTEM *see* high-resolution transmission electron microscopy
- HTT *see* high-temperature treatment
- hybridization 2, 3, 5, 6
- atomic orbital 5
 - electronic shell 3
 - hampered 3
- hydrosols 63, 65, 66, 84, 85, 89, 101, 105, 109, 117, 118
- impurities 43, 46–48, 63, 68, 69, 77, 81, 151, 240, 254, 255, 270
- acceptor 212
 - gaseous 222
 - inert 52–54
 - metal oxide 50, 51
 - microscale 53
 - multicharged ion 63
 - noncarbon 49, 69
 - zirconium dioxide 83
- interaction
- anisotropic 184
 - dipole 184, 196
 - dipole-dipole 169, 173–175, 184
 - direct 270
 - electrical 107
 - electron-nuclear 201
 - hyperfine 156, 166
 - internal 161
- internuclear 182
- ionic 270
- long-range 90
- noncovalent 278
- laser ablation 12, 18, 33
- direct 18
 - pulsed 18, 32
- layers 10–12, 14, 81, 91, 95, 105, 118, 215, 217, 218, 220, 231, 246, 248
- defective nanocarbon 74
 - diffuse 56, 57
 - double electric 105, 107
 - electric double 56
 - metallic base 242
 - monomolecular 56
 - porous 58
 - thin 56, 298
 - tunneling-transparent dielectric 207
 - uniform 257
- luminescence 121, 140, 141, 258, 259, 281
- blinking 141
 - bright 141
 - high-efficiency 134
- magnetic abrasive lapping materials (MALMs) 248
- magnetic resonance 152, 159, 160, 166, 168, 170, 172, 188, 198, 199, 282
- magnetic resonance imaging 9
- magnetic resonance tomography (MRT) 283
- MALMs *see* magnetic abrasive lapping materials
- material
- aggregated 125
 - antifriction 12
 - biological 290

- bonded 247
carbon-based 121
complex 94
diamagnetic 186
evaporated 19
explosive 40
external 301
extracted 277
high-cost 254
hydrophilic 301
internal 300
jellylike 298
nanocarbon 214, 251
nanodisperse 251
nonhygroscopic 69
nonmetallic 242, 244
presolar 21
sealing 244
solid 129
unique 260
waste 299
mechanism 21, 22, 61, 67, 90, 197, 205, 214, 241, 242, 245, 249, 254, 255, 257, 284, 286
clathrin-dependent 286
common 286
complex 89
dipole-dipole 171
plausible 241
receptor-mediated 285, 286
medium 38, 45, 50, 56, 59, 106, 107, 210, 211, 287
acidic 56
aqueous 287
dispersing 106
Dulbecco's modified eagle's 285
inner 297
magnetized 210
nonlinear 250
surrounding 126, 289, 300
models 39, 40, 73, 74, 76, 78, 80–82, 84–88, 90–92, 94, 103–105, 111, 124, 162
biological 295
comprehensive 88
core-shell 91
mathematical 103
phonon confinement 125, 141
theoretical 39
modified DNDs 166, 169, 276, 280, 294
molecular motions 38, 182, 184
molecular structures 2, 6, 156
MRI *see* magnetic resonance imaging
MRT *see* magnetic resonance tomography
multilayered nanographites 217–223

nanocarbons 22, 23, 190
nanocrystalline diamond 18, 79, 125, 145, 278
nanodiamond films 75, 277, 278
nanodiamond gels 276, 280
nanodiamond hydrosols 108, 109, 111, 113
nanodiamond particles 54–56, 59, 62, 63, 73, 74, 76, 78, 90, 106, 107, 224, 246, 247, 256, 257, 269, 270, 282, 283
carboxyl-functionalized 283
graphitized 221
modified 289
polycation-coated 289
nanodiamonds
agglomerated 66
annealed 65
discrete 143
finished 51
fluorescing 280
fluorinated 187, 192–194
industrial 61–63, 67
isolated 50
modified 272
nontoxic 296
purified 55

- single digit 133
- synthesized 44
- nanographene 6, 206, 214, 215, 221
- nanographite particles 213, 218–222, 224
- nanographites 6, 22, 80, 164, 205, 206, 214, 215, 217, 219, 221–231, 233, 241
- nanographite samples 164, 221, 224–226, 229
- nanoparticles 18, 20, 23, 108, 111, 112, 131, 133, 169, 182, 185, 192, 231, 233, 253, 254, 283–286
 - aggregated 162
 - clean 18
 - fluorescent 134
 - gold 283, 284
 - identical 231
 - individual 231
 - iron 19, 281, 284
 - silicon-coated iron oxide 284
 - single 24
- nanopeapods 4, 6
- nanotubes 4–6, 12, 13, 258, 269, 292, 293
 - biotin-conjugated 292
 - monolayer 13
 - multilayer 12
 - single-wall 251
- nitrogen-vacancy (NV) 129, 131, 145, 258, 259, 280
- NMR *see* nuclear magnetic resonance
- NMR spectrum 182, 183, 186, 187, 190–192, 194
- nuclear magnetic resonance (NMR) 69, 79, 158, 159, 181, 183, 190, 191, 196, 197
- nuclear spins 129, 157, 165, 166, 181–186, 193, 195, 196, 259, 282
- NV centers *see* nitrogen-vacancy centers
- nitrogen-vacancy centers (NV centers) 129–132, 134, 137, 139, 141–143, 282
- onions 4, 11, 22, 23
 - concentric 23
 - giant 11
- optical density 110–112
- orbital diamagnetism 212, 213, 222, 228, 230, 231, 234
- orbitals 2, 3, 5, 152, 227, 228
 - electronic 2
 - empty 7
 - hybridized 3
 - occupied 7
 - total 211
- organelles 283, 291, 297–299
 - cellular 301
 - rod-shaped 298
 - sac-like 298
- organism 134, 283, 290, 291, 294, 296, 297
 - human 290, 295
 - living 251, 252, 291, 297
- oxidation 40, 41, 44, 48–51, 59–61, 65, 68, 76, 80, 81, 93, 253
 - acid 270
 - additional 39
 - complete 62, 68
 - liquid-phase 50
 - partial 92
 - selective 48
 - trial 68
- oxidizer 39, 40, 48–50, 68, 276
 - active 51, 75
 - aggressive 62
 - gas 48
 - inorganic 50
 - recirculating 52

- paramagnetic centers 159, 185, 186, 195, 223, 225
paramagnetic defects 159, 162, 163, 227
paramagnetic ions 168, 185, 196, 197, 226
particles
 abrasive 248
 agglomerated 92
 aggregated 255
 carbon 23
 charged dispersed 107
 colloidal 59
 dense 77
 dielectric 242
 discharge-produced 10
 dispersed 107
 faceted 89
 ferromagnetic 170
 high-energy 11, 139
 idealized 94
 indistinguishable 231
 interfacing 90
 internalized 285
 large 117, 257, 285
 metal impurity 81
 micron-size 63
 multilayered 222
 nanocarbon 257
 nanographitic 164
 nanometer-size 212
 nanosized 83, 214
 nanosized HPHT 134
 perfect onion 75
 quasi-spherical 10, 219
 single-crystal micron-sized 20
 spherical 10, 111
 spherical carbon onion 253
 tungsten 288
phonon modes 123, 124, 218, 220
phonons 78, 79, 123, 124, 128, 185, 254
 ballistic 257
 zone-center 123
photonic crystals 118, 250, 251
PLA *see* pulsed laser ablation
planes 38, 91–93, 127, 128, 163, 212, 218
 basal 228
 crystal 46, 74
 crystallographic 75
 curved graphene 218
 curved nanographene 218
 pressure-temperature 23
polymers 9, 14, 245–247, 270, 273
 biological 271
 organic 244, 272
 thermoplastic 246
powders 46, 74, 81, 88, 158, 213, 222, 292
 aggregated 89
 black 46
 dry 246, 255
 graphite 213
 grayish 20
 silica gel 276
probes 126, 171, 173, 175, 182, 201, 259, 283, 294
 diagnostic 274
 magnetic 171
 fluorescent 280
 intracellular 274
 scanning magnetic 282
 scanning nanoscale 282
proteins 134, 271, 272, 275, 276, 282, 283, 286, 287, 298–300
 adaptive 300
 attached 287
 green fluorescent 289
 membrane 299
 risk marker 277
pulsed laser ablation (PLA) 18–20, 32
quantum dots 129, 134, 141, 279, 280, 283, 296

- Raman scattering (RS) 78, 121, 123, 221
- Raman spectrum 75, 76, 79, 121–128, 141, 142, 220, 282
- resins 244, 245, 272
- epoxy 247
 - organic 272
- RS *see* Raman scattering
- samples 67, 69, 74, 77, 78, 125, 126, 153, 155–157, 159, 160, 163–165, 167–175, 192, 193, 196–199, 206–209, 223, 229, 230
- air-saturated 173
 - complex 69
 - irradiated 135
 - milled 67
 - nanodiamond suspension 59
 - nonevacuated 175
 - polycrystalline 169, 184
 - standard 69
- SAXS *see* small-angle X-ray scattering
- scale 82, 160, 183, 259
- commercial 46, 269
 - high-precision 69
 - industrial 25, 51
 - macroscopic 56
 - nanosized 151
 - semi-industrial 12
 - semilog 196, 197
- scanning tunneling microscopy (STM) 216, 217
- scanning tunneling spectroscopy (STS) 217
- scattering 78, 80, 85, 108, 109, 111, 112, 114, 117, 118, 123, 220
- electron 229
 - photon 221
 - small-angle X-ray 75, 126, 145
- shells 2, 6, 46, 77, 78, 80, 81, 89, 92, 94, 187, 189
- diffuse 56
 - disordered 195
 - electronic 3, 211
 - hollow carbon 8
 - lower-density 91
 - particle surface 91
 - sp^2 83, 113, 189, 190
 - thick 46
 - water-tight 46
- shock wave 21, 37, 38, 42, 47, 288
- signals 124, 142, 156, 157, 159, 161, 165, 169, 173, 174, 177, 192, 196, 259
- electric 258
 - electrical 250
 - intense 195
 - magnified 188
 - narrow 187
 - nuclear location 284
 - output 209
 - primary electric 208
 - singlet 157, 159
 - sp^2 phase 79
- small-angle X-ray scattering (SAXS) 75, 85, 126, 140
- sorbents 252, 275, 276, 296
- spectroscopy 121, 153, 157, 182, 216
- electron energy loss 222
 - infrared 281
 - optical 157
 - scanning tunneling 217
 - time-resolved pulsed PL 139
 - transmission electron 55
- spins
- active 132
 - electronic 181
 - free 259
 - individual 224
 - interacting 173
 - isolated 225
 - localized 223, 224, 226

- neighboring 192
quasi-localized 224
single 130, 260
uncompensated 152
unpaired 160
- STM *see* scanning tunneling microscopy
- STS *see* scanning tunneling spectroscopy
- synthesis 8, 12, 16, 18, 37, 45, 46, 95, 131, 158–160, 272
dry 60, 61, 88
explosion-based 45
ice 46
protein 299
solid-phase 272
wet 46
- systems 23, 43, 56, 63, 105, 113, 129, 152–154, 161, 181, 182, 186, 223, 227, 252, 299
aromatic 230
backup 247
circulatory 290
depo-form 289
immune 278
living 279
metabolizing 294
nervous 290
real 181
three-level 259
- TEM *see* transmission electron microscopy
- toxicity 52, 134, 291–293
intrinsic 279
pulmonary 290
- transformation 11, 21–24, 39, 163, 205
chemical 38, 41
E. coli 288
explosive 39
genetic 288
nanodiamond-to-carbon onion 201
sequential 218
yeast 288
- transmission electron microscopy (TEM) 82, 86, 91, 128, 163
- ultrasonic cavitation 20, 33
ultrasonic treatment 64, 65, 83, 84, 88, 249
- X-ray diffraction (XRD) 68, 82, 86, 88, 126, 145, 161, 163
X-ray diffraction patterns 20, 47, 77
- XRD *see* X-ray diffraction