

Index

- acute myocardial infarction (AMI)
 - 17, 19, 73–74, 76–77,
 - 80–81
- adipose-derived stem cells (ADSCs) 56, 75, 78, 127, 131
- ADSCs, *see* adipose-derived stem cells
- agarose 131, 158
- alginate 90, 92, 130, 158
- AMI, *see* acute myocardial infarction
- angiogenesis 4, 18, 21, 23, 25, 74, 79, 91, 133, 145, 188–189, 191
- arrhythmias 2, 73, 82, 146, 161
- autologous cell transplantation 222
- autologous cells 3–4, 142, 221
- beta-catenin 39–40
- biodegradable scaffolds 89–90, 93, 97, 107, 195, 205, 214
- bioengineered heart 5, 224–225
- bioreactor technologies 135, 216–217
- bioreactors 162, 212–213, 216–217, 223
 - hollow-fiber 213–214
- blood 175, 189, 194, 196–197
- blood vessels 1, 19, 97, 161, 187–189, 192, 194, 196
- BM, *see* bone marrow
- BM cells 73
- BM-derived cells 72, 74–75, 78, 80–81
- BM mononuclear cells 19, 21, 91
- BMP, *see* bone morphogenetic protein
- BMP signaling 38–39
- bone marrow (BM) 3, 18, 22, 33, 72, 74, 79, 146
- bone morphogenetic protein (BMP) 36–39, 163
- bone regeneration, guided 93
- canonical Wnt pathway inhibition 40–41
- cardiac cell sheet transplantation 177–178
- cardiac cell sheets 147, 173–175, 177–178, 188, 193, 223
 - layered 147, 173–177
- cardiac cell therapy 142–143, 147, 149
- cardiac cells 1–2, 44, 96, 143, 147, 159–160, 162, 177–178, 196, 204, 207, 224
 - dissociated 177–178
- cardiac crescent 34–35, 40
- cardiac development 34, 36
- cardiac differentiation 34, 36–45, 56, 60–63, 134, 163
- cardiac differentiation efficiency 38, 44, 56, 62–63
- cardiac function 18–19, 24–26, 74, 79, 125, 129, 133–134, 142, 145–148, 163, 178, 224
 - improvement of 3, 5, 21–24, 26, 125, 132–133, 145–146, 149, 161, 223
- cardiac patches 125, 130–131, 135, 203

- scaffold-based 125–126
- cardiac progenitor cells (CPCs)
 - 25, 72, 75, 78–79, 111, 143, 147
- cardiac progenitor proliferation
 - 42, 44
- cardiac progenitors 40–42, 72
- cardiac repair 26, 126, 128, 131
- cardiac stem cells 3, 76, 111, 222
- cardiac tissue 4, 26, 55, 125, 206–207, 214, 216, 224
- cardiac tissue grafts, pulsatile 172
- cardiac tissue regeneration 72, 134
- cardiac tissue repair 125
- cardiac transplantation 73, 146
- cardiogenesis 38
- cardiomyocyte differentiation
 - 33–34, 36–38, 40, 42, 44, 73, 81, 147
- cardiomyocyte enrichment 63, 65
- cardiomyocyte hypertrophy 176, 207
- cardiomyocytes 4–5, 17–19, 22–26, 33–34, 39, 55–56, 63–65, 74–75, 79, 146–148, 173–174, 176, 193–194, 208, 225
 - cell-derived 5, 44, 163
 - cultured 204–205
 - differentiated 4, 39, 43, 64, 147–148, 222–223
 - progenitor cells of 65
- cardiomyopathy, dilated 2, 22, 77, 145
- cardiovascular disease 17–18, 111, 114, 157, 171, 177
- cartilage tissue 108, 113
 - damaged 113
- cell adhesion 39, 58, 62, 91
- cell loss 4, 107–108, 111, 171
- cell proliferation 36, 109
- cell sheet therapy 143, 145, 147, 149
- cell sheet transplantation 82, 111–112, 117, 142, 146, 148, 177
- cell sheet-based myocardial
 - patches 141–142, 144, 146, 148, 150
- cell sheet-based myocardial tissue
 - engineering 171–172, 174, 176, 178
- cell sheet-based tissue engineering
 - 107–108, 110–111, 113–116, 118
- cell sheets 3, 108–111, 114, 118, 134, 142–144, 146–149, 172–174, 177–178, 191, 193, 205, 223
 - autologous epithelial 110
 - detached 109, 144
 - detaching 109, 144
 - intact 143–144
 - layered 113, 148, 174, 191
 - oral mucosal epithelial 110, 112
 - thyroid 117
 - transplantation of layered
 - cardiac 176–177
 - transplanted 149, 175–176
- cell surface proteins 109, 143, 173
- cell survival 76, 80–81, 91, 142, 177
- cell therapy 3, 5, 27, 65, 77, 115, 143, 221
- cell transplant therapy 17–18, 27
- cell transplantation 18, 20, 71–73, 75–77, 79–80, 82, 145
 - intramyocardial 75
- cell–cell junctions 109, 143, 173
 - disruption of 173
- cells
 - bone marrow-derived 111
 - cocultured 194
 - epiblast 34–35
 - mural 194

- cellular cardiomyoplasty 131
- cellular constituents 17–18, 79
- chondrocytes 91–92
- collagen 23, 90–92, 96, 127, 131–132, 134, 158, 204
- confluent cells 109, 143–144
- coronary artery 1–2, 76–77
- CPCs
 - see* cardiac progenitor cells
 - transplantation of 25
- culture dishes, temperature-responsive 3–4, 109, 117, 193, 222
- culture scaffold 91
- culture surfaces, temperature-responsive cell 143
- cultured cells 89, 108, 172–173, 187, 211–213
- cytokines, angiogenesis-related 3, 144, 146, 148–149, 178

- damaged heart 3–4, 26, 71, 77, 111, 172, 177–178, 216, 222, 224
- damaged myocardium 2–3, 26, 33, 164
- decellularization 95–96, 134, 196
- decellularized tissues 95, 97, 162, 196
- diabetes 27
- dissociated cell injection 4, 111, 177

- EBs, *see* embryoid bodies
- ECs, *see* endothelial cells
- EHT, *see* engineered heart tissue
- electron beam 108–109
- embryoid bodies (EBs) 39–40, 60–62
- embryonic development 34–35, 38, 43, 45
- embryonic stem cells (ESCs) 4–5, 26–27, 56–58, 127, 147, 163, 178, 216, 222

- endoderm 34, 38, 40
- endoscopic mucosal resection 112
- endoscopic submucosal dissection (ESD) 112
- endothelial cells (ECs) 1, 65, 79, 116, 145, 148, 161, 163, 175, 188–189, 191, 193–196, 216, 223, 225
- endothelial cells
 - coculture 190–191
 - cocultured 192–193
 - vascular 17–19, 26
- endothelial progenitor cells (EPCs) 18–19, 73, 111, 145, 148, 188, 222
- engineered heart tissue (EHT) 131–132
- engineered myocardial tissue 135, 159–161, 187–188, 190, 192, 194, 198, 212, 223
- engineered tissues 4, 107, 142, 158, 160, 176, 189–190, 192, 194, 196–197
- EPCs, *see* endothelial progenitor cells
- epicardium 42, 132
- ESCs, *see* embryonic stem cells
- ESD, *see* endoscopic submucosal dissection

- FACS
 - see* fluorescence-activated cell sorting
 - drawbacks of 64
- FGFs, *see* fibroblast growth factor
- fibrin 90–91, 127, 133
- fibrin glue 91
- fibrinogen 91, 133
- fibroblast growth factor (FGFs) 3, 20, 35–36, 42, 60, 116, 134, 148, 178, 188
- fibroblast sheets 113–114, 148

- fibroblasts 1–2, 18, 42, 94, 126, 194, 225
- fibrosis, suppression of 18, 22, 25
- fluorescence-activated cell sorting (FACS) 63–65
- gap junctions (GJs) 4, 147, 160, 174–175, 177–178, 213
- gastrulation 34, 38
- gelatin 90–92, 127, 132, 158
- gene expression, cardiac marker 39, 41
- GJs, *see* gap junctions
- glycolic acid 92–94, 127–128
- grafts 128–130, 132–133, 176, 194, 207
 - implanted tissue 148, 161
 - transplanted myocardial 175
 - transplanted myocardial tissue 176
- heart 1–2, 24, 27, 55, 71–73, 75–76, 79–80, 82, 131, 133, 161, 163, 188, 204–206, 224–225
 - four-chambered 35
 - infarcted 21, 73–74, 128, 130–133
 - injured 19–20, 23
- heart cell transplantation 72, 80
- heart development 34–35, 38, 40, 42–43
- heart disease 2–3, 27, 125, 129, 135
 - ischemic 2
- heart failure 72, 77–79, 81, 125–126, 141, 143, 145
- heart function 2, 130, 148
- heart muscle 1
- heart tissue 1, 25, 204–205, 225
 - real 159–160, 175, 178
- heart tissue regeneration 79–80
- heart tissue repair 34
- heart transplantation 2, 129, 141, 203
- heart tube 34–35
- hemangioblasts 41, 188
- hepatic tissue 115
- hepatocyte growth factor (HGF) 3, 20–23, 25, 27, 128, 144–146, 148, 178
- hepatocytes 90, 96, 115–116
- HGF, *see* hepatocyte growth factor
- host blood vessels 190, 192–193, 197
- host heart 21, 23, 26–27, 74, 160, 164, 175, 177, 224
- host heart tissue 82
- host heartbeat 206
- host myocardium 4–5, 161, 163, 205
- host tissues 110, 143, 158, 164, 172, 174–175, 193, 223
- human embryonic stem cells 4, 26, 56, 81, 163, 222
- human heart 1, 77, 80
- human induced pluripotent stem cells 56
- hyaluronic acid 90, 92
- hydrogels 90, 93, 125, 127, 131, 142, 159, 162, 164, 195
 - natural 90–91, 93, 97
 - synthetic 92–93, 97
- ischemic cardiomyopathy 23, 79, 81, 143
- ischemic hearts 178
- islet cell sheets 114–115
- islet tissues 114–115
- lactic acid 35, 92–94, 128, 213
- LCST, *see* lower critical solution temperature
- left ventricular ejection fraction (LVEF) 19, 24, 73–74, 78, 146
- liver tissue 117

- lower critical solution temperature (LCST) 108, 143, 172
- LVEF, *see* left ventricular ejection fraction
- MACS, *see* magnetic-activated cell sorting
- MAGIC, *see* myoblast autologous grafting in ischemic cardiomyopathy
- magnetic-activated cell sorting (MACS) 63–64
- MAPK, *see* mitogen-activated protein kinase
- MEFs, *see* mouse embryonic fibroblasts
- mesenchymal stem cells (MSCs) 22–23, 74–75, 81, 127, 131, 134, 143, 146, 222
- mesenchymal tissues 22, 74
- mesoderm 34, 36, 38–43
- microcarriers 58–60, 62–63
- microchannels 191, 194, 215
- mitogen-activated protein kinase (MAPK) 37, 163
- mouse embryonic fibroblasts (MEFs) 56
- mouse embryonic stem cells 81
- MSCs
 - see* mesenchymal stem cells
 - implanted 129, 133–134
- murine heart 25
- Myoblast Autologous Grafting in Ischemic Cardiomyopathy (MAGIC) 23
- myocardial assistance 132
- myocardial cells 82, 215
- myocardial infarct 21, 25–26
- myocardial infarction 22, 25–26, 55, 71–72, 74, 76, 78–80, 82, 128, 131, 133–134, 146–147
- myocardial ischemia, chronic 74
- myocardial perfusion 74–75, 142
- myocardial repair 23–24
- myocardial scar tissue 132
- myocardial tissue 5, 147, 149, 158–163, 172–174, 178–179, 188–189, 193, 196, 198, 203, 207, 215–216, 221, 223–225
 - bioengineered 4
 - cell-dense 223
 - electrical communicative 4
 - formaldehyde-fixed 161
 - functional 188
 - human 164
 - human cell-derived
 - engineered 223
 - implantable tube-shaped 206
 - large-size 160, 223
 - large-size pulsatile 161
 - noncontractile 161
 - pulsatile 4, 159, 161, 163–164, 173, 176, 222
 - recellularized 162
 - reconstructed 160, 162
 - scaffold-based 3
 - thick 197
 - thick pulsatile 197
 - transplanted 159, 161
 - vascularized 164, 197
 - in vitro–bioengineered 176
 - in vivo transplantation of
 - pulsatile 159, 161
- myocardial tissue grafts 161
- myocardial tissue models 164
- myocardial tissue reconstruction 159, 162, 207, 224
- myocardial tissue regeneration 158
- myocardial tissues, fabricated 142, 160
- myocardial tubes 207, 224
- myocardium 23–24, 78, 108, 133–134, 141–142, 146–149, 160–161
 - functional 4

- infarcted 77, 91, 130, 133, 135, 145, 148, 161
 - injured 34, 80, 129, 133, 149, 203
- myocardium tissue 33
- neovascularization 21, 26–27, 129, 133, 144–145, 148, 189–192
- nonparenchymal cells 116
- organ function restoration 71–72
- oxygen 2, 58, 80, 187–188, 211–213, 215
- paracrine effects 4, 18–20, 22–23, 27, 79, 149, 158, 161, 172, 222
- PDGF, *see* platelet-derived growth factor
- perfusion bioreactor 214–215
- pericardium 133–134
- pericytes 188–189, 191, 225
- periodontal regeneration 112
- periodontal tissues 111–112
- platelet-derived growth factor (PDGF) 20, 191–192
- pluripotency 45, 56–57, 59–60
- porous scaffolds 132, 159, 193
- progenitor cells 34–35
- proteins 18, 21, 23
 - bone morphogenetic 36, 163
- regenerative medicine 5, 89, 95, 110–111, 113, 115, 118, 149, 158, 164, 172, 178, 217, 221, 224
- retinoic acid 43
- retinoid X receptor (RXR) 43
- right ventricular outflow tract (RVOT) 129
- rotating wall vessel (RWV) 212–213
- RVOT, *see* right ventricular outflow tract
- RWV, *see* rotating wall vessel
- RXR, *see* retinoid X receptor
- scaffold-based cardiac pumps 204–206
- scaffold-based myocardial patches 125–126, 128, 130, 132, 134
- scaffold-based tissue 142, 158
- scaffold-free tissue 5, 108, 158
- scaffolds 89–90, 93–97, 109, 113, 125–126, 128, 134, 142–143, 158–160, 162, 164, 192, 195–196, 213, 215
 - biomaterial 125–126
- second heart field (SHF) 42
- self-renewal capacity 56–57, 59
- self-repair 21, 24, 112
- SHF, *see* second heart field
- signaling pathways 35–37, 39, 41, 45
- skeletal myoblasts 3, 23–24, 71, 111, 130, 132
- SMCs, *see* smooth muscle cells
- smooth muscle cell 189
- smooth muscle cells (SMCs) 1, 18–19, 21, 26, 65, 72, 90, 93, 127, 133–134, 161, 189, 191, 194, 225
- soft tissue augmentation 92
- stem cell expansion 55–56, 58, 60, 62, 64, 66
- stem cells 4, 17–18, 27, 33–34, 36, 38, 40, 42, 44–45, 81, 149, 225
 - bone marrow 146
 - endogenous cardiac 18, 25–26, 75–76
 - resident cardiac 56
 - transplanted mesenchymal 22–23

- subcutaneous spaces 114, 116, 196
- subcutaneous tissue 132, 174–175
- supernatants 21–23, 27
- surface antigens 63–65
- surgical suture 93–94
- TEM, *see* transmission electron microscopy
- temperature-responsive culture
 - surface (TRCS) 108, 110, 113–114, 142–144, 158, 173, 206
- therapies
 - cell-based 107, 111, 117
 - cellular 71–72
- tissue
 - bioengineered 4, 171, 187, 192, 197
 - cell-dense 195, 207
 - connective 20, 90, 132, 189
 - dermal 94
 - engineered cardiac 188, 213
 - nonpulsatile 4, 164
 - scar 131
 - transplanted 160, 193, 211
 - vascularized 194–196
- tissue constructs 126, 133, 135, 223
 - optimal human myocardial 163
- tissue culture 131, 215
- tissue fabrication 189, 204, 206, 208, 224
- tissue perfusion 194
- tissue regeneration 71–72, 89, 93, 111
- tissue repair 44
- tissue stem cells 33
- tissue survival 187, 197
- tissue transplantation 222
- transmission electron microscopy (TEM) 206–207
- transplantation
 - engineered-myocardial-tissue 161
 - engineered-tissue 158
- transplantation of mesenchymal stem cells 22–23
- transplantation of pulsatile myocardial tissue 159
- transplanted cardiac cell sheets 175, 177
- transplanted myocardial tissue graft 223
- TRCS, *see* temperature-responsive culture surface
- trypsin 95–96, 178
- vascular endothelial growth
 - factor (VEGF) 3, 20–23, 25, 27, 39, 128, 144–146, 148–149, 175, 178, 188, 191–192, 194
- vascularization of engineered tissues 197
- vasculogenesis 188
- VEGF, *see* vascular endothelial growth factor

