

Index

- aerogels 3, 50, 56, 58–59, 65
 - organic 57–58
 - resorcinol–formaldehyde 57–58
- AFAM, *see* atomic force acoustic microscopy
- AFM, *see* atomic force microscopy
- atomic force acoustic microscopy (AFAM) 109–10, 118
- atomic force microscopy (AFM) 19, 90, 106, 109, 157, 186
- atomic layer deposition 90

- band conduction 81
- bandgap narrowing 99
- batteries 53, 181, 185
- bias-enhanced nucleation 8–9
- biological systems 107, 110, 117–18
- biomaterials 106, 110
- biosensors 105, 116
 - self-sufficient 118–19
 - self-sufficient diamond-based 115
- biosystems 117–18

- CA *see* carbon aerogel
- CA-stabilized nanomaterials 68
- carbon aerogel (CA) 49–61, 63–68
 - activated 61
 - design of 56–57, 59, 61, 63, 65, 67
 - most promising applications of 51, 53
 - ordered macroporous 63–64
 - synthesis of 51–52, 56–57, 60–61
- carbon-based materials 3, 172, 187, 192–93
- carbon-based nanomaterials 184
- carbon-based nanoscale materials 3
- carbon dioxide 57, 60
 - liquid 57
- carbon electronics 79–80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100
- carbon materials 136, 179
 - allotrope 171
- carbon nanomaterials 50, 179
- carbon nanotubes (CNTs) 50, 61–63, 68, 79, 87–91, 99, 101, 125–28, 130, 132, 134, 136, 142, 172–85, 187–95
 - chemical properties of 178
 - clean 91
 - cytotoxic effects of 179
 - doped 88
 - double-walled 62, 173
 - functionalized 182, 184
 - metallic 173
 - multiwalled 87, 125–26, 128–29, 131, 140, 144–45, 173–74, 176, 181–83, 188
 - purified 143, 146
 - semiconducting 88–89
 - sensor applications of 180
 - sheared mechanically 181
 - single-walled 63, 87, 91, 126, 128–33, 135–41, 144, 146, 173–74, 179, 183–84, 187–88
 - synthesis of 125–26, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146

- carbonization 62, 65
- carbons, activated 55, 61
- carburization 16
- catalysis 49–52, 55, 66, 68, 118
- catalyst metals 138–39, 141
- catalysts 56, 59, 64–65, 133, 138–40, 186, 190
- CCVD, *see* combustion CVD
- chemical vapor deposition (CVD) 6, 13, 66, 68, 81, 138–39, 143, 156
- chemistry
 - sol-gel 49–50
 - wet 133–34
- CNT-based materials 179
- CNT diode 91, 93
- CNT raw material 181
- CNTs *see* carbon nanotubes
- cobalt 138–39
- combustion CVD (CCVD) 13
- composite materials 54, 62, 66, 175, 181, 185–86, 191–92
 - carbon-based 186
- composites 175–76, 181, 185, 192
- conductance 87, 91–92, 97
- continuous arc discharge 139–40
- Coulomb blockade 94–95, 98
- crystallites 6–7, 19, 24, 26, 58
- crystals, colloidal 63–64
- CVD, *see* chemical vapor deposition
- CVD diamond 85, 156–60, 167
 - high-quality 177
 - large-grained microcrystalline 156
 - single-crystal polycrystalline 81
 - transparent 162–63
- CVD diamond films 21
- DCS, *see* diamond-coated silicon
- desalination 49, 52, 54–55, 68
- diamond 5–6, 19–22, 25, 28, 79–85, 98, 115–17, 155, 157, 160–61, 167–68, 174, 176–77, 187–88, 191
 - boron-doped 81, 84
 - Coulomb 97–98
 - hydrogen-terminated 116–18
 - hydrogen-terminated nanocrystalline 116
 - hydrogenated nanocrystalline 112, 119
 - metastable form 5
 - microcrystalline 15, 163
 - natural 6, 20, 85, 115, 155
 - natural hydrogenated 110
 - polycrystalline 13, 28, 82, 187
 - single-crystalline 20–22, 26, 177
 - synthetic 155, 188
 - tribomaterial 19
 - ultrananocrystalline 18, 157, 175, 195
 - undoped 81
 - Young's modulus of 176
- diamond-coated silicon (DCS) 164, 166
- diamond coatings 24, 165
- diamond crystals 18
- diamond deposition 11, 16, 156
- diamond disks 157
- diamond films 23, 26, 28, 81, 156, 167, 187
 - hydrogen-terminated 115
- diamond-like carbon (DLC) 79, 86, 101, 191
- diamond microstructure 28, 32–33
- diamond nanoparticles 11, 177
- diamond nucleation 7, 10
- diamond particles 11
- diamond precursors 8
- diamond seeds, primary 11
- diamond stones 79, 82
 - single crystalline 6

- diamond-structuring techniques 162
- diamond substrates 14, 164
- diamond synthesis 5
- DLC, *see* diamond-like carbon
- dopants 81–82

- EDLCs, *see* electric double-layer capacitor
- electric double-layer capacitor (EDLCs) 52–53, 61
- electrical conductivity 20, 49, 59, 115, 117, 143, 146, 173, 191–92
- electronic devices 81, 185

- FEDs, *see* field emission displays
- FETs, *see* field-effect transistors
- FFM, *see* friction force microscopy
- field-effect transistors (FETs) 80, 84, 94, 99
- field emission displays (FEDs) 180, 188
- formaldehyde 51, 56–57, 62
- friction force microscopy (FFM) 109

- fullerene cages 99
- fullerenes 79, 99, 101, 126, 140, 179, 189
 - encapsulated 99

- gels 56–59
- gold 107, 176, 188
- gold nanoparticles 107
- graphene 49–50, 68, 79, 93–97, 101, 126, 130, 174
- graphene sheets 62–63, 93, 126, 128, 135, 137
 - individual 63
- graphite 15, 18, 128, 132–33, 135, 140, 156, 173

- humidity sensors 115–16
- hydrocarbons 13, 33

- hydrogen 10, 15, 25–26, 32, 36, 49, 52, 54, 58, 68, 117, 184
- hydrogen physisorption 52
- hydrogen storage 52–53, 180, 184–85, 192
- hydrophilic surfaces 108–9
- hydrophobic surfaces 109, 118
- hygrometers 115, 119
 - diamond-based 115

- ICP, *see* inductive couple plasma
- IFM, *see* interfacial force microscopy
- inductive couple plasma (ICP) 161
- interfacial force microscopy (IFM) 109

- jewelry industry 175–76

- laser evaporation 139, 141
- LCDs, *see* liquid crystal displays
- LEDs, *see* light-emitting diodes
- light-emitting diodes (LEDs) 96
- liquid crystal displays (LCDs) 96, 180

- materials
 - hardest-known 22
 - high-aspect-ratio 67
 - high-surface-area 49
 - implant 179
 - low-density 58
 - macroscopic 1
 - nanostuctured 189
 - nondiamond 6
 - nonferrous 156
 - novel nanocomposite 175
 - organic 116, 171
 - plastic 115
 - polymer 182
 - semiconductor 80
 - solid-state hydrogen storage 53

- ultra-high-aspect-ratio 67
- wide-bandgap 80
- mechanical watch movements 156, 158–60, 162
- metal nanoparticles 62, 64, 192
- metal oxides 66, 187
- metal–diamond galvanic coatings 175
- metals 16, 67, 88, 107, 138, 175–76
 - refractory 16
- methane 10, 15, 32–33, 138
- microcrystalline diamond films 18
- microorganisms 116, 119

- nanocrystalline diamond 17, 19, 21, 23, 25, 27, 105–6, 108, 110, 112, 114, 116, 118, 120, 155–56
 - hydrogen-terminated 115–17, 119
 - nanometer-sized 7
 - nonhydrogenated 110
- nanodiamond 5–6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 171–72, 174–78, 186–96
 - synthesis of 5–6, 8, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36
- nanodiamond crystallites 11
- nanodiamond scalpels 191
- nanodiamond seeds, primary 12
- nanoelectronics 178, 181, 185
- nanomaterials 1, 5, 68, 105, 172, 185, 187, 189–90
 - biocompatible 106
 - carbon-based 50, 172, 186
- nanomedicine 105–7, 110–11, 113
- natural diamond, high-quality 155

- OAS, *see* optical absorption spectroscopy

- OLEDs, *see* organic light-emitting diodes
- optical absorption spectroscopy 132–33
- optical absorption spectroscopy (OAS) 132–33
- optical spectroscopy 133–34
- organic light-emitting diodes (OLEDs) 180
- oxygen 28–29, 33–34, 58, 88, 161

- PEM, *see* proton-exchange membrane
- phonons 20, 25, 137
 - optical 136–37
- physical vapor deposition (PVD) 132, 138
- plasma 13, 17, 131–32, 180
- plastic foils 156
- platinum 65, 117, 176
- polycrystalline diamond films 6, 15, 18, 23, 187
- polymer composites 175, 181, 192
- polymerization, sol-gel 62, 65
- polymerization catalyst 59
- polymers, thermoplastic 182
- porous carbon materials 51
- porous carbons 50, 52
- protein function 119
- proton-exchange membrane (PEM) 55
- proton hopping 117–18
- proton transport 117
- protons 117–18
- pulsed arc technique 140–41, 144, 146
- PVD, *see* physical vapor deposition
- pyrolysis 51, 58

- radial breathing modes (RBMs) 135–36
- Raman spectroscopy 135

- RBM, *see* radial breathing modes
- resorcinol 51, 56–57, 59, 62
- scanning electron microscopy (SEM) 7, 18, 34, 63, 90, 162
- scanning probe microscope (SPM) 188
- scratches 8–9
- secondary nucleation 26, 30, 32–34
- seeding technique 7–8
- SEM, *see* scanning electron microscopy
- semiconductors 93, 99
- silicon 10, 26, 80, 92, 162, 164, 166–68, 171, 187–88
 - diamond-coated 166
- silicon dioxide substrate 88–89
- silicon substrates 8
- silicon wafers 8–9, 115, 119, 165
- silver 174, 176
- sol-gel process 51, 65
- SPM, *see* scanning probe microscope
- supercapacitors 50, 53, 55, 181
- TDS, *see* total dissolved salts
- thermal conductivity 20, 25, 59, 80, 174, 177
- thin films 51, 107, 146, 191
 - conductive 146
- tooling industry 156
- total dissolved salts (TDS) 55
- watch movement 161, 165, 168
- watches 160, 167, 175
- wear resistance 19, 24, 157, 163, 167
- X-rays, soft 112–14

