

Index

- ABS *see* acrylonitrile butadiene styrene
- acid
 - (poly)glutamic 238
 - (poly)glycolic 249, 258
 - 4-pentenoic 71
 - 5-aminolevulinic 254
 - ascorbic 48, 50
 - carboxylic 37
 - citric 58
 - dodecylbenzenesulfonic 315
 - ethylenediaminetetraacetic 186
 - fatty 274
 - folic 253
 - formic 221, 326, 330
 - hydrochloric 190, 331
 - hydrophobic polylactic 244
 - lactic 249, 259–261
 - myristic 315, 319, 324, 326
 - oleic 232, 242
 - oxalic 326, 330
 - tetrachloroauric 128
- acoustic cavitation 1
- acrylonitrile butadiene styrene (ABS) 303
- activity
 - anticorrosion 365
 - bactericidal 287, 297
 - cathodic 362
 - electrocatalytic 193
 - enzymatic 236
 - pH-buffering 364
 - photo-electrochemical 334
- agents 239, 273, 288, 292
 - anti-caking 137
 - antineoplastic 245
 - bioactive 237
 - chemical 372
 - chemical reductive 189
 - gelling 137
 - glutaraldehyde 246
 - reducing 64, 174, 195, 238, 271
 - reinforcing 153
 - silane 21
 - structure-directing 24, 98, 209
 - toxic-stabilizing 90
 - tumor 253
 - ultrasound contrast 237, 239
- aggregation 31, 36, 126, 186, 187, 189, 216, 219, 304, 312, 313, 381, 391–394, 396, 397, 406, 409, 412
 - diffusion-limited 193
 - interparticle 45
- alkyd coatings 320, 321, 324
- alkyd resin 319–321, 323, 324, 335
- antibacterial activity 270, 271, 281, 283, 285, 287, 288, 295, 297, 300
- antibacterial effect 282, 285, 294
- antibacterial properties 270, 271, 288, 291, 295
- antimicrobial activity 64, 82, 264, 265, 274, 275, 281, 284, 286, 289
- applications 2–4, 16–18, 25–27, 79, 81, 83, 84, 109, 110, 112, 113, 133, 168, 184, 185, 196–199, 274, 335, 336, 374, 375

- air filtration 137
 - automobile industry 144
 - biomedical 218, 244
 - chemical processing 131
 - drug delivery 238
 - environmental 120, 166
 - fuel cell 76
 - high-temperature 315
 - industrial 127, 205
 - latex 303
 - pharmaceutical 243
 - synthetic 211
 - technological 303
 - textile 286
 - therapeutic 230
- bimetallic nanoparticles 4, 5, 43, 45–47, 56, 58, 60, 62, 64, 66, 68, 70–78, 80, 82, 84, 86
- bovine serum albumin (BSA) 66, 236, 238, 240–242
- Brownian motion 399–401
 - rotational 401, 407
- BSA *see* bovine serum albumin
- bubbles 3, 4, 41, 42, 56–58, 60, 91, 92, 127, 132, 136, 174, 266, 267, 306, 345, 382–386, 412, 417–420
 - acoustic 266, 412, 421
 - collapsed 382
 - collapsing 3, 34, 91, 92, 132, 133, 267
 - gas 133, 177, 382
 - inertial 3
 - micro 239, 305
 - microscopic vapor 128
 - nucleate 351
- bubble temperature 42, 419, 420
- carriers 229, 244, 248, 249, 251, 254, 259
- charge 95
- colloidal 228
- natural 247
- transport 65
- catalysts 17, 24, 30, 39, 43, 74, 76, 95, 219, 277, 304, 330, 368
 - acidic 24
- cavitation 1–4, 14, 28–30, 54–56, 89–91, 128–130, 132, 134, 135, 137–140, 160–162, 168–170, 173, 174, 277, 343–346, 381, 382
 - asymmetric 344
 - optic 129
 - stable 152
 - transient 148, 152, 207
 - ultrasonic 97, 196, 314, 355
- cavitation bubbles 25, 31, 34, 51, 58, 59, 215, 302, 305, 306, 343, 346, 348, 351, 352, 383, 384, 386, 417, 418
- cavitation chamber 19, 127, 133, 144
- cavitation number 130, 144, 145, 154, 156, 157, 159, 160
- cavitation phenomena 41, 42, 129, 131
- cavitation zone 144, 146, 162
- cavities 79, 91, 128–130, 132, 133, 135, 136, 139, 147, 148, 152, 153, 267, 304, 306, 331
 - asymmetric 139
 - collapsing 147, 148
 - internal 251
 - vaporous 135
- cells 120, 198, 227, 228, 256, 282, 289, 299
 - bacterial 64, 273, 285, 288
 - cancer 48
 - lead-acid 98
 - mammalian 272

- photoelectrochemical 328
- photoelectrochemical 313
- photoelectrochemical 326
- chemical reactions 21, 25, 35, 100, 104, 121, 266, 267, 383, 385, 388, 390, 391, 393, 397, 409, 416, 417
- CMC *see* critical micelle concentration
- coatings 137, 266, 268, 270, 279, 285, 290, 295, 303, 315, 316, 318–321, 323–325, 362, 364–367, 370
- homogeneous 270, 275, 276
- latex 334
- organic 320
- polyelectrolyte 364
- roll-to-roll 280
- silica 273
- sol-gel 367
- spinning 105
- collision 146, 241, 267, 314, 346, 358, 397, 398, 400–404, 407
 - inter-particle 275
 - intraparticle 146
- colloidal nanosystems 228, 230
- colloidal particles 235, 236, 302, 304
- confocal scanning fluorescence microscopy (CSFM) 372
- core-shell nanoparticles 114
- core-shell structure 14, 43, 46, 76, 77, 79, 238
- corrosion process 315, 360, 364, 373
- corrosion rate 320, 321, 334
- corrosion resistance 181, 347, 348, 361, 370
- critical micelle concentration (CMC) 248, 252
- crystals 24, 48, 156, 225, 390, 391, 406–408
 - calcite 152
 - zinc oxide 356
- CSFM *see* confocal scanning fluorescence microscopy
- dendrimers 228, 230, 251–254, 257, 258
 - boronated 253, 254
 - naked 254
 - polyaryl ether 253
 - porphyrin 254
- dendritic Pt nanostructures (DPNs) 191, 199
- devices 127, 134, 135, 264, 326, 328
 - cavitating 130, 138
 - energy storage 97, 182
 - high shearing 233
 - implantable 370
 - low-pressure cavitation 135
 - luminescent 269
 - magneto-optical 102
 - nanopolymeric 255
 - nanowire 22
 - optical 105
 - piezoelectric 387
 - rotating 134
 - rotor-stator shearing 231
 - throttling 134
- diffusion-limited aggregation (DLA) 193
- dipole-dipole interaction 399, 401, 405–407, 410
- dipoles 388, 397, 399–403, 406, 407, 410
- dispersion 6, 10, 16, 125, 184, 190, 220, 222, 247, 301, 302, 311–313, 318, 319, 344, 412
- DLA *see* diffusion-limited aggregation
- DLS *see* dynamic light scattering

- double-layer interaction 397–399, 405, 406, 410
- DPNs *see* dendritic Pt nanostructures
- drugs 64, 65, 198, 228, 230, 239, 247–253, 259, 260
 - anticancer 235, 253, 255
 - azoles 288
 - chemical 230
 - solid 229
 - water-soluble 249
- dynamic light scattering (DLS) 33, 154, 278, 279

- EB *see* emeraldine base
- electrode 4, 5, 74, 75, 105, 110, 175, 176, 178, 182, 185, 189, 193, 315, 326, 328
 - calomel 326
 - glassy carbon 16
 - mercury sulfate 4
 - titanium alloy 193
 - vibrating 191
- electrolytes 99, 107, 175, 180, 186, 233, 320, 326
- electron spin resonance (ESR) 282, 285
- emeraldine base (EB) 320
- emeraldine salt (ES) 320
- emulsion polymerization 303–308, 311, 314, 335–337, 341
- encapsulation 228, 236, 244, 246, 250, 255, 303, 311, 330, 338
- ES *see* emeraldine salt
- ESR *see* electron spin resonance

- fabrics 263, 265, 271–273, 275–280, 283, 287, 290, 295, 297
 - antibacterial 287
 - coated 289
 - cotton-impregnated 277
 - sock 277, 291
 - textile 278, 292, 294, 295
 - uncoated 289
- FCs *see* fuel cells
- fibers 137, 142, 264, 265, 276, 277, 279, 280, 293, 298–300
 - cellulosic 137
 - dry 137
 - textile 263, 292
 - wood pulp 137
 - wool 272, 293
- films 105, 108–110, 114, 137, 197, 233, 235, 256, 295, 313, 320, 326, 351, 363, 375
 - electroluminescent 109
 - latex 313
 - light-emitting 110
 - metallic 67
 - polyelectrolyte 363
- fuel cells (FCs) 120, 173

- gases 34, 91, 94, 99–101, 108, 109, 111, 127, 136, 154, 382
 - acetone 100
 - ammonia 333, 334, 337
 - argon 315, 387
 - carrier 104
 - monoatomic 34
 - rare 34
- gas sensors 99, 100, 105, 108, 110, 112, 115, 118
- GC *see* guanine cytosine
- GCE *see* glassy carbon electrode
- glassy carbon electrode (GCE) 16
- gold nanoparticles 51, 57, 58, 60, 61, 64, 66, 67, 73–75, 81, 82, 85, 128, 166, 168, 169, 189, 198, 200, 375

- gold nanorods 52–54, 82–85, 88
- gold particles 53, 58, 73, 74, 85
- guanine cytosine (GC) 68, 74

- HSA *see* human serum albumin
- human serum albumin (HSA) 66, 81, 238
- hybrid materials 125, 377
- hydrodynamic cavitation 119, 120, 122, 124, 126–136, 138, 140–144, 146–148, 150, 152–154, 156–162, 166–171, 382
- hydrodynamic cavitation reactors 131, 134–137, 153, 161
- hydrogel 23

- infections 288, 298
 - fungal 288
 - microbial 288
- initiator 303–308, 310, 319, 335, 369
 - chemical 304, 305, 314
 - external 308
 - hydrophilic 303
- interparticle collisions 268, 358, 376
- ions 49, 50, 52, 57, 58, 60, 63, 72, 74, 76, 84, 233, 281, 285, 367, 375, 376, 411
 - alkaline 321
 - cadmium 207
 - cerium 365
 - citrate 57
 - corrosive 318, 321
 - fluoride 18
 - hydrogen 288
 - ruthenium 77

- laser confocal scanning microscope (LCSM) 67
- layers 273, 353, 354, 357, 362
 - coated 266, 270
 - continuous 270
 - double 75, 76, 246, 403, 405
 - interfacial metal 365
 - polyelectrolyte 363, 373
 - polymer 235
 - porous metal 350
 - silver-rich shell 72
 - spectrum-shifting 120
 - steric-stabilizing 244
 - surface silica atomic 128
- LCSM *see* laser confocal scanning microscope
- lysozyme microbubbles 238, 239

- mechanism 92, 94, 95, 129, 130, 133, 233, 235, 237, 238, 264, 265, 281–283, 289, 290, 345, 352, 353, 374, 375, 386, 388
 - dissolution–precipitation 390
 - gas sensing 100
 - grinding 148
 - hot spot 266
 - schematic 50, 364
 - sonochemical hydrolysis 92
 - sonoelectrochemical 180
- medium
 - alkaline pH 246
 - bacterial-killing 271
 - cavitating 147
 - olive oil 8
 - organic 232
- mesocrystal formation 381, 387, 388, 390, 397–399, 401, 403, 405–407, 414
- metal nanoparticles 29–31, 42, 43, 48, 49, 51, 55, 57, 58, 64, 73, 79, 200, 223, 374
- metal oxides 43, 90, 93, 94, 106, 112, 126, 266, 272, 281, 312, 353, 357, 398

- inorganic 272
- lithium manganese transition 106
- multi-component 212, 223
- nanometric 264
- nanostructured 25, 89, 133
- porous 94, 110
- spinel 212
- metals 79, 81, 180, 182, 185, 318, 321, 344, 346–348, 352, 353, 356–359, 361, 367, 369, 374, 375
 - active 347
 - base 347, 367
 - nano-sized 194
 - nanostructured iron 3
 - nucleated 175
 - precious 74, 297
 - rare-earth 364
- metal salts 57, 70, 72, 124, 174, 265
 - inorganic 125
 - rare earth 347
- metal sponges 343, 344, 346–348, 350, 352–358, 360, 362, 364, 366–370, 372, 374, 376, 378
- metal substrate 318, 320, 321, 324
- methanol oxidation reaction (MOR) 191
- micelles 2, 84, 247–250, 253, 254, 258, 306
- microcapsules 229–233, 235, 241, 242, 251, 256, 258, 261, 421
- microemulsion 14, 90, 93, 126, 302, 303, 340
- microencapsulation 228, 229, 241, 257–260
- microjets 79, 132, 267, 277, 279, 302, 344, 346
- micro-nanocapsules 229–231, 233, 234
- microspheres 108, 183, 237, 240, 241, 257, 260
 - chitosan soybean oil 243
 - gas-filled 238
 - hybrid 237
 - lysozyme-shelled 238
 - polymeric 242
 - polystyrene 236
 - streptavidin 238
- monomer 218, 304, 306–308, 311, 314, 315, 319, 331
 - biocompatible 249
 - olefinic 218
 - volatile 305
- MOR *see* methanol oxidation reaction
- morphology 2, 10, 18, 19, 90, 92, 95, 96, 98, 101, 115, 116, 275, 278, 280, 350, 388, 390
 - nanotubular 100
 - nanowire 98
 - tubular 356
- nanocapsules 144, 229, 231–233, 258
- nanocomposites 14–17, 137, 300–304, 306, 308, 310–314, 316, 319, 320, 322, 324, 326, 328, 331–334, 336–340, 359
 - chitosan/Au 17
 - core-shell 14
 - multicomponent 16
 - organic–inorganic 271
 - palladium–graphene 183, 184
 - polymer-clay 314
- nanomaterials 2–4, 21, 56, 57, 89, 90, 119–122, 126–128, 132–134, 136, 170, 171, 173, 174, 194–196, 203–206, 222, 263, 265, 266

- bimetallic 174
- inorganic 266, 302
- nanoparticles 7, 8, 10, 46, 48–50, 71, 72, 79, 80, 101–104, 106–109, 121–128, 132, 133, 219, 220, 259, 260, 386–390, 407, 408, 414
- active 104
- aluminum 181, 198
- barium sulfate 19
- bimetallic noble 79
- colloidal iron 3
- core-shell 14, 73
- crystalline 386
- hybrid 312, 338
- inorganic 263, 311
- monodispersed 94
- polyaniline 182, 197, 336, 340
- silver bromide 19
- size-controlled 126
- solid 217
- nanorods 4, 25, 48, 50, 86, 96, 103, 186
- nanostuctured materials 2–4, 25, 55, 56, 80, 111, 171, 196, 266, 267, 270, 274
- nucleation 154, 381, 382, 386, 388, 390, 392–394, 396, 398, 400, 404, 406, 408, 410, 412, 414
- heterogeneous 351
- primary 158
- spontaneous 156
- OCPs *see* open circuit potentials
- open circuit potentials (OCPs) 189
- organic pollutants 14, 23, 28, 117
- oxidation 34, 76, 84, 88, 92, 95, 114, 229, 281, 353, 356, 357, 374, 421
- oxide films 117, 353, 363
 - doped metal 109
 - lithium-doped nickel 110
 - thick natural 362
- PANI *see* polyaniline
- PEH *see* polymersome-encapsulated Hb
- phases 3, 18, 94, 98, 102, 158, 193, 194, 213, 215, 223, 302
 - active 285
 - adiabatic 132
 - calcite 159, 161
 - coacervate 233
 - compression 382
 - continuous 302, 304
 - crystal 102
 - hexagonal 275
 - logarithmic 289
 - low pressure 345
 - magnesium hydroxide 356
 - metal nickel 368
 - non-solvent 232
 - organic 231–234
 - solvent 232
 - vapor 122
 - vaterite 161
- photocatalysts 10, 94–96, 105, 269, 270, 286, 293, 422
- photocatalytic activities 95–97, 114, 286
- photocurrents 313, 328, 330, 334
- polyaniline (PANI) 87, 313, 315, 316, 320, 321, 323–326, 328, 331–333, 337, 339, 340
- polyelectrolytes 235, 242, 257, 348, 363, 364
- polymeric micelles 228, 230, 247, 248, 250, 252

- polymers 166–168, 170, 182,
189, 191, 218, 231–233,
235, 236, 245, 303, 304,
311–313, 315, 341, 363,
369, 370
 - amphiphile 246
 - biocompatible 244
 - biodegradable 243, 244, 257,
259
 - cellulose 137
 - dendronized 252, 253
 - film-formed 234
 - organic–inorganic 125
 - water-insoluble natural 136
 - water soluble 35
- polymersome-encapsulated Hb
(PEH) 247
- polymersomes 228, 230, 246,
247, 257
- precursors 9, 12, 26, 28, 35, 37,
91, 94, 102, 104, 217, 218,
270, 274, 275, 386, 390
 - inorganic 91
 - iron 102
 - natural 254
 - nickel ferrite 214
 - organically-modified 125
- properties
 - anticorrosive 321
 - antimicrobial 264, 271, 274
 - biocidal 272
 - chemical 2, 3, 125, 266, 416
 - crystalline 313
 - elastic 371
 - film-forming 244
 - fluorescence 240
 - hydrophobic 59
 - interfacial 212
 - luminescence 109
 - mucoadhesion 243
 - rheological 137
 - rare earth metal (REM) 379
 - reactive oxygen species (ROS)
281, 282, 286–289, 294
 - reactors 8, 19, 130, 135, 136, 162,
204, 206, 212, 307, 308,
331, 333
 - closed loop 153
 - conical 19
 - flame spray pyrolysis 279
 - high-pressure homogenizer
134
 - loop 211
 - microdroplet 104
 - REM *see* rare earth metal
 - ROS *see* reactive oxygen species
 - SAED *see* selected area electron
diffraction
 - SBR *see* styrene-butadiene-rubber
 - SDA *see* structure-directing agent
 - SDS *see* sodium dodecyl sulfate
 - selected area electron diffraction
(SAED) 77, 388
 - semiconductor 95, 126, 326, 330
 - serum albumins 65, 66, 81, 85
 - fluorescent protein 66
 - human 66, 81, 238
 - shock waves 4, 29, 31, 40, 41, 79,
131, 133, 139, 267, 268,
277, 345, 346, 382, 383,
386, 416
 - silver nanoparticles 61, 62, 73, 87,
186, 188, 291–293, 295,
296, 299, 330, 331, 333,
334
 - sodium dodecyl sulfate (SDS) 36,
37, 61, 63, 76, 103, 188,
189, 191, 242, 314
 - sonication 10, 63, 65, 216–218,
220, 275, 277, 346, 349,
351, 353–360, 362, 365,
366, 368, 373, 374

- horn-type 42
- low-intensity 361
- short-time 356
- sonochemical method 8, 9, 12, 18, 24–29, 44, 67, 77, 80, 93–96, 100–104, 106, 112–116, 118, 243, 270
- sonochemical process 10, 54, 93, 103, 243, 263, 265, 280, 374
- sonochemical reactions 3, 88, 91, 92, 133, 270, 275, 305, 383, 386, 414–416, 420
- sonochemical reactor 25, 331
- sonochemical reduction 31, 32, 34, 44, 52, 56, 59, 72, 84
- sonochemical route 1, 6, 12, 20, 85, 100, 114, 116
- sonochemical synthesis 26–28, 31, 55, 56, 58, 60, 62, 64, 66, 74, 86, 90–92, 110–113, 171, 242, 275
- sonochemical technique 61, 93, 94, 98, 265–267, 269, 416
- sonoelectrochemical method 17, 175, 185, 187, 189, 190, 195, 198–200
- sonoelectrode 184, 193, 194
- sonolysis 37, 77, 92, 102, 175
- species 4, 64, 95, 126, 282, 283, 288, 346
 - corrosive 318, 321, 361
 - electroactive 177
 - metal hydrate 126
 - molecular 91
 - primary radical 305
 - reactive oxygen 281
 - reactive radical 331
- spectra 365
 - extinction 48, 50
 - fluorescence 66
- sponges 353, 358, 359, 369, 372
- stabilizers 16, 31, 37, 42, 51, 57, 58, 64, 72, 137, 186, 187, 189, 190, 231–234, 336
- stabilizing agents 93, 94, 234, 274
- standing wave sonochemical reactor (SWSR) 54
- structure-directing agent (SDA) 24, 98, 209
- styrene-butadiene-rubber (SBR) 143, 144, 162
- substrates 85, 100, 105, 255, 264–268, 270, 274, 278, 290, 319, 365
 - biological 272
 - fabric's 277
 - fiber 273
 - less-volatile 346
 - solid 267, 277
 - textile 271, 278, 279
- surface morphology 268, 300, 344, 348–350, 356–358, 365
- surface oxidation 349, 353, 356, 358, 365
- surface properties 30, 50, 71, 95, 230, 266
- surfactants 14, 15, 59, 63, 84, 85, 91, 94, 187, 188, 191, 193, 234, 242, 257, 261, 302, 307
 - cationic 57, 335
 - hydrophilic 233
 - hydrophobic 233
 - liquid crystal 367
 - nonionic 248, 304
 - pore-creating 94
- suspension 137, 144, 146–148, 151, 152, 154, 165, 218–220, 267, 270, 286, 289, 304, 388

- aqueous 137, 144, 145, 232
 - colloidal 125, 232
 - nanotubes 218
 - SWSR *see* standing wave
 - sonochemical reactor
 - synthesis 3, 4, 10–13, 26–28, 56, 57, 83–86, 104, 105, 111–115, 180, 181, 200, 208, 209, 256, 257, 306, 310–314, 332–334, 336–341
 - colloidal 180
 - flame-based 123
 - gas phase 174
 - hydrothermal 24, 215, 411
 - material 4
 - microwave 56
 - photochemical 56
 - polymer 303, 314
 - sol-gel 273
 - sol-gel 125
 - solid-state 121
 - sonoelectrochemical 181, 183, 197, 199
 - ultrasound-assisted 74, 89, 90, 98, 330, 381, 411
 - ultrasound-based 10
 - ultrasound-mediated 2
 - vapor phase 121, 122
- TEM *see* transmission electron microscope
- TEM images 12, 13, 15, 17, 38, 39, 48, 64, 71–73, 78, 79, 97, 159, 190, 222, 349, 350, 354, 355, 357
- textiles 263–268, 270–280, 282, 284, 286, 288, 290, 292, 294, 296–300
- antibacterial 264, 287
 - coated 281
 - high-quality 264
 - thin films 105, 108, 110, 111, 115, 137, 326, 413
- transmission electron microscope (TEM) 21, 32, 33, 58, 76, 99, 101, 154, 158, 183, 186, 188, 278, 279, 315, 366, 370
- UAE *see* ultrasonic assisted extraction
- ultrasonic assisted extraction (UAE) 225
- ultrasonication 167, 218–221, 319, 389, 411
- ultrasonic bath 9–11, 19, 26, 319
- ultrasonic field 79, 184, 335, 345, 358
- ultrasonic horn 4, 152, 386, 388, 414
- ultrasonic irradiation 11, 13, 27, 29, 32–37, 43, 48, 50, 61, 92, 93, 117, 267, 268, 308, 312, 313, 357, 358
- ultrasonic pulses 185, 191, 193, 194
- ultrasonic spray pyrolysis (USP) 89, 90, 104–107, 109, 110, 112–117
- ultrasonic treatment 95, 215, 225, 231, 344, 348, 353, 356, 358
- ultrasonic waves 4, 21, 61, 266, 267, 277, 379, 384
- ultrasound 3, 18–23, 25–28, 86–88, 110, 111, 195–198, 224, 225, 302–309, 334, 335, 337, 338, 343, 344, 346–348, 374–379, 381–383, 385–392

- method, assisted by 9, 90, 264, 312, 326
- frequency 41, 42, 56, 60, 65, 78, 85, 345, 419, 421, 422
- irradiation 11–14, 17, 19, 21, 24, 58, 209, 210, 266, 267, 274, 275, 277, 279, 294, 353, 354, 356, 358, 359
- treatment 314, 347, 349, 350, 355, 365, 366, 368, 374
- USP *see* ultrasonic spray pyrolysis
- X-ray diffraction (XRD) 7, 9, 21, 32, 45, 158, 171, 181, 188, 275, 278, 319, 355, 388
- XRD *see* X-ray diffraction
- XRD patterns 7, 45, 46, 161, 183, 207
- YSZ *see* yttrium-stabilized zirconium
- yttrium-stabilized zirconium (YSZ) 113, 292

