

Index

- AB effect *see* Aharonov–Bohm effect
AB interference effects 81, 83, 90, 92
AB oscillations 53, 55, 58, 60, 62, 66, 81, 84
AB phase shift 73–75, 78, 86, 90, 93, 95
AB resonances 81
AB ring interferometer 74
AB rings 72, 73, 75, 97
ac magnetic fields 47–52, 54, 56–68
Aharonov–Bohm effect (AB effect) 48, 59, 60, 74, 77, 78, 84, 85, 87, 89–91, 96
Aharonov–Bohm interferometry 19
angle resolve ultraviolet photoemission spectroscopy (ARPES) 160
angular momentum 35, 107
anisotropy 32, 169, 171, 176
magneto-crystalline 165, 173
step-induced 171, 175
anisotropy energy 169, 170, 174
annealing 158
annihilation 77
annihilation operators 5
antibonding orbitals 30
anticrossings 29, 30, 32, 38, 65, 73, 86, 96
antiferromagnetic ordering 166, 175
antiresonance 13, 48, 60–63, 65
antiresonance scales 62
antisymmetric wavefunctions 38
ARPES *see* angle resolve ultraviolet photoemission spectroscopy
atomic layers 156, 163, 165, 178
atom index 107
atomistic simulation 105
atomistic simulation technique 118
band dispersions 108, 160–162
band folding 162
band gaps 183
bands 108, 163, 184, 185, 187
conduction 102, 108, 111, 183, 184
free electron 160
light hole 107
valence 107, 183
band structures 105, 107, 111, 112, 162
calculated 107
electronic 106
barriers 115, 130, 162, 166
Bennett clocking 136, 137, 140, 141, 146, 148, 151
BIA *see* bulk inversion asymmetry
Bloch functions 39
Bloch's theorem 106
Bohr magneton 78

- bonds 194, 195
 - short 193
 - sigma 192
- Boolean computation 124
- Boolean logic 149
- Brillouin zone 158, 184, 185
 - hexagonal 184
 - reduced 158, 160
- bulk Dresselhaus parameter 114
- bulk inversion asymmetry (BIA) 101, 104, 112, 118
- carbon atoms 181, 182, 185, 186, 192, 193
- carbon nanotubes (CNTs) 187, 188, 192
 - metal-decorated 192
 - metallic 192
- carbon skeleton 185, 186
- clocking scheme 131
 - 4-phase 146
 - adiabatic 141
- clocking sequences 135
- clock rate 123, 140, 146
- clock signals 142, 146
- CMOS transistor 142
- CNT-based spintronics 195
- CNTs *see* carbon nanotubes
- coherences 54, 56, 63–65, 72
- conductance 3, 13, 19–21, 77, 86, 87
 - linear 20
 - spin-dependent 12, 13
 - suppressed 87
 - total 12–14
- conductors 187, 189
- contour plots 74, 81, 82, 85, 86, 89, 93, 94, 96
 - close-up 94
- corrugations 185, 188, 189
- Coulomb blockade 47
- Coulomb blockade region 79
- Coulomb coupling constant 185
- Coulomb energy 185
- Coulomb interaction 3, 24, 50, 183, 191
- coupled quantum dots (CQDs) 23, 24, 26, 28–32, 34, 37, 41
- coupled quantum states 41
- coupled semiconductor devices 101, 118
- couples 2, 8, 15, 63, 72, 166
- coupling 4–6, 17, 27, 38, 50, 54, 59, 76, 81, 93, 105, 107, 144, 162
- bridge 16
- coherent 55
- electron-electron 186
- interdot 53
- interdot tunneling 5
- spinorbit 18
- surface-bulk 162
- tunnel 32, 51, 61
- CQD formation 26
- CQD PL Spectra 32
- CQDs *see* coupled quantum dots
- CQD samples 27, 28
- CQD Schottky diode device 27
- CQD spectra 26, 29, 32
- CQD states 30
 - charged 30
- CQD system 36
- crossings 75, 86, 97
 - transmission peak 86
- Curie temperature 172, 173
- current densities 117, 118
 - calculated 117
 - resolved 117
 - total 118
- currents 7, 9
 - spin-polarized electric 2, 7
- CV² energy 134, 135
- dangling bonds 186, 194, 195
- dark states 32, 48, 54–56, 59–61, 66, 67

- DBRTS *see* double-barrier resonant tunneling structures
- decoherence 51, 55, 60, 62
- degeneracy 3, 31, 107
- six-fold 107
 - spin 186
 - valley 186
- degrees of freedom 2, 48, 59, 124–126
- demagnetization factor 139, 167, 173, 175
- density, edge-state 190
- density matrix 51, 58, 63–65
- density of states (DOS) 187, 189, 190
- density plot 65
- depinning 168
- thermally activated 167
- destructive interference 13, 53, 96
- detuning 54–56, 66
- finite 53
 - zero 54
- Dicke effect 4, 21
- dielectric constant 185, 191
- differential weighted
- spin-polarization 86, 100–104
- dipolar interactions 166, 175
- dipole 149
- dipole coupling 131, 140, 143, 144, 146
- inter-magnet 135
- dipole–dipole interaction 136
- dipole interactions 125, 130, 136, 137, 140, 142
- dipole terms 143, 144
- Dirac–Weyl particles 185
- dispersion 159, 160, 163, 184, 185
- dissipation 124, 127, 135, 142
- domain walls 129, 167, 168, 171, 173, 175
- DOS *see* density of states
- DOS peaks 190
- doublebarrier resonant tunneling structures (DBRTS) 19, 101, 104, 109, 118
- double QDs *see* double quantum dots
- double quantum dots (DQDs) 7, 21, 47, 61, 62, 66, 67, 69, 73, 91, 92
- parallel-coupled 16
 - symmetric 79
- doublets 31, 32, 164
- polarized 35
- Dresselhaus BIA mechanism 112
- Dresselhaus Hamiltonians 104, 109, 112
- Dresselhaus SOC 103, 104, 113
- Dresselhaus types 105
- Dresselhaustype SOC 101, 118
- dynamics, spin-block 167
- Dyson equation 6
- e-beam lithography 27
- eigenenergies 64, 65
- eigenstates 53, 58, 59, 63, 65
- electronic 188
- eigenvalues 102–104, 107, 109
- eigenvectors 103, 104, 110
- electrical conductivity 187, 195
- electric field 2, 26–30, 34, 36, 44, 48, 68, 101, 104, 115, 116, 118, 129, 152
- electron energy 74–76, 81, 85, 89, 90, 93, 96, 117, 158
- electron energy states 73
- electronic wavefunction 48, 49
- electrons
- conduction band 104, 109
 - free 160, 161
 - ground state 41
 - localized 183
 - polarized 188
 - scattering 20

- spin-polarized 16, 182, 188
- surface-state 17, 162
- electron spin 2, 13, 15, 35, 47, 55, 61, 63, 72, 73, 115, 124, 150, 155
- electron states 31, 38, 50, 72
- electron system 181, 184
- electron transport 3, 4, 20, 66
- electron trapping 54
 - coherent 66
- electron tunneling 50, 52
- electron wavefunction 32, 56, 75, 77, 96
- energy 6, 28, 29, 31, 32, 50, 51, 65, 75, 76, 81, 103, 115, 116, 122–130, 135, 140, 141, 146, 162, 188
- binding 160, 162
- dipole-dipole interaction 138
- electron beam 158
- photon 159–163
- quasi-bound state 90
- spin-splitting 115
- thermal 79
- energy barrier 129, 130, 168, 170
- energy dissipation 124, 127, 129, 134, 135, 141–143, 145, 151
- energy eigenvalues 104
- energy gap 183, 187
- energy levels 8–10, 32, 83, 90, 93, 188
 - spin-split 72, 76, 93
- energy shifts 24, 77, 163
- energy spectrum 74
- energy splitting 73, 113, 115
- energy states 41, 83, 92, 135, 189
- energy values 77, 79–81, 84, 89–91, 93, 94, 96
- E-values 84, 85
- excitations 28, 35, 37, 38, 41
- excitons 24, 28–31, 37, 43, 44
- exciton states 31, 32
- Fano factors, opposite 12
- Fano resonances 12, 13, 72, 81
- Fano-type resonances 73, 87
- Fe atoms 169, 170, 173
- Fe films 172, 175
 - thin 171
 - ultrathin 173
- Fe–Pt system 166, 173, 175, 176
- Fermi distribution function 6
- Fermi energy 76, 90, 117, 184, 186, 187, 190
- Fermi function 87
- Fermi level 6, 29, 161
- Fermi momentum 184
- Fermi points 184, 185
- Fermi's golden rule 51
- Fermi surface 160
- flux 25, 50, 58, 63, 74, 78–80, 82, 84, 86, 90, 91, 96, 97
 - finite 83, 86
 - non-zero 97
 - zero 97
- flux curves 81
- flux quanta 52, 53, 77, 81
- flux value 80, 81, 83, 84, 90, 97
 - non-zero integer 81
- Fourier transform 5

- gate voltages 2, 9, 15, 16, 49, 72, 90, 102
- g-factors 38, 57, 75
 - tunable 38, 39, 44
- GNRs *see* graphene nanoribbons
- graphene 72, 181–186, 188–190, 192–196, 198
 - doped 183
 - intrinsic 185
 - rippled 189
- graphene layer 188
- graphene nanodisks 189–191, 196

- graphene nanoribbons (GNRs)
 - 181, 183, 186, 187, 190, 191, 195
 - armchair 187
 - narrow 186
 - zigzag 187
- graphene plane 189
- graphene quantum dots 189, 191
- graphene sheet 182, 183, 189
 - non-planar 193
- Green's function 5, 6, 11, 111
- gyromagnetic ratio 78, 81, 139
- Hamiltonian 4, 5, 31, 50–53, 62–64, 73, 77, 102, 104–107, 109, 114, 187
 - intra-cell 107, 110
 - k -dependent 106
- Heisenberg system 156
- hole wavefunctions 32, 36, 39
- honeycomb lattice 181, 182
- hybrid spintronics/straintronics 121, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148–150, 152
- Indium flush process 25
- Indium flush technique 25, 26
- interference 48, 53, 58, 74, 81
 - constructive 13
 - destructive tunneling 59
- interference effects 73, 92
 - resonance-sharpening 90
- interference pattern 53
- Kondo effect 19, 72, 183
- Kondo temperature 6
- Landauer–Büttiker formula 117
- Landau–Lifshitz–Gilbert equation (LLG equation) 133
- Larmor precession rate 40
- laser 27, 28, 37, 41, 119
- laser fields 48
- lattice mismatch 24, 25, 165, 174
- lattice period 169
- LEED pattern *see* low-energy electron diffraction pattern
- LLG equation *see*
 - Landau–Lifshitz–Gilbert equation
- logic bits 125, 135, 136
- logic chain 140
- logic circuits 126, 135
- logic functionality 125
- logic gates 125, 136, 147
 - four-state 147
 - universal 124, 142, 143, 145, 151
- logic states 126, 137
- logic wires 135–137, 142
- low-energy electron diffraction pattern (LEED pattern) 158
- magnetic anisotropy 156, 166, 167, 171, 173–175
 - step-induced 166
- magnetic anisotropy energy 170
- magnetic atomic chains 163
- magnetic atomic wires 176
- magnetic edge states 187, 192
- magnetic effects 182, 188
- magnetic energy 128
- magnetic field 2, 3, 7, 34, 38, 47–49, 66, 72, 73, 93, 95, 127, 128, 134, 143, 165, 170, 189
 - applied perpendicular 81
 - dc 51
 - oscillating 47
 - polarized 51
 - static 3, 4, 124
- magnetic flux 12, 15, 21, 52–55, 59–62, 66, 76, 81, 82, 91
- zero 16

- magnetic nanostructures 155–157, 171, 176, 181
 magnetic percolation 166
 magnetic polarization 176
 magnetic properties 71, 152, 156, 157, 165, 171, 172, 176
 magnetic transition metals 156
 magnetic vacancy 195
 magnetism 151, 183, 190–193, 195
 magnetization 124, 125, 127, 130–132, 134–140, 142, 144, 148, 166, 168, 174, 175, 191
 bistable 123
 second multiferroic's 140
 third multiferroic's 140
 magnetization dynamics 138, 139, 141, 143–146, 149, 151
 induced 134
 non-equilibrium 170
 magnetization flips 128, 129
 magnetization motion 169
 magnetization reversal 167
 magnetization reversal
 mechanism 170
 magnetization vector 124, 125, 130, 132–134, 138, 139, 148
 magnetocrystalline
 anisotropy 139, 156
 biaxial 147, 151
 magnetostrictive layer 130, 131, 138, 147
 single-domain 129
 magneto-tunneling junction 133
 magnet plane 134
 magnets 125–132, 134, 135, 138, 140–142, 144, 146, 149
 materials 17, 39, 47, 75, 104, 130, 156, 160, 171
 ferromagnetic 152
 graphite 189
 magneto-electric 151
 nanoscale 156
 semiconductor 23, 105
 MBE *see* molecular beam epitaxy
 mesoscopic QD system 2
 mesoscopic systems 1, 2, 16, 17, 67
 micromagnets 57
 molecular beam epitaxy (MBE) 24, 156
 molecular wavefunctions 29, 32, 38
 Moore's law 122, 149
 multiexcitons 28
 multiferroic element 138
 multiferroic logic 135, 136, 141, 146, 148, 151
 4-state 147, 151
 multiferroic materials 147
 multiferroic memory 132, 135
 multiferroic NAND gate 142
 multiferroic nanomagnetic
 memory 131, 133
 multiferroic nanomagnetic
 switches 129, 131
 multiferroic nanomagnets 135
 multiferroics 129, 136, 140, 151
 multiferroic structure 130
 strain-coupled 129
 multi-qubit operations 24
 multiterminal multi-QDs systems 4
 multiterminal quantum systems 20
 NAND functionality 142
 NAND gate 131, 142–144, 146, 147
 all-multiferroic 142, 146
 universal 135
 NAND gate switches 145
 nanodevice 2, 76
 nanodisks 181, 190, 195
 hexagonal 190
 metallic 189
 triangular 189, 190, 195

- nanodots 155
- nanoelectronic devices 2
- nanoelectronics 182, 196
- nanofabrication 195
- nanofabrication kinetics 192
- nanomagnets 123, 125–128, 131, 135, 137, 142, 144, 146–148, 151
 - elliptical multiferroic 137
 - shape-anisotropic
 - multiferroic 123
- nanomaterials 156
- nanoribbons 188, 189
- nanoscale 72, 153, 171
- nanostripes 156, 170, 171
- nanostructures 18, 28, 157, 183, 186
 - individual 27
 - novel 156
- NEGF *see* nonequilibrium Green's function
- NEGF theory 16
- non-Boolean logic schemes 149
- nonequilibrium Green's function (NEGF) 4
- nuclear interaction 39
- nuclear spin 42, 44
- nucleation 173
 - domain 167
 - random 25
- optical phonon scattering 189
- orbital effects 48
- orbital moments 188
- orbital motion 2
- orbitals 48, 107, 156, 170, 183
 - atomic 107, 110
 - molecular 30, 190
- orbital states 188
 - discrete 24
- oscillations 55
 - coherent 68
 - current 60
- Pauli exclusion principle 32, 47, 59, 66
- Pauli spin matrix 51, 102
- periodic function 13, 16
- periodicity 52–54, 58, 162
- phase accumulation 53
- phase difference 9, 13
- phase effects 19
- phase factors 77, 109
- phase locking effect 9
- phase shift 77, 163
- phase transitions 178, 180
- photoelectrons 160
- photoemission spectra 159
- photoemission spectroscopy 159–161
- photolithography 27
- photoluminescence (PL) 24, 45
- PL *see* photoluminescence
- PL spectra 25, 29, 31, 32
- PL spectral dispersion 28
- polarization 36, 40, 41, 45, 48, 73, 90, 91, 166
 - linear 32
 - small-field 90
 - strong ferromagnetic 166, 175
- polarization effects 41, 74, 75
- polarization memory 35–37
 - circular 35–37
- polarization peaks 89
- polarization signatures 35, 41
 - optical 41
- polarization spikes 89
- polarized radiation 159
- polar Kerr effect 167, 172, 174
- polar Kerr hysteresis loop 165, 172
- polar SMOKE measurements 165, 174
- pseudospin states 31
- pulsed laser techniques 41
- QD array *see* quantum dot array

- QD coupling coefficients 93
 QD emissions 28
 QD energy levels 10, 74, 75, 77,
 78, 81, 83, 87, 89, 90, 92, 97
 QD energy states 81, 95
 QD energy values 81, 82, 85, 86
 QD formation 25, 28
 QD-lead coupling 73, 74, 76, 79,
 81, 84, 87, 89
 QDs *see* quantum dots
 QD site energy 81
 QD site energy values 74
 QDs system 16
 QD structure 3, 97
 quantum dot array (QD array) 3, 4,
 11, 12, 16, 20–22, 51
 isolated 51
 one-dimensional 20
 side-coupled 19
 quantum dot molecules 21, 42, 44
 quantum dots (QDs) 1–30, 32,
 34–40, 42–45, 47–58, 60, 62,
 64, 66–69, 71–73, 75, 77–79,
 83, 90, 92–95, 189
 asymmetric 74
 embedded 75–78, 85, 87, 93
 n-type semiconductor 18
 parallel-coupled double 7
 semiconductor 23, 72
 side-coupled 4, 21
 sizes 78
 spin-split 75
 quantum dot spectroscopy 27, 29
 quantum dots system 1, 2, 4, 6, 8,
 10, 12, 14, 16, 18, 20, 22, 47
 quantum interference 9, 11, 13,
 19, 68
 quantum theory 67
 quantum well (QW) 18, 41,
 101–104, 109, 113–115,
 117–119, 157, 162
 quantum wire 3, 4, 21
 qubit 2, 47, 66, 183
 QW *see* quantum well
 QW states 176
 Rabi frequency 55, 61, 62
 Rabi oscillations 55, 66
 Rashba and Dresselhaus
 spin-splittings 117
 Rashba SOC 102, 104
 Rashba SOC parameter 102, 104,
 115
 Rashba spin-orbit interactions
 (RSOI) 2–4, 7, 9, 11–13, 15,
 16
 Rashba type SOC 101, 102, 118
 reflective highenergy electron
 diffraction (RHEED) 164, 165
 relaxation time 40, 169, 189
 resonance peaks 60, 80–84, 94, 95
 resonances 13, 21, 27, 62, 63, 73,
 92–96
 double optical 69
 single-electron spin 68
 spin-polarized 97
 spin-split 75, 85, 93
 resonance states
 spin-mixed 74
 spin-split 74, 101, 118
 resonance tuning 74
 resonant peaks 12, 75, 86,
 111–116
 degenerated 112
 resonant phenomena 72
 resonant transmission peaks 111,
 112, 116, 117
 RHEED *see* reflective highenergy
 electron diffraction
 RSOI *see* Rashba spin-orbit
 interactions 186
 scanning tunneling microscope
 (STM) 158, 187
 scanning tunneling microscopy
 161, 187

- Schottky contact diode 27
 Schottky diode structure 28
 Schrödinger equation 76, 102
 SDFT *see* spin-density functional theory
 semiconductors 2, 39, 102, 104
 compound 105
 diffusive 18
 sensors 156, 176
 shape anisotropy 132, 139, 140,
 142, 156, 165, 173
 uniaxial 124
 shape anisotropy barrier 135, 146
 shape anisotropy energy 138, 140
 Shockley surface states 161
 Si-MOSFETS 183
 SOC *see* spin-orbit coupling
 spectroscopy 187
 scanning tunneling 161
 spin accumulations 2, 3, 7–11,
 14–16, 19
 intradot 7
 opposite 8, 15
 spin amplifier 196
 spin angular momentum
 operator 107
 spin block 169
 spin decoherence 52, 72
 spin degeneracy 73, 103
 spin-density functional theory
 (SDFT) 190, 191
 spin-down states 3, 4, 74, 81, 88,
 93, 94, 96, 97
 spin dynamics 36
 two-electron 58
 spin electronics 177
 spin-filter device 4, 19, 21
 spin filtering 68, 72
 spin-filtering behavior 118
 efficient 101
 spin-filtering effect 101, 109, 111,
 113, 115, 117, 118
 spin filters 3
 spin Hall effect 9
 spin index 4
 spin lifetimes 39–41
 spin logic gates 196
 spin magnetism 192
 spin-mixed state 83, 85, 86, 95,
 97
 spin-orbit coupling (SOC) 19, 72,
 101, 105, 119, 188, 189
 spin-orbit interaction 1, 18, 72,
 166, 173, 182, 188, 189
 intra-atomic 101, 105, 118
 spin polarization 4, 7, 9–16, 19,
 22, 73, 74, 79, 90, 91, 105,
 111, 124, 129, 181, 183, 187
 bipolar 89, 90
 partial 91
 properties 76, 93
 ion transition 183
 vectors 113–116, 118
 currents 7–11, 16
 states 73, 87, 183
 spin precession 38
 spin qubits 66, 72
 spin relaxation 39, 40, 52, 183,
 188, 189
 spin reorientation 166, 173
 spin resonances 74
 spins 1–3, 23, 24, 30, 32, 34,
 36–40, 44, 52, 53, 58, 72, 90,
 102–104, 124–126, 128, 129,
 185–188
 bipolar 92
 classical 125
 coupled 41
 polarized 89
 quantum dot 17, 42
 spin-selective excitation 37
 spin singlet 32
 spin sink 188
 spin–spin correlations 56
 spin states 4, 31, 37, 41, 44,
 72–75, 86, 95, 96, 184, 188
 antiparallel 63, 188
 bipolar 91

- electronic 188
- molecular 44
- spin switches 19, 97
- spin transistors 2, 72
- spintronics 1, 2, 17, 71, 72, 92, 97, 102, 121, 124, 132, 155, 176, 182, 183, 192, 195
- spintronic devices 17, 71, 156, 181, 195, 196
- spin-up state 3, 94, 97
- spin valve 196
- spin waves 148
- split conduction bands 108
- split stripes 164
- standard DFT 191, 192
- STM *see* scanning tunneling microscope
- Stranski–Krastanow growth mode 25
- stress anisotropy 134
- stress anisotropy energy 130, 132, 135, 138
- superpositions 49, 52, 63
 - coherent 48, 63–66
 - eigenstate 48
- surface states 17, 157, 159–163, 178
- switch 122–125, 127, 129, 131, 135, 137, 140
 - binary 127
 - bistable 122, 149, 151
 - bistable logic 127
 - charge-based 123, 124
 - energy-efficient digital 131
 - hybrid spintronic/straintronic 131
 - nanomagnetic 131
- switching 122, 124, 126–129, 131, 132, 134, 135, 146, 149–152
 - behavior 143
 - circuit 127, 128, 135
 - delay 132, 151
 - error probability 143
 - failure 134
- mechanism 131
- method 128
- methodology 128
- modalities 126, 127
- purposes 71
- TB models *see* tight-binding models
- theory
 - electron-gas 185
 - molecular-orbital 190
 - scattering 87
- thermal conductivity 182
- thermal fluctuations 128, 143, 151
- thermal torque term 134
- tight-binding models (TB models) 190
- TQDs *see* triple quantum dots
- TQD Hamiltonian 58
- transistors 99, 122–128
 - single-electron 126
 - spin-field effect 196
- transistor switches 123
- transmission 73–77, 79–97, 105, 117, 137
 - single-mode 76
 - spin-polarized 73, 74, 90–92
- transmission curves 84, 88
- transmission functions 87, 88
- transmission peaks 84, 93, 112, 114, 115
- transmission plots 74, 78, 79, 81–83
- transmission probabilities 13, 110–113, 115–117
- transmission resonance
 - anti-crossings 73
 - crossings 73
 - interference 89
- transmission resonance peaks 75, 84, 87

- transmission resonances 73, 75, 82, 95
 - Fano 81
 - spin-polarized 97
- triple quantum dots (TQDs) 21, 47–50, 52–54, 56–60, 62–64, 66–68
 - closed-loop 48
 - linear 61, 62
- tunneling 24, 31, 32, 37, 38, 40, 44, 50, 51, 54, 55, 58, 59, 63, 87
 - interdot 53, 62
 - resonant 67, 69
 - spin-dependent 19, 72
 - spin-polarized 104
- tunneling amplitudes 50, 52, 57, 58
- tunneling rates 51, 52, 58, 62
- tunnel junctions 68
 - thin film 177
- unit cells 106, 107, 109, 110, 157, 181, 183
 - two-atom 182
- vacancies 181, 183, 192–195
 - planar 195
- vacancy concentrations 183, 192, 194
- valley index 185
- vicinal surface 155–162, 164, 166, 168, 170, 172–176, 178, 180
- vicinal surface structure 161
- wavefunction 76, 114
 - electronic 54
 - periodic 77
- waveguides 76
- wavenumber 77, 108, 114
- wavevector 103, 106, 107, 113, 116, 117, 159, 162
- wavevector angle 113–116
- Zeeman effects 73–75, 77, 78, 81, 84, 87, 88, 97
- Zeeman energy 78, 79, 83, 85, 89, 92–96
 - Zeeman energy shift 74, 79
 - Zeeman energy values 91, 95
 - Zeeman splitting 51, 54, 57, 60, 62, 65, 67, 73–75, 77, 80, 82–85, 89, 90, 92–97
- zero bandgap 184
- zero-energy states 191
- zigzag nanoribbons 195
- zigzag ribbons 187, 189
- Z-value 173

