

# Index

- ACN, *see* activated carbon nanofibers
- activated carbon 2, 4, 189, 207, 214, 230, 264–65
- activated carbon nanofibers (ACN) 230–31
- AFM, *see* atomic force microscopy
- ALD, *see* atomic layer deposition
- amorphous carbons 2, 97, 112, 128, 138
- aqueous electrolytes 190, 209, 229–30, 233
- asymmetric electrochemical capacitors 267–68
- asymmetric supercapacitors 233
- atomic force microscopy (AFM) 40, 73, 99, 251, 302–3
- atomic layer deposition (ALD) 204
- batteries 134, 187–89, 211, 247–48, 250, 252, 254, 256–70, 272
- lithium-ion 189
- vanadium redox flow 271
- Bernal stacking graphene 155–56
- biaxial strain 173–74
- bilayer graphene 26, 39, 73, 75, 156–57
- BLG, *see* bilayer graphene
- C-face graphene 50–53
- capacitors
- conventional 183, 187–89
- electrolytic 188
- carbon
- disordered 98, 126, 128
- hybridized 164, 183–84, 194, 248
- porous 189, 218–19, 224
- carbon allotropes 1–3, 79
- carbon nanosheets 99, 103–5, 194, 216–17
- carbon nanostructures 2, 4, 96, 122, 124, 140, 297
- carbon nanotube, unzipping 185, 195
- carbon nanotubes 2, 79, 122, 142, 184, 256–57, 263, 266, 302
- carbon nanowalls 5, 95–102, 104, 106–12, 114–16, 121–46
- potential applications of 121, 134
- structural characterization of 121–22, 124
- synthesis of 96–97, 99
- carbon segregation process 70, 72, 83, 88
- catalysts 70, 79, 81, 84, 99, 115, 122–23, 134, 140, 144–46
- CCS, *see* confinement controlled sublimation
- charged impurities 25, 27–29
- chemical vapor deposition (CVD) 4, 37, 68, 70–71, 84, 96, 99, 185, 191–92, 216, 224, 288, 290, 298, 307
- chemically modified graphene (CMGs) 185–86, 195, 197–98, 204, 206
- CMGs, *see* chemically modified graphene
- conducting polymers 189, 202, 206, 209, 228–29, 232, 268, 301

- conductive additives 139, 227, 263
- conductivity 24–25, 27–29, 196, 200, 219, 227–28, 253, 260, 263, 266, 268, 270, 281, 300, 305–6
- confinement controlled
  - sublimation (CCS) 42, 54–55
- copper 70, 78–84, 86–88, 100, 123, 143, 298
- copper foils 80–82, 86, 192
- copper grain boundaries 84–85
- copper substrates 79, 81, 84–85, 100–1, 111
- CVD, *see* chemical vapor deposition
- cyclic voltammetry 135, 137, 145, 210, 215, 222
- cyclic voltammograms 135–36, 144
- cycling stability 258, 260–61, 263
  
- deoxygenation 198–200, 253
- diamond 2, 4, 36, 79, 104, 184
- diamond-like carbon (DLC) 2, 4
- Dirac electrons 55, 280
- Dirac fermions 3, 36
- Dirac point 3, 12, 17, 26–28, 30, 161–62, 170, 175, 281, 283–84, 286
- DLC, *see* diamond-like carbon
  
- edge chirality 154–55, 176
- EDL, *see* electrical double layer
- EELS, *see* electron energy loss spectroscopy
- EIS, *see* electrochemical impedance spectroscopy
- electrical conductivity 4, 168, 201, 221–22, 229, 251, 253, 263, 270, 316
- electrical double layer (EDL) 207, 210, 216
- electrical gating 283, 286–87
- electrical transport 17, 27–29, 101–2
- electrochemical capacitors 187, 189, 226, 264, 268–69
- electrochemical impedance spectroscopy (EIS) 210, 212–13, 215
- electrochemical polymerization 206
- electrode materials 101, 188–89, 207, 211–13, 217–20, 224, 227–28, 233, 256, 263–64
  - composite 258, 261
  - graphene-based composite 258
  - porous graphene 269
- electrodes, superconducting 102
- electrolyte decomposition 136
- electrolytes 135–36, 139, 145, 188–90, 207, 215–16, 219, 225, 229, 232, 264–66, 269
  - ionic liquid 218
- electron doping 162
- electron energy loss spectroscopy (EELS) 262
- electronic coupling 156
- electronic devices 95, 107, 121, 280–81
- energy dispersion, linear 17, 30
- energy storage 4–5, 95, 153, 184, 187, 189
- energy-storage devices 248, 269, 272
- epitaxial graphene, growth of 35–36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56
- EQE, *see* external quantum efficiency
- equivalent series resistance (ESR) 212, 215
- ESR, *see* equivalent series resistance
- exfoliation 191, 196, 198, 200, 218, 221, 223, 248–51, 255, 266, 280

- external quantum efficiency (EQE) 289, 292
- few-layer graphene (FLG) 4, 75, 156, 158
- few-layer graphene films 70–71, 73–74, 83
- FLG
  - see* few-layer graphene
  - turbostratic 156–57
- fullerenes 2, 122, 184–85
- geometric surface areas (GSA) 144–46
- GFs, *see* graphene foams
- GICs, *see* graphite intercalated compounds
- glass substrates 73–74
- glassy carbon 126–28
- glassy carbon electrode 144
- glucose 197
- glucose oxidase 309
- graphene
  - activated 266–67
  - activation of 267
  - applications of 250, 271
  - band structure of 13, 38
  - chemical synthesis of 247–56, 258, 260, 262, 264, 266, 268, 270, 272
  - conductivity of 26, 28, 159, 217
  - density of states of 26, 113
  - disordered 155, 166
  - doped 160, 283, 286, 289
  - electronic band structure of 15, 17, 29, 176
  - electronic properties of 4, 154, 280, 287
  - electronic structure of 155
  - epitaxial 26, 35–38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 68, 191
  - epitaxial growth of 191, 298
  - exfoliated 69, 76
  - Fermi level of 21, 160, 287
  - fluorinated 167–68
  - fluorination of 167
  - free-standing 38, 190, 285
  - high electrical conductivity of 13, 264
  - high-quality 46–47, 49, 56, 75, 88, 193, 216, 299
  - hydrogenated 167–68
  - large-area 67–68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 299
  - multilayer 4, 38–39, 44–45, 50, 55, 81
  - nitrogen-doped 265
  - photocurrent generation in 286–87
  - photonic absorption of 284–85
  - porous 265, 269
  - pristine 154, 159, 162, 164, 168, 174, 185–86, 196, 202, 204, 219, 253, 265, 300, 307
  - Raman spectroscopy of 155
  - single-crystal 77, 84–85, 87
  - single layer 4, 18, 23, 98, 155–59, 172–73, 291
  - single-layer 2–3, 68, 75, 78–82, 185, 190–91, 247–50, 284–85, 289–90, 298
- graphene-based composite materials 186, 202, 233
- graphene-based electrode material for LIB 257
- graphene-based electrode materials 272
- graphene-based materials, development of 232–33
- graphene-based supercapacitor 264
- graphene devices 279–82, 284, 286, 288, 290, 292

- graphene electrodes 264–65, 267, 269
- graphene electronics 50
- graphene films
  - pre-grown CVD multi-layer 86–87
  - single-layer 70, 79, 81, 85
  - stacked multi-layer 82
  - uniform 57
  - wafer-scale bilayer 83
- graphene flakes 69
- graphene foams (GFs) 194
- graphene grain boundaries 85–86
- graphene grains 80, 84–87
  - single-crystal 85–86
- graphene growth 4, 39, 42, 44–48, 50, 54, 56–57, 77, 79–81, 83, 86, 193
  - bilayer 83
  - high-quality 56, 81
- graphene islands 40, 51–53, 55
- graphene nanoribbons 23, 169, 195–96, 300
- graphene nanosheets 230, 248, 257–59, 268
  - freestanding 192
- graphene networks 186, 262
- graphene nucleation 45, 85–86
- graphene oxide 5, 69, 167–68, 174, 186, 223, 250–53, 258, 260, 266, 270, 298–300, 313, 315
  - electrochemical reduction of 253
  - reduced 185, 202, 216, 270, 299–303, 305–7, 309–11
  - reduction of 197, 250–51
  - thermal treatment of 253, 264
- graphene oxide sheets 251, 261, 266, 268, 270
- graphene photodetectors 279, 282, 287, 289–91
- graphene plasmonics 291
- graphene quantum dots 300
- graphene ribbons 194
- graphene scaffold 260–61
- graphene sheets 95–96, 98, 100–1, 107–8, 112, 121–22, 191, 193–94, 196, 218–19, 224, 232–33, 248–49, 254–56, 260–64
  - exfoliated 112
  - few-layer 71, 84–85, 112, 192, 255, 298
  - free-standing single layer 98
  - oxidized 198, 221–22, 263
  - pristine 216
  - reduced 253, 260
- graphene stack photodetector 282, 290
- graphene synthesis 73, 190, 194, 270
- graphene synthesis methods 68–69
- graphite 2, 4, 68–69, 112, 114, 126, 134, 136, 138, 166–67, 184–85, 191, 248–49, 254–57, 298–99
  - direct exfoliation of 248–49
  - exfoliated 255–56
  - pristine 98, 248–49, 303–4
- graphite crystals 68
- graphite flakes, multilayered 221–22
- graphite intercalated compounds (GICs) 254
- graphite oxide 4, 68–69, 167, 186, 195, 199, 218, 221–24, 249–50, 254
  - exfoliation of 199, 249–50
  - reduction of 69, 199, 218
  - single-layer 250
- graphite sheets, two-dimensional 121–22
- graphitic carbons 136, 184
- graphitization
  - degree of 128

- high degree of 128, 133–34, 144, 146
- GSA, *see* geometric surface areas
- high resolution transmission electron microscopy (HRTEM) 44–45, 98, 157
- highly oriented pyrolytic graphite (HOPG) 69, 81, 107–8, 112, 127–28, 190, 280
- hole transport layer (HTL) 315–16
- HOPG, *see* highly oriented pyrolytic graphite
- HRTEM, *see* high resolution transmission electron microscopy
- HTL, *see* hole transport layer
- hydrazine 69, 197, 202, 252, 298, 301, 304
- hydrazine reduction 301–2
- hydrocarbons 68, 70, 79, 88
  - polycyclic aromatic 194
- indium tin oxide (ITO) 76, 82, 286, 310
- ITO, *see* indium tin oxide
- JJA, *see* Josephson junction array
- Josephson junction array (JJA) 103–5
- Klein tunneling 3, 22–24, 174
- Kohn anomalies (KAs) 160, 162
- LEEM, *see* low-energy electron microscopy
- LIBs, *see* lithium-ion batteries
- lithium-ion batteries (LIBs) 5, 121–23, 134–35, 146, 189, 225, 256, 258, 263, 269, 271
- low-energy electron microscopy (LEEM) 41–43, 84
- magnetoresistance 105–6
- manganese oxide 209–10, 226, 230
- MCS, *see* mesoporous carbon spheres
- mesoporous carbon spheres (MCS) 224
- nanoelectronics, graphene-based 191
- nanographite grains 99
- OCV, *see* open-circuit voltage
- open-circuit voltage (OCV) 212, 312–13
- optoelectronics 82, 88, 286–87
- PAH, *see* polycyclic aromatic hydrocarbons
- PCE, *see* power conversion efficiency
- PECVD, *see* plasma-enhanced chemical vapor deposition
- photocurrent generation 282–83, 287–91
- plasma-enhanced chemical vapor deposition (PECVD) 99, 122, 134
- plasmon resonance 291–92
- polyaniline 229–31, 268
- polycyclic aromatic hydrocarbons (PAH) 194
- polymerization 206, 228
- porous carbon architecture, 3D hierarchical 224
- power conversion efficiency (PCE) 311–13, 315
- pseudocapacitance 208–9, 221–22, 225, 228, 264, 269
- pseudospin 16
- Pt catalysts 140–42
- Pt loading 141, 144–45

- Pt nanoparticles 141–43, 146
- QIC, *see* quantum interference corrections
- quantum Hall effect 55
- quantum interference corrections (QIC) 24–25
- Raman scattering 154–55
- reversible hydrogen electrode (RHE) 144–45
- RHE, *see* reversible hydrogen electrode
- scanning electron microscope (SEM) 98, 107, 122, 252, 265
- scanning tunnelling microscopy (STM) 40–42
- SEI, *see* solid electrolyte interface
- SEM, *see* scanning electron microscope
- semiconductors 37, 289, 292
- silicon 43, 46–47, 49, 54, 56, 191, 260
- silicon carbide 35, 69, 191
- solid electrolyte interface (SEI) 135
- step bunching 43, 45, 49, 56
- STM, *see* scanning tunnelling microscopy
- sulfur 198, 203, 270–71
- supercapacitor applications 184, 206, 208, 223, 228, 233, 265
- supercapacitor devices 184, 211, 220, 225, 231–32
- activated graphene-based 266
- supercapacitor electrodes 207–9, 211, 213, 215–17, 219, 221, 223, 225, 227, 229, 231
- supercapacitors 5, 37, 183–84, 187–90, 207, 210–13, 215–20, 225, 228–29, 232–33, 248, 264–69
- TEM, *see* transmission electron microscopy
- thermal conductivity 36, 247
- thin film transistors 307–8
- transmission electron microscopy (TEM) 5, 121–22, 124, 129, 143–44, 250
- transparent electrodes 68, 74, 82, 193, 312
- trigonal warping of the electronic spectrum 15, 17, 25–26
- trilayer graphene, intercalated 163–64
- weak localization 24–26
- X-ray diffraction (XRD) 141, 143–45, 250, 303
- X-ray photoelectron spectroscopy 77, 304
- XRD, *see* X-ray diffraction
- zero-bias resistance (ZBR) 109–10, 112–13
- zigzag edge 21, 169–72