

Index

- AA *see* acrylic acid
AAA *see* alginic acid amidated acid
2-aminoethyl-phosphonic 360
 α -L-guluronic 317
acetic 397
acrylic 64, 275, 283
adipic 356
arginine–glycine–aspartic 62, 182, 312
carbonic 486
cytidylic 142
 α -D-3-hydroxybutyric 321
fumaric 273
mannuronic 317
polyglycolic 72, 226, 302, 321, 394, 441
polylactic 302, 321, 410
starch-polylactic 394
acrylates 274, 469
alkyl 268
commercial 469
ion-doped 469
multi-arm PEG 274
poloxamine-polylysine 188
acrylic acid (AA) 64, 74, 152, 153, 169, 199, 200, 215, 275, 283, 353–355, 359
activity
antibacterial 292
anticoagulant 355
antimicrobial 85, 261
biological 14, 25, 71, 182, 311, 375, 575
chemotactic 84, 89
endocytic 135
fibrinolytic 125, 127
immunomodulatory 92
luciferase gene 613
mitochondrial 538
mutagenic 539
paracrine 90
proangiogenic 285, 289
procoagulant 132
proteome 13
synthetic 362, 551
toxicological 536
adhesion 4, 21, 22, 55, 61, 63, 68, 122, 155, 224, 265, 281, 361, 363, 372, 399
bovine articular chondrocytes 394
bovine chondrocyte 227
chitosan/polyester-based scaffolds support 393
fibrillar 66
fibroblast 63, 266
leukocyte 117
AF *see* annulus fibrosus
agents
anti-inflammatory 126, 270
biological 146, 491, 521
decellularizing 198
hemostatic 311, 312, 314
immunosuppressive 144
molecular 150
pharmaceutical 556
signaling 65
therapeutic 82
alginic acid amidated (AAA) 349, 359
angiogenesis 90, 91, 95–97, 149, 152–154, 168, 169, 176–180, 183, 199–201, 205–209, 215, 216, 591–594, 597–599, 622, 623, 626–629, 636

- animal models 242, 534, 539, 541, 542, 551, 552, 602, 605, 626
- annulus fibrosus (AF) 407, 408
- antigen 115, 126, 129, 133, 134, 137, 138, 141–143, 607, 608, 612
- biomaterial-associated 140
- carcinoembryonic 143
- cell wall 612
- endocytosed 136
- foreign 135, 136
- tumor lysate 144
- antigen presenting cells (APCs) 126, 134, 135, 137
- APCs *see* antigen presenting cells
- apoptosis 22, 60, 117, 185, 186, 229, 240, 596, 597
- architecture 2, 9, 21, 24, 39, 44, 224, 232, 248, 249, 383, 390, 392, 494, 495, 518, 524
- cellular 491, 494, 505
- elastin fiber 36
- hierarchical 34, 405, 407
- molecular 265, 268, 274, 287
- molecular polymer 264
- nuclear 27
- organ 24
- pore 224, 236, 237, 425
- porous 481
- vascular tree 205
- vessel 615
- arteries 32, 36, 175, 176, 196, 206, 224, 226, 575, 592, 593, 600, 620
- artificial 513
- bioprinted 513
- femoral 181
- hepatic 575
- intracerebral 617
- intracortical 619
- atom transfer radical polymerization (ATRP) 265, 291
- ATRP *see* atom transfer radical polymerization
- BA *see* blowing agents
- BCP *see* biomimetic calcium phosphate
- bioactive glasses 404, 446, 448, 452–457, 474, 476–480
- bioactive molecules 241, 242, 259, 264, 268, 387, 388, 412, 417, 436
- bioceramics 441, 442, 444, 474–479
- biodegradable polymers 156, 228, 266, 276, 293, 296, 322, 410, 425, 435, 463, 465, 473, 475
- bioluminescent imaging (BLI) 596, 613, 614
- biomaterial scaffolds 10, 11, 53, 178, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 556
- biomimetic calcium phosphate (BCP) 399, 515
- biomimetic scaffolds 12, 57, 69, 223–225, 229, 232, 233, 235, 237, 238, 241, 244, 249, 470, 471
- biocompatible 9
- nanofibrous 226
- tissue-engineered 9
- biopolymers 231, 322, 373, 440, 467, 631
- artificial 156
- biodegradable 441
- molecular-modified 9
- synthetic 443
- bioprinting 203, 470, 492–495, 499, 501, 503, 505, 507, 509, 511, 513, 515–518, 520, 522, 525, 526

- inkjet 483, 524
 stem cell 520
 bioreactors 196, 197, 518, 556,
 561, 562, 564, 565, 567,
 569, 570, 573, 575, 577,
 580, 581, 583, 585, 587,
 595
 blood vessel 570
 cyclic stretch 577
 fiber membrane 578
 organ bath 574
 rotating 2, 399
 rotating shaft 563
 stirred-tank 561
 blends 225, 313, 393, 394, 465,
 493
 BLI *see* bioluminescent imaging
 blood 101, 103–106, 109, 111,
 117, 122, 146, 147, 162,
 164, 170, 174, 207, 212,
 571, 574, 575
 circulating 571
 flowing 117, 157, 573
 oxygen-deficient 593
 oxygen-rich 593
 blood clot 33, 95
 blood coagulation 25, 124, 131,
 147
 blood flow 7, 32, 36, 175
 hemodynamic 11
 pulsatile 570
 blood vessels 26, 32, 87, 89, 91,
 149, 154, 155, 174–178,
 182, 185–189, 192, 194,
 570, 571, 611, 613
 bovine 469
 cerebral 36
 human 513
 macro-sized 612
 tissue-engineered 4
 blowing agents (BA) 392–394
 BM *see* bone marrow
 BMD *see* bone mineral density
 BMPs *see* bone morphogenetic
 proteins
 body 81, 90, 95, 127, 130, 134,
 137, 233, 239, 456, 457,
 536, 543, 593, 598, 638,
 639
 adult 81
 cell 134
 embryoid 508
 foreign 10
 host 180, 517
 human 4, 6, 174, 263, 268,
 308, 309, 321, 436, 536,
 622, 638
 bonds 63, 307, 342, 394, 447,
 449, 451
 adhesive 63
 amide 182, 276, 284, 359,
 360
 chemical 339
 covalent 30, 338, 379
 disulfide 136, 379
 disulphide 33
 double 282
 intramolecular 379
 bone 31, 37, 38, 95–97, 102, 103,
 106, 107, 234, 304, 305,
 307, 381, 382, 410,
 436–440, 545–547,
 550–552, 578–581, 632,
 633
 autologous 437
 condylar 279
 deminerIALIZED 96
 freeze-dried 372
 hip 5
 host 279, 281
 lamellar 97
 osteoarthritic 530, 550
 osteoporotic 550, 552, 554
 bone cells 37, 265, 582
 bone defects 69, 78, 242, 273,
 314, 370, 437
 critical size 517
 induced 371
 skull 239

- bone density 370, 371
 bone fillers 306, 314, 329, 456,
 640
 bone formation 90, 96, 239, 269,
 279, 281, 284, 456, 476,
 517, 579
 ectopic 96, 98, 269
 woven 97
 bone implants 545–547
 bone marrow (BM) 81, 82, 88, 89,
 91, 92, 94, 95, 101, 104,
 105, 108, 109, 193, 539,
 584
 bone matrix 95, 96
 bone mineral density (BMD) 371
 bone morphogenetic proteins
 (BMPs) 25, 38, 96, 242,
 269
 bone regeneration 214, 220, 237,
 269, 280, 281, 286, 289,
 431, 440, 457, 473, 474,
 525, 552, 555, 561
 bone repair 95, 98, 211, 381, 420,
 473, 474, 477
 bone tissue 37, 38, 251–253, 292,
 330, 331, 334, 335, 383,
 385, 419–421, 428–430,
 432, 472, 474–476, 481,
 558, 559, 625
- cancer 23, 47, 48, 137, 168, 171,
 178, 206, 208, 524, 591,
 593, 599, 622, 623, 626,
 628, 629
 fibrosarcoma 610
 human ovarian 509
 capillaries 91, 149, 175, 198, 203,
 467, 506, 511, 592, 593,
 606, 617
 blood-perfused 601
 bulbar conjunctiva 608
 continuous fenestrated 176
 discontinuous 176
 endothelialized 198
- fluorescent 608
 microvascular 592
 non-fenestrated 176
 carbohydrate recognition domains
 (CRDs) 128
 cardiac tissue 188, 196, 200, 211,
 214, 216, 232, 233, 292,
 293, 505, 506, 523, 526,
 555–557, 567, 569, 586,
 587
 engineered 567, 568, 586
 infarcted 270
 cardiomyocytes 188, 198, 232,
 255, 326, 505, 506
 cell-derived 153, 292, 586
 rat 235, 568
- cartilage 31, 32, 38, 39, 95, 97,
 279, 281, 304–307, 315,
 316, 382, 384, 395, 397,
 399, 408, 561
 elastic 226
 engineered 561, 563, 583
 hyaline 26, 31, 38
 hypertrophic 97
 knee 638
 tissue-engineered 279, 294,
 297, 554, 583, 589
- cartilage tissue 273, 314, 317,
 325, 327, 330, 332, 333,
 406, 419–421, 424, 432,
 473, 583
- CCD *see* cooled coupled device
- cell adhesion 3, 6, 10, 11, 18, 24,
 33, 34, 60, 63, 64, 70, 73,
 238, 248, 252, 293, 298
- cell attachment 63, 72, 73, 186,
 190, 226, 234, 237, 245,
 264, 410, 420, 597
 bacterial 310
 light stimulation 241
 mammalian 287
 neuronal 287
- cell behavior 9, 182, 224, 227,
 231, 236, 238, 239, 244,
 251, 454, 473

- cell cultures 18, 57, 60, 70, 255, 328, 334, 363, 385, 420, 507, 518, 519, 614
 cell density 495, 509, 558, 559, 563
 cell growth 11, 67, 223, 232, 237, 365, 599
 integrin-mediated 383
 cell migration 4, 22, 78, 89, 95, 147, 155, 237, 291, 391, 438, 530
 osteoprogenitor 96
 cell morphology 231, 234, 235, 537, 538, 597
 cell proliferation 9, 21, 47, 85–87, 234, 238, 240, 256, 264, 277, 294, 420, 421, 538, 578, 585
 cells
 apoptotic 128, 141
 bioprinted 516
 bladder 4
 bone marrow-derived 178
 bone-resorbing 548
 bovine 415
 circulating 93, 94
 co-cultured 186, 195, 548
 connective tissue 380
 continuous 437
 eukaryotic 64, 128
 fibroblasts 279, 281
 fluorescent 610
 foreign 128, 130, 134, 135
 foreign body giant 116
 hemopoietic 38
 immune 42, 43, 82, 84, 90, 142
 implantable 276
 insulin-producing 195
 interstitial
 luciferase transgenic 596
 mesenchymal precursor 186
 mesodermal precursor 175
 mononuclear 193, 314
 multinucleated 38
 mural 175, 177, 186
 muscle myoblast 155
 myogenic 93, 234
 neonatal rat heart 233
 neutrophil 87
 pancreatic 363
 parenchymal 147
 phagocytic 128, 545
 seeded 240, 264, 493
 stalk 177
 stellate 576
 tip 177
 tissue-derived 530, 550
 transplanted 179, 189, 202
 urothelial 1, 8
 white blood 43
 chamber 194, 196, 197, 214, 486, 579, 587, 605
 field stimulation 569
 polycarbonate 194
 prevascularized 196, 197
 transparent 605
 vacuum 397
 channels 6, 202, 204, 466, 578
 microfluidic 497
 open-pool fluidic 499
 stretch-activated 560
 transmembrane 131
 chitosan 140, 235, 251, 315, 316, 319, 323, 331, 334, 352, 404, 419, 422, 427
 chondrocyte apoptosis 97, 217, 254, 259, 261
 chondrocytes 38–40, 92, 97, 112, 239, 279, 281, 283, 284, 318, 363, 376, 548, 554, 580, 589
 bovine 287
 bovine articular 393, 394, 399, 420, 424, 565
 calcified hypertrophic 97
 chicken 99
 encapsulated 287

- murine 99
- chondroitin sulfate (CS) 25, 26, 306, 314, 315
- CLSM *see* confocal laser scanning microscopy
- computational topographic design (CTD) 438, 439
- confocal laser scanning microscopy (CLSM) 595, 602, 607–610
- conformation 51, 64, 288, 344, 354
 - bicontinuous 278
 - helical 29
 - triple-helices 379
- connective tissues 25, 28, 29, 31, 32, 35–37, 40, 82, 92, 147, 238, 420, 436, 456
- constructs 2, 58, 59, 153, 185, 188, 203, 226, 236, 237, 250, 556, 558, 562, 563, 566, 569, 570, 579
 - cell-seeded 599
 - conditioned 572
 - disc-shaped 563
 - elastin 313
 - endothelialized 184
 - engineered 79, 80, 203, 406, 511, 589, 594
 - engineered vascular 11
 - engineering 174, 224
 - fabricated 518
 - gelled 193
 - hybrid 513
 - ligament 567
 - modular 188
 - modular cardiac 188
 - nonstimulated 569
 - textile 410
 - thick cell 187
 - vascularized 11
- contractions 2, 3, 40, 68, 116, 236
 - rhythmic 569
 - spontaneous 235, 255
- synchronous 556, 568
- contrast agents 576, 579, 598, 600, 601, 615, 617–619, 630, 633, 634
- diffusible 619
- iodine-based 615
- iron oxide 619, 620
- radio-opaque 615
- second-generation 615
- vessel 615
- cooled coupled device (CCD) 602
- CRDs *see* carbohydrate recognition domains
- crosslinking 30, 32, 44, 274, 286, 310, 311, 317, 413
 - alkylation 414
 - chemical 227, 231, 234, 312, 339
 - covalent 30, 311
 - enzyme-mediated 279
 - peroxidase-mediated 414
 - stoichiometric 339
- crosslinking degree 363, 368, 370, 413
- crosslinking reaction 273, 348, 353, 363
- cross-presentation 136, 142, 164, 166, 167
- CS *see* chondroitin sulfate
- CTD *see* computational topographic design
- culture 60, 74, 86, 101, 144, 192, 196, 227, 229, 235, 236, 506, 509, 510, 513, 638, 642
 - chondrocyte 359
 - human fibroblast 310
 - microcarrier 61
 - organotypic explant 61
 - pellet 564
 - primary 537
 - static 559, 562, 564
 - tissue 549

- cyclic compression 561, 563, 564, 567, 584
- cytokines 43, 87, 88, 95, 98, 102, 117, 118, 120, 128, 139, 147, 148, 150, 156, 168, 200, 243
- immunosuppressive 119, 144
- inductive 87
- cytotoxicity 282, 334, 420, 425, 536, 538, 552
- damage associated molecular patterns (DAMPs) 89, 109, 129, 139, 140, 166
- damaged tissues 13, 83, 93, 264, 437, 438
- DAMPs *see* damage associated molecular patterns
- DCs *see* dendritic cells
- DCs
- acid-treated 140
 - agarose-treated 139
 - alginate-treated 140
 - host 144
 - immature 134
 - stimulated 144
 - tissue-associated 135
 - tolerogenic 129
- decellularization 180, 485, 487, 517, 575
- human cadaver tissue 304
- incomplete 485
- decellularized heart valves 573, 588
- decellularized scaffolds 173, 180, 184, 197, 205, 490
- decellularized tissues 485–487
- defect 310, 371, 381, 383, 391, 456, 457, 465
- congenital 23
- critical size 41, 98, 381
- critical size calvaria 517
- irregular 456
- noncritical size 456
- open calvaria 517
- osteochondral 513
- skeletal 437
- deformation 3, 30, 502
- gross 502
- irreversible 567
- long-range 32
- plastic 564
- degradation 38, 42, 246, 248, 266, 310, 311, 319, 334, 336, 411, 441–443, 450, 457, 475, 478
- endosomal 143
- enzymatic 321, 334, 363, 427, 564
- fast 359, 457
- gradual 182
- plasmin sensitive 248
- rapid 309, 457
- scaffold 598
- thermal 267, 390
- unregulated 143
- degradation process 248, 316, 442, 452, 457
- degradation rate 90, 252, 268, 312, 314, 319, 413, 442, 444, 457
- DEI *see* diffraction-enhanced imaging
- delivery 59, 69, 124, 138, 140, 143, 145, 151, 152, 180, 182, 242, 259, 261, 269, 367
- controlled 156, 245, 265, 432
- nutrient 237, 569
- dendritic cells (DCs) 10, 115, 117, 128, 129, 134–145, 157, 161, 164–167
- density 142, 152, 183, 288, 348, 445, 501, 559, 620
- bone volume 579
- cell 495, 564
- chondrocyte 564
- crosslink 347

- high-crosslinked 344
- ligand 142
- microvessel 182, 199
- mineral 579
- optical 538
- proton 449, 600
- tissue 204
- dental pulp stem cells (DPSCs) 104, 286
- deposition 22, 225, 241, 398, 425, 444, 501, 512, 522, 561
 - basement membrane 288
 - chemical vapor 451
 - flame-spray 447
 - fused 461
 - mineral 579
 - polymer melt 428
- development
 - adult healing 44
 - biological 576
 - cardiomyocyte 568
 - chondrogenic 564
 - enzymes-associated collagen matrix 454
 - fetus 44
 - neo-tissue 580
 - neural 64, 73
 - osteoarthritis 38
 - parthenogenetic 509
 - physiological 591, 622
 - skeletal muscle 41, 54
 - tissue-engineered 155
 - tissue-organ 27
 - tissues 25
 - tumor 540
- devices 59, 122, 147, 267, 268, 389, 418, 467, 497–499, 534, 536, 539, 543–545, 561, 562, 640
 - adhesion prevention 640
 - biomedical 271, 405, 447, 535
 - bone expansion 640
 - cardiac support 409
 - cell-free 59
 - clinical ultrasound 621
 - cooled coupled 602
 - gynecologic 544
 - hip 59
 - implantable 60, 390
 - microfluidic 236
 - motorized printing 467
 - orthotic 5
 - prosthetic 533
 - therapeutic 156
- differentiation
 - arterial–venous 175
 - chondrocyte 99
 - chondrogenic 96, 262, 393, 399, 415
 - myoblast 100, 107
 - myogenic 234
 - osteoblastic 561, 582
 - osteoclast 99, 112
 - terminal 96
- diffraction-enhanced imaging (DEI) 7
- diffusion 266, 344, 389, 451, 548
 - inward 559
 - metabolites 25
 - synovial fluid 39
- dip-pen nanolithography (DPN) 224, 230, 231, 254
- diseases 27–29, 46, 80, 81, 104, 145, 164, 206, 509, 518, 524, 530, 534, 542, 550, 558
 - angiogenetic 600
 - bladder 2
 - cancerous 622
 - cardiovascular 32, 168, 409, 505
 - fibrotic 155, 171
 - heart valve 572
 - joint 369
 - kidney 615
 - neurogenic bladder 8
 - valvular 573

- distribution 27, 31, 39, 52, 134, 241, 265, 458, 543, 545, 596
 binomial 499
 cellular 575, 578, 580
- DPN *see* dip-pen nanolithography
- DPSCs *see* dental pulp stem cells
- drugs 49, 71, 105, 208, 251, 259, 289, 296, 338, 367, 369, 396, 413, 414, 474
 anti-angiogenic 623
 anti-inflammatory 367
 pharmacological 388
 positively charged 369
 therapeutic 493, 497
- EB *see* embryoid body
- EBL *see* electron beam lithography
- EBP *see* elastin-binding protein
- ECM *see* extracellular matrix
- ECM
- acellular 486
 - anisotropic 3
 - artificial 244, 548
 - cell-generated 190
 - chondrogenic 516
 - collagen-rich 565
 - host 9
 - mature 556
 - mineralized 561
 - natural 10, 189, 223, 233, 249, 405
 - nature-created 9
 - synthetic 68
 - temporary 42
- ECM proteins 26, 65, 185, 186, 188, 225, 275
 artificial 14
 mammalian 313
 native 226
 synthetic 67
- ECM structure 26, 224, 239, 405, 565, 573
- ECs *see* endothelial cells
- ejectors 494, 496, 497, 499, 510
- elasticity 27, 32, 37, 61, 226, 232–236, 255, 313, 328, 352
- elastin 22, 25, 26, 31–33, 35, 36, 39, 51, 52, 61, 225, 226, 232, 245, 304, 308, 309, 313, 327, 328, 571, 572
- elastin-binding protein (EBP) 33
- electron beam lithography (EBL) 66, 265
- electrospinning 6, 67, 77, 224–227, 246, 249, 251, 398, 413, 414, 418, 423, 424, 428
- embryoid body (EB) 507, 508, 520
- embryonic stem cells (ESCs) 75, 76, 243, 507
- encapsulation 183, 210, 248, 290, 415, 417, 499, 506
 chondrocyte 284, 296
 nanoliter droplet 509, 511
- endoplasmic reticulum (ER) 135, 136
- endothelial cells
- bovine aortic 280, 281
 - human microvascular 219
 - human umbilical vein 154
 - macrovascular 420
 - mouse 611
 - murine 220
 - tumor 621
- endothelial cells (ECs) 149, 174–177, 179, 180, 184–189, 191–193, 196, 198, 199, 202, 204, 205, 383, 551
- endothelial progenitor cells (EPCs) 89, 94, 98, 170, 178, 192–194, 207, 208, 212, 515, 526

- endothelium 11, 43, 55, 117, 148, 176, 206, 207, 621
 luminal 621
 quiescent 592
 retinal 612
 environment
 acidic 143, 379
 biochemical 69
 cellular 243, 244
 destructive 120
 electrical 95
 hemodynamic 573
 hostile 342
 hydrated 275
 hypoxic 80
 immunosuppressive 119
 intracellular 62
 intrauterine 44
 physicochemical 59
 post-natal 100
 systemic 81
 enzymes 2, 10, 45, 182, 247, 248, 264, 311, 318, 359, 380, 436, 470, 537, 550, 577
 activated 147
 cytoplasmic 538
 fibrinolytic 126
 prolyl-hydroxylase 90
 EO *see* ethylene oxide
 EPCs *see* endothelial progenitor cells
 ER *see* endoplasmic reticulum
 ESCs *see* embryonic stem cells
 ethylene oxide (EO) 132, 163, 164, 274, 294, 297, 298, 332, 370
 evaluation 17, 186, 197, 261, 294, 324, 329, 332, 335, 532, 534, 539, 543–545, 550, 552, 553
 biological 68, 421, 551
 chemical 64, 549
 histological 546
 extracellular matrix (ECM) 4, 8–10, 21–32, 34–40, 42–46, 48, 50, 54–58, 60–62, 68–70, 219, 242–244, 264, 485, 486, 493
 factors 11, 58, 84–86, 88, 91, 131, 177, 178, 182, 185, 193, 219, 320, 322, 451, 454
 anti-angiogenic 149
 antithrombotic 184
 bioactive 241
 biological 13
 cell homing 93
 de-swelling 346
 exogenous 153
 growth inhibitory 92
 hypoxia-inducible 90
 macrophage-derived 88
 morphogenetic 150
 osteogenic 90
 platelet-growth 85
 platelet-released 84
 pro-angiogenic 90, 183
 secretable 90
 stem cell 91
 swelling rate 346
 systemic 532–534
 transcription 90, 454
 tumor necrosis 87
 FAK *see* focal adhesion kinase
 FBGCs *see* foreign body giant cells
 FBR *see* foreign body reaction
 FDM *see* fused deposition modeling
 FEA *see* finite element analysis
 FGFs *see* fibroblast growth factors
 fibers 5, 31, 36, 40, 44, 77, 220, 226–228, 241, 246, 247, 286, 380, 394, 410, 411, 417
 bicomponent 411
 macroscale 405

- motor 285
- multicomponent 410
- multi-hollow 411
- nanosized 225
- protein 312
- radial 39
- reticular 31
- sensory 285
- spinning 7
- textile 409
- fibrin 33, 42, 68, 147, 148, 182, 305, 311, 312, 325, 379, 381, 382, 385
- fibrin clots 42, 117, 149, 311
- fibrin gels 182, 191, 242, 382, 384, 568
- fibrinogen 117, 129, 132, 162, 182, 235, 236, 305, 310, 311, 325, 381, 469
- fibroblast growth factors (FGFs) 14, 20, 25, 38, 96, 97, 150, 152, 219
- fibroblasts 29, 32, 33, 44, 65, 68, 99, 102, 116, 128, 129, 149–151, 174, 175, 238, 239, 379, 380, 571, 572, 584, 585
 - adult 44
 - cardiac 506
 - embryonic 186
 - human artery-derived 192
 - human periodontal ligament 454
 - mouse lung 415
- fibron gel 380, 381
- fibronectin 22, 25, 26, 33, 36, 42, 45, 52, 62, 71, 150, 185, 188, 193, 323, 565
- fibrosis 23, 34, 43, 120, 147, 168, 545
 - nephrogenic systemic 619
- fibrous scaffolds 228, 308, 318, 578
- finite element analysis (FEA) 6
- fluids 6, 11, 338, 348–350, 426–428, 496–499, 501, 504, 523, 560, 570, 574, 638, 648
 - biological 363, 409
 - bodily 10
 - cell suspension 498
 - interstitial 117
 - physiological 267, 269, 288
 - stationary 563
 - viscous 501
- fluorochromes 547, 603, 607
 - antibody-coupled 612
 - organic 608, 612
- focal adhesion kinase (FAK) 28
- foreign body giant cells (FBGCs) 116, 119, 120
- foreign body reaction (FBR) 115, 116, 119, 121, 122, 132, 157–159, 313, 318, 511, 550
- foreign body response 119, 121, 122, 158, 159, 170
- fracture 94, 95, 97–99, 105
- functions 30, 31, 41, 42, 46, 47, 54, 86, 87, 120, 176, 177, 195, 196, 236, 237, 323, 324, 436, 437, 531, 532, 580, 581, 634, 635, 638, 639
 - anti-proliferative 118
 - biological 58, 60, 277, 530
 - cell-biomaterial 231
 - cellular 59, 61, 233
 - fibroblast 150
 - islet 188, 214
 - lymphocyte 134
 - mechanical 379
 - metabolic 38
 - physiological 57, 58, 556
 - reproductive 544
- fused deposition modeling (FDM) 250, 395, 436, 458, 459, 464, 465, 482

- GAGs *see* glycosaminoglycans
 GAGs
 non-sulfonated 45
 uncrosslinked 316
 gelatin 268, 305, 308, 311, 321,
 325, 379, 457, 469
 nanofibrous 228
 photosensitive 482
 gelatin scaffolds 181, 229, 482
 gelation 278, 284, 285, 288, 297,
 379, 381, 384, 413
 enzymatic 414
 kappa-carrageenan 413
 gellan gum 414, 432
 gels 11, 234, 236, 278, 280, 287,
 317, 319, 340, 342, 348,
 349, 351, 352, 363–365,
 381, 383
 adipose-mimetic ECM 471
 dense 446
 dried 344
 fibronectin-collagen 185
 flowable 381
 gelatin-based hemostatic 311
 hydrated 287, 290
 methacrylated hyaluronic acid
 236
 nanofiber 201, 286
 polyacrylamide 347
 protein-derived 383
 proteins network 379
 soybean 383
 viscoelastic 279
 wet 446
 gene delivery 179, 242, 289, 296
 gene expression 13, 22, 27, 34, 44,
 146, 200, 376, 435, 479,
 560, 568, 576, 597
 gene regulatory proteins (GRPs)
 455
 genes 15, 86, 229, 242, 253, 258,
 327, 359, 455, 476, 492,
 569, 576, 626
 adipogenic 566
 collagen 454
 noncollagenous 455
 reporter 577
 genotoxicity 539, 552
 GFs *see* growth factors
 GG *see* guar gum
 glycosaminoglycans (GAGs) 25,
 26, 35, 39, 45, 84, 243, 285,
 286, 289, 302, 314–316,
 561–564
 growth factors (GFs) 22, 24, 25,
 35, 54–56, 84, 86, 87, 95,
 97, 98, 107, 108, 148,
 179–183, 194, 195, 197,
 240, 241, 258, 259
 GRPs *see* gene regulatory proteins
 guar gum (GG) 350, 352–354,
 356, 375
 HBPA *see* heparin-binding PA
 heart 2, 7, 9, 101, 174, 178, 198,
 208, 233, 493, 524, 572
 adult 198
 donor 2
 infarcted rat 197, 586
 heart tissue 65, 198, 232
 heart valves 2, 4, 245, 307, 321,
 487, 555, 558, 570–573
 porcine 487
 prosthetic 409
 helix 36, 288
 fibrous 36
 right-handed triple 308
 triple-stranded 29
 heparin-binding PA (HBPA) 201,
 285, 286, 289
 hepatocyte growth factor (HGF)
 93, 106
 hepatocytes 33, 122, 187, 198,
 575, 576
 HGF *see* hepatocyte growth factor
 HIFs *see* hypoxia-inducible factors
 host response 10, 42, 59, 69, 115,
 116, 118, 121, 147, 151,
 155, 156, 205, 489, 545

- host tissue 9
 host vasculature 174, 178–180,
 184, 186, 188, 192, 195,
 196, 200, 204, 205, 219,
 221, 326
Hyal *see* hyaluronane
 Hyal hydrogel 363, 370–372
 hyaluronane (Hyal) 349, 352–354,
 356–359, 361, 365, 371
 hyaluronic acid 10, 25, 150, 227,
 243, 306, 353, 375, 377
 hydrogels 182, 183, 234–236,
 280–283, 286–289,
 293–297, 312–315, 317,
 318, 337–356, 358–360,
 362–374, 376, 377, 413,
 415, 417, 517–520
 amidated 359
 bioactive 287
 bioadhesive 414
 biocompatible 493
 bioprinted 492, 513, 517
 chemical 338, 339
 collagen-chitosan 415
 collagen-coated 234
 crosslinked 338–340, 343,
 344
 decellularized 517
 dry 343, 346, 367
 erodible 279, 281
 fibrin 312, 326
 gelatin porous 397
 gum-based 417, 431, 432
 inert 514
 ionic-crosslinked 415
 macroscopic 287
 oxyethylene-based 274
 photo-crosslinked 415
 photosensitive 470
 physical 282
 polymethacrylate 275
 silk-fibroin 414
 soft 276
 starch-chitosan 414, 431
 sulfated 358, 375
 thermally reversible 311
 thermoset 338
 hydrogel scaffolds 68
 hypoxia 84, 89, 90, 102, 104, 106,
 108, 109, 146, 149, 173,
 187, 432, 596, 632
 hypoxia-inducible factors (HIFs)
 90
 IBMIR *see* instant blood-mediated
 inflammatory reaction
 ICs 573
 images 5, 7, 220, 338, 368, 469,
 503, 515, 547, 578, 596,
 597, 601, 602, 604, 610,
 619
 crude 614
 false-color 579
 scanning electron microscopy
 403
 imaging 592, 594–596, 598,
 600–602, 605, 607, 609,
 611, 613, 614, 616, 620,
 622, 623, 625, 629, 631,
 632
 biological 612, 626, 631
 bioluminescent 578, 596,
 613, 625
 clinical 618
 confocal 576, 577, 629
 diffraction-enhanced 7
 fluorescent 607
 laser doppler perfusion 181
 light reflectance 614
 luciferase-based 614
 microvascular 591, 594, 605,
 610, 617, 622
 molecular 600, 601, 603, 626,
 630, 635
 optical light microscopy 602,
 607

- immune response 43, 115, 116, 118, 122, 127–131, 133, 135, 137, 139–141, 143, 145, 161, 165, 308
 immune system 128, 137, 141, 160, 161, 166
 implantation 151, 152, 192, 195, 204, 205, 238, 239, 380, 383, 387, 389, 413, 417, 541, 544, 545, 549, 553
 intramuscular 96
 intra-peritoneal 119
 surgical 594
 implanted biomaterials 115–117, 119, 120, 133, 158, 159, 193, 531, 534, 605
 implants 57, 59, 116, 118, 119, 121, 146, 147, 149, 151, 153, 190, 196, 197, 238, 268, 444, 543–547
 artificial biomaterial 148
 biomedical 116, 156
 ceramic 546
 computer-designed cranial 5
 corneal 4
 ectopic 88
 glass 456
 human 156
 hybrid 387
 injectable 279, 281
 long-term 545
 ocular 268
 orthopedic 59
 prosthetic 59
 skeletal 545
 surgical 409
 textile 410
 tissue-engineered liver 4
 inflammation 42–44, 82–84, 86, 87, 95, 99, 112–114, 117, 118, 147, 148, 153, 154, 157, 162, 168, 544, 545, 571, 572, 596, 597
 acute 116–118
 chronic 116, 118, 120, 168
 concomitant 90
 local 154, 156
 inflammatory cells 42, 87, 88, 95, 96, 120, 130, 148, 149, 151–153, 155
 inflammatory response 45, 55, 88, 89, 112, 115–117, 119, 129, 148, 157, 161, 437, 531, 546, 549
 acute 417
 biomaterial-induced 115
 chronic 119
 physiological 86
 injection 119, 138, 141, 142, 183, 359, 370, 371, 383, 611, 617
 cell 194
 intra-articular 359
 intracardial 617
 intradermal 543
 intramural 198
 intraportal vein 122
 intravenous 611
 intravital QDot 612
 lectin 186
 mural tail vein 613
 subcutaneous 280
 injury 55, 81, 84, 88, 94–97, 109, 112, 147, 148, 193, 285, 474
 acute 87
 cardiac 505
 ischemic 193
 orthopedic 310
 skeletal 98
 spinal cord 395
 traumatic 85, 151
 vessel 84
 inkjet printing 240, 436, 461, 470, 482, 521
 instant blood-mediated
 inflammatory reaction (IBMIR) 122–126, 159, 160

- interfaces 18, 64, 243, 244, 253, 259, 293, 297, 344, 374, 384, 477, 502, 531
air-encapsulating fluid 502
cell–material surface 59
cell–matrix 63, 67
chemical 69
hydration layer 447
integrin–RGD 63
liquid–vapor 403
inter-penetrating hydrogels (IPHs) 18, 364, 365, 374, 375
IPHs *see* inter-penetrating hydrogels
islets 122, 124, 126, 127, 188, 195, 196, 204, 214
donor 126
human 124
pig 124
transplanted 160, 195–197
- KC *see* keratinocyte chemoattractant
keratinocyte chemoattractant (KC) 89
kinases 28, 561
cell protein 91
focal adhesion 28
mitogen-activated protein 100, 108
- layers 36, 38, 174, 191, 203, 225, 397, 399, 458, 460, 462–464, 466–468, 520, 570, 572
adventitial 571, 572
cross-sectional 460
dense cell 237
fiber-reinforced medial 36
free water 343
hydrous 449
hydroxyapatite 452
liquid 580
pinhole-free 64
- polymerized 463
protein 64, 117, 122
silica-gel 447
leukocytes 43, 55, 84, 87, 90, 128, 162, 163, 184, 194
polymorphonucleate 44
ligaments 26, 174, 305, 313, 382, 409, 410, 485, 557, 565, 585
ligands 22, 25, 33, 47, 99, 203
adhesive 68, 203
carbohydrate 129
cell-adhesive 58, 69
cell recognition 282
integrin-binding 69
small-molecule 612
- linear viscoelastic region (LVR) 351, 352
liver 31, 101, 122, 123, 126, 176, 178, 198, 382, 487, 492, 526, 555, 574–576
decellularized 487
lungs 2, 3, 31, 32, 52, 81, 199, 226, 313, 555, 574, 575, 588, 621, 629
diseased 574
engineered 574
reseeded 575
- LVR *see* linear viscoelastic region
- MAC *see* membrane attack complex
macrophages 10, 33, 39, 44, 84, 87–89, 95, 97, 103, 113, 116, 188, 194, 219, 319, 320
magnetic resonance imaging 7, 391, 395, 460, 517, 576, 579, 580, 592, 595, 597, 600, 604, 617–622, 627, 633, 634
major histocompatibility complex (MHC) 134, 135, 143
manufacturing
additive tissue 471

- computer-aided 595
- hybrid graft 513
- module 188
- MAPK *see* mitogen-activated protein kinases
- MAPLE *see* matrix-assisted pulsed-laser evaporation
- markers 135, 164, 183, 186, 192, 454, 455, 534, 572
- alveolar phenotypic 574
- bone phenotypic 560
- cardiac 188
- cell surface 134
- fluorescent 577, 610
- hepatocyte 576
- phenotypical 575
- materials 7–9, 12–14, 57–61, 63, 64, 66–70, 156, 157, 290–293, 301, 302, 350–352, 440, 441, 451, 452, 456–463, 466–469, 531–534, 542–547
- anti-inflammatory 65
- base 447
- biocompatible 372, 468
- biodegradable gelatin 469
- bio-functionalized 173, 180, 192
- bio-inspired multifunctional 245
- biologically active 561
- biomedical 276
- biomimetic electrospun 226
- cell-free 59
- ceramic 59, 257, 440
- contractile 40
- dental 456
- dynamic 287
- foreign 147
- gel 319
- glass 457
- gradient 239
- high-modulus bone 61
- host 9
- hybrid 246
- implantable 69
- inert 65
- leachable 536
- microporous 121
- natural 6, 60
- powder 463
- pseudo-plastic 348
- rapid gelling 287
- raw 322, 391, 454, 460, 493
- scaffold-type 460
- silica-based 449
- smart 12
- stiff 267
- structural 8, 18
- synthetic 60, 67, 248, 301, 440
- synthetic hydrophilic 275
- terraglyme-coated 132
- textured 409
- thixotropic 349
- tissue-engineered heart valve 573
- toxic 463, 533
- xenogeneic graft 155
- xenogenic 245
- matrices 47, 77, 251, 268–270, 277, 280, 281, 401, 415, 535, 638, 648
- activated 242
- artificial 284
- cells 638
- controlled degradable 263
- decellularized tissue 316
- electrospun nanofiber 406
- fiber 408
- hydrophilic 277
- intrinsic 638
- microporous 6, 367
- semi-synthetic 280
- stiff 234
- matrix-assisted pulsed-laser evaporation (MAPLE) 522

- matrix metalloproteinases (MMPs) 42, 43, 45, 68, 69, 107, 118, 149, 150, 158, 177, 182, 186, 248, 309
- matrix remodeling 119, 152
- mechanical properties 30, 232, 233, 235, 236, 252, 253, 281, 282, 320, 321, 323, 324, 354, 365, 373–375, 388, 389, 395–398, 418–420, 443, 444, 572, 573
- mechanical requirements 35, 37–40
- mechanical stimulation 192, 564, 566, 567, 569, 577, 587
- mechanisms 55, 61, 69, 73, 76, 80, 84, 85, 111, 163, 164, 176, 178, 199, 200, 206, 208, 560
- biochemical 43
 - bioelimination 274
 - biological 200
 - cell patterning 177
 - cellular 91, 101, 168
 - droplet generation 497
 - homoeostatic 146
 - host defense 372
 - molecular 95, 100, 207
 - molecular cell 81
 - reconstructive 12
 - regenerative 82, 111
 - sol-gel transition 413
- mediators 96, 108, 377
- cell-released 83
 - chemotactic 128
 - molecular 117, 147
 - pro-angiogenic 154
- medical devices 59, 145, 290, 388, 535, 536, 539, 540, 552, 553, 637, 642, 645
- membrane 28, 68, 151, 169, 538, 589, 632
- basement 26, 41, 43, 63, 174, 175, 177, 246, 314
- chick chorioallantoic 612, 632
- deflectable 573
- endosomal 143
- interposed 548
- membrane attack complex (MAC) 128, 131
- mesenchymal stem cells (MSCs) 88, 90, 92–94, 97, 101–106, 109, 111, 112, 151, 154, 233, 234, 265, 513, 515, 558, 561
- metabolism 37, 38, 301, 303, 543
- aerobic 89
 - cellular 14, 20
 - microorganism 302
- methacrylic acid 152, 153, 199, 215
- methods
- bioluminescent 622
 - biomimicry 243
 - biosynthetic 126
 - cell sheet stacking 191
 - chemical manipulation 301
 - enzymatic 414
 - freeze-drying 313
 - hierarchical imaging 617
 - high-throughput 67
 - melt-derived 446
 - microfabrication 179, 202
 - microfluidics 240
 - micromachining 202
 - nanotechnology-based 451
 - photolithography-based 224
 - porogen-based 390
 - radiation-based 614, 617, 622
 - solvent-based 390
 - solvent-based fabrication 400
 - valve-based 494

- MHC *see* major histocompatibility complex
- mice 94, 96, 104, 105, 110, 112, 119, 121, 122, 126, 127, 140, 152, 154, 155, 158, 197, 199, 630, 631
adult 545
diabetic 125, 153, 169, 200, 214, 215
fibronectin knockout 120
nude 190, 219, 431, 632
transgenic 608
- microbubbles 592, 621, 622, 635
protein-encapsulated 621
- microenvironment 11, 58, 65, 80, 84–88, 103, 120, 139, 224, 483, 491, 493, 524, 530, 548, 549
- cellular 22, 239, 243, 259
extracellular 14
- microfabrication techniques 173, 202, 205, 418
- microstructures 7, 236, 265, 270, 419, 435, 453, 481, 575
cellular 575
complex 574
dense 442
- microtissues 192
- migration 21, 22, 24, 26, 33, 34, 58, 60, 61, 63, 68, 69, 71, 72, 81, 82, 89, 91, 92, 177, 178, 236, 450–452
leukocyte 148
- mitogen-activated protein kinases (MAPK) 100, 107
- mixed lymphocyte reaction (MLR) 139
- MLR *see* mixed lymphocyte reaction
- MMPs *see* matrix metalloproteinases
- modeling
analytical 3
- computer-aided anatomical 595
- fused deposition 395, 436, 458, 464
- stochastic 6, 523
stochastic network 6
- models 32, 48, 51, 53, 56, 162, 163, 168, 171, 438, 439, 466, 518, 519, 523, 548, 552–554, 556
- bovine 415
- cancer tissue 493
- cranial tumor window 605
- disturbed blood flow catheter 132
- dorsal skinfold chamber 201, 286
- dorsal skinfold window 619
- ectopic bone formation murine 88
- functional tissue 493
- mathematical 492, 560
- microstructured 504
- mouse hind limb ischemia 183
- mouse skin wound 151
- myocardial infarct 183
- osteogenic hierarchical 96
- ovarian cancer 493
- pathological 550
- rat 75, 612
- rodent 619
- statistical 499
- xenogeneic 125
- xenograft 160
- modification 10, 22, 63, 64, 121, 164, 224, 269, 274, 383
- molecular 10
- physical-chemical 24
- post-translational 245
- structural 279
- molecules 13, 19, 24, 31, 34, 38, 62, 67, 71, 87, 89, 134–137, 142, 143, 375, 379

- adhesive asymmetric 64
 amphiphilic 277
 anti-angiogenic 591
 anti-inflammatory 120
 anti-thrombotic 126
 biological 485
 biorecognition 612
 bound fibronectin 34
 chiral 65
 collagen protein 438
 costimulatory 135, 137, 139
 costimulatory B7 137
 dextran 342
 photosensitive 358
 trimeric 31
 monomers 32, 182, 278, 288, 305, 307, 320, 347, 353, 374, 441, 463, 468
 morphogenesis 12, 15, 46, 70, 150, 240, 261
 abnormal 92
 cellular 279, 281, 297
 morphology 226, 228, 263, 266, 278, 280, 282, 283, 401, 404, 405, 407, 410, 418–420, 482, 506, 507, 509
 fibrous 2, 5, 408
 microporous 318
 microvessel 606
 MRI *see* magnetic resonance imaging
 MSCs *see* mesenchymal stem cells
 MSCs
 bone marrow 82
 bovine 407
 human 86, 190
 human bone marrow 407
 marrow-derived 91, 188
 non-pericyte-derived 94
 muscle 27, 40, 41, 105, 176, 234, 436, 483, 493, 524
 anchor 565
 hind limb 190
 implanted 186
 ischemic 183, 201, 202
 panniculus carnosus 153
 thigh 181
 nanofibers 77, 200, 202, 226–228, 247, 284, 285, 289, 405, 429
 electrospun chitosan 407
 intrafibrillar collagen 457
 supramolecular 286
 nanoparticles 13, 166, 241, 267, 268, 292, 411, 579, 580, 630
 bismuth sulfide 615
 paramagnetic 580
 neo-tissues 8, 471, 555–557, 561, 563, 565, 567–569, 572, 580
 alginate-based 564
 contractile 568
 engineered 573
 neovascularization 100, 115, 154, 169, 184, 194, 208, 237, 371, 598, 625
 NMR *see* nuclear magnetic resonance
 nuclear magnetic resonance (NMR) 375, 450
 OCE *see* optical coherence elastography
 OCT *see* optical coherence tomography
 OD *see* optical density
 OLM *see* optical light microscopic optical coherence elastography (OCE) 596, 625
 optical coherence tomography (OCT) 7, 475, 576, 577, 589, 596, 624, 625
 optical density (OD) 538
 optical light microscopic (OLM) 602

- organism 8, 58, 66, 240, 379, 470, 530, 543, 544, 548
 marine 379
 multicellular 58
 organs 4, 5, 7, 10, 12, 13, 92, 93, 176, 197, 198, 471, 472, 487, 489, 491–494, 552, 574, 575, 587, 588, 594
 artificial 225, 552
 decellularized 198, 555
 donor 9
 living human 493
 nonimmunogenic 389
 tissue-engineered 2
 urinary 4
 vasculature-stained rodent 615
 osteoarthritis 28, 54, 359, 369, 370, 377
 osteoblasts 37, 88, 92, 93, 96, 97, 100, 196, 219–221, 234, 238, 239, 241, 280, 319, 454, 455, 548, 550
 osteoclasts 37, 38, 88, 97, 99, 103
 osteocytes 37, 438, 582, 583
 osteogenesis 53, 66, 100, 238, 244, 256, 257, 432, 454, 455, 519, 581
 osteogenic differentiation 234, 238, 257, 286, 362, 393, 398, 419, 427
 osteogenic markers 196, 455
 OVA *see* ovalbumin
 ovalbumin (OVA) 140–142
- PAMPs *see* pathogen-associated molecular patterns
 parameters 60, 157, 346, 397, 400, 413, 448, 492, 499, 504, 511, 606
 clinical 543
 hematologic 544
 microscopic 545
 non-dimensional 503
- operating 404
 pathogen-associated molecular patterns (PAMPs) 129, 166
 pathogens 117, 118, 128–130, 135, 136, 147, 486
 pathways 86, 95, 118, 130, 136, 463
 biochemical 27, 156
 canonical 99
 intracellular 33, 88
 metabolic 14
 multistep 29
 non-canonical 99
 phosphorelay 28
 proteolytic 68
 sodium migration 479
 synthetic 264
 thermal 13
 ubiquitin–proteasome 135
- pattern recognition receptors (PRRs) 89, 117, 129, 135
- PDGF *see* platelet-derived growth factor
- PEO *see* polyethylene oxide
- peptides 14, 72, 135, 136, 143, 160, 287–289, 330, 415, 611, 612, 631, 635
 cell adhesion 194
 elastin-derived 33
 integrin-binding 182
 resorcinarene 65
- perfusion 179, 183, 186, 187, 195, 198, 210, 220, 555, 557, 560, 561, 563, 567, 569, 580, 581, 584
 homogenous 569
 physiological 198, 575
 pulsatile 569, 572, 586
- perfusion bioreactors 560, 569, 572, 579, 587, 589
- perfusion culture 108, 572, 576, 581, 582

- pericytes 91–94, 104, 105, 108, 175, 183, 592, 628
- perimysium 40, 41
- periosteum 37, 95, 96
- permeability 6, 163, 269, 413, 417, 438
- capillary 174
- microvascular 148
- PET *see* positron emission tomography
- PGs *see* proteoglycans
- PGs
- heparin sulfate 41
 - small leucine-rich 40
- phagocytosis 118, 119, 129, 130, 161, 323
- PHAs *see* polyhydroxyalkanoates
- phases 42, 80, 97, 177, 242, 396, 445, 540, 571
- acute 88, 148
 - clinical 535
 - overlapping 86
- polymer-lean 228
- polymer-poor 400
- polymer-rich 228
- progenitor cell 22
- solid 240
- tissue maturation 518
- phase separation 224, 227, 228, 246, 249, 253, 269, 275, 400, 403, 410, 425
- liquid–liquid 400
- thermally induced 400, 424, 425
- phenotype 11, 87, 116, 118, 120, 138, 146, 196, 229, 253, 431, 516
- biliary epithelial 576
- chondrocyte 39, 288
- endothelial 288
- memory 144
- myofibroblast 150
- neural 67
- osteoblast 286, 454
- phagocytic 120
- phalanx 177
- tissue 557
- PL *see* platelet lysate
- platelet-derived growth factor (PDGF) 80, 84, 85, 91, 96, 105, 106, 112, 149, 150, 152, 154, 177, 179, 183, 184, 242, 415
- platelet lysate (PL) 85, 86, 88, 102, 103, 108, 110, 113, 427
- platelets 80, 83–85, 88, 105, 106, 110, 113, 124, 131, 133, 147, 150, 162, 164, 537, 539, 540
- platelets rich plasma (PRP) 85, 86, 99, 108
- polyethylene oxide (PEO) 122, 235, 274, 278, 279, 283, 411
- polyhydroxyalkanoates (PHAs) 266, 302, 320, 321, 335
- polymer chains 337, 338, 340–342, 344, 353, 358, 359, 367
- hydrated 342
- polymerization 267, 292, 322, 382, 441
- polymers 140, 141, 267, 268, 295, 296, 303, 305–307, 321, 322, 338, 339, 353, 354, 356, 358–360, 373–375, 392, 393, 395, 396, 398–405, 456, 457
- acrylate-based 231
 - amphiphilic 267
 - biocompatible 274
 - bioresorbable 156
 - dendritic 269
 - glassy 345
 - high molecular weight 263, 277

- hyperbranched 269, 270, 292
- non-crosslinked 358
- nucleic acid mimetic 276
- phosphorous-based 276
- photolabile 225
- polymerized 463
- polysaccharide 354
- semicrystalline 441, 442
- styrene-based 133
- temperature-responsive 190
- thermoplastic 461
- thermoreponsive 154
- triblock 282
- viscous 462, 464
- polymer scaffolds 4, 181, 385, 474
- polymer solution 226, 228, 370, 396–398, 403, 427
- polypeptides 51, 245, 246, 288, 305, 373
- polysaccharides 130, 304, 306, 314, 315, 317–319, 337, 346, 349, 353, 355, 356, 359, 361, 376
 - branched 318
 - linear 307, 316–318
 - phosphonated 360
 - sulfated 358
- pores 133, 151, 152, 202, 203, 228, 238, 365–367, 391, 393, 394, 396, 402, 438, 560
 - conical 238
 - interstitial 340
 - patterned 202
 - spherical 238
 - transcellular 176
- pore sizes 151, 236–239, 257, 368, 393–395, 397, 399, 412, 417, 427, 460
- porosity 226, 228, 229, 232, 236–239, 256–258, 269, 389, 391–395, 397, 398, 400, 402, 412, 420, 422, 460
 - homogeneous 400
- porous scaffolds 272, 275, 308, 311, 313, 316, 318, 387, 390–393, 395, 400, 401, 403, 404, 418, 419, 422, 427, 428
 - biodegradable 390
 - freeze-dried 314
- porous structures 4, 184, 188, 334, 392, 395, 396, 401, 403, 417, 436, 441, 442
- porous systems 263, 267
- positron emission tomography (PET) 7, 238, 268, 411, 592, 597, 600, 603, 614, 617, 621
- processes 5, 6, 68, 95, 96, 176, 177, 240, 246, 247, 312, 313, 389, 390, 396, 397, 400, 401, 403, 404, 459–463, 465, 466, 468, 470
 - angiogenic 87, 177
 - biodegradative 266, 267
 - biomineralization 444
 - cleaning 465
 - deacetylation 316
 - degradative 267
 - desorption 346
 - enzymatic 485, 574
 - fibrotic 149
 - melt-derived 450
 - melting 393
 - photopolymerization 468
 - relaxation 344
 - re-swelling 344
 - vasculogenesis 91
 - wound-healing 84, 86
- progenitor cells 67, 89, 100, 107, 214, 331
 - adult 94
 - endothelial 89
 - marrow-derived 176

- marrow-derived osteoblast 98, 109
 mesenchymal 96
 regenerative 82
 proteins 13, 22, 24, 25, 32, 34, 181, 182, 243–246, 286, 303–305, 308, 309, 313, 314, 379, 401, 402, 485, 486, 575–577
 activated 126
 acute phase 88
 adhesion-mediating 63
 anti-adhesive 45
 artificial 244
 bioluminescent 602
 bone morphogenetic 25, 112, 241
 cytoskeletal 61
 elastic 26, 323
 elastin binding 33
 exogenous 135
 fibrillar 31
 fibrous 22, 27, 49, 381
 focal adhesion 235
 green fluorescent 577, 608, 628
 heat-shock 129, 141
 macromolecular 619
 membrane-bound 130
 mitogen-activated 561
 monocyte chemoattractant 90
 monocyte chemotactic 98
 noncollagenous 454
 non-collagenous 37
 oxygen-sensitive inducible 90
 plasma 120, 128, 131, 132, 177, 311
 serum 63
 structural 10, 22, 25, 40, 41, 485
 transmembrane 22
 yeast 246
- proteoglycans (PGs) 10, 22, 24–26, 31, 33, 35, 37–41, 47, 68, 97, 150, 202, 226
 PRP *see* platelets rich plasma
 PRRs *see* pattern recognition receptors
 QDots *see* quantum dots
 quantum dots (QDots) 602, 612, 613, 631
- RAFT *see* reversible addition fragmentation transfer
 range 58, 60, 225, 228, 231, 234, 236, 239, 244, 245, 389, 440, 442, 459, 468, 501, 502
 bioinert 452
 cellular 8
 diffusive 25
 ejectable 498
 micron 399
 spectral 612
 rapid prototyping (RP) 6, 7, 224, 225, 269, 390, 392, 395, 405, 406, 410, 418, 419, 428, 458–461, 464–466, 472, 480, 481, 595
- rate 189, 238, 244, 331, 344, 437, 497, 506, 511, 547, 560, 569, 645
 cell metabolic 62
 depressurization 403
 impeller 563
 nutrient diffusion 558
 pulse repetition 468
 relaxation 344
 resorption 396
 scanning 468
- RBCs *see* red blood cells
 reaction 26, 116, 122, 353, 356, 358, 359, 442, 449, 452, 531, 538, 615
 cascade 86

- chemical 365
- enzymatic cleavage 133
- febrile 543
- fibrous 545
- hydrolytic 370
- mixed lymphocyte 139
- photoimmobilization 358
- sensitization 542
- transesterification 273
- receptors 25, 33, 42, 45, 55, 62, 88, 108, 128, 129, 161, 164, 182
- galactose 87
- integrin 33, 34, 63, 621
- mannose 129
- membranous 454
- pattern recognition 89, 117
- proteins 62
- transient 480
- red blood cells (RBCs) 193, 220, 511, 524, 605, 606, 621
- red fluorescent protein (RFP) 610, 628
- regeneration 38, 41, 107, 109, 115, 116, 147, 151, 152, 380, 382, 383, 409, 410, 415, 417, 418, 437, 439, 440, 442
- axonal 285
- bone defect 381
- cardiac 505
- enamel 286, 289, 299
- formation-function 23
- limb 12
- myocardial 505
- neural 63, 285
- spinal 272
- regenerative medicine 11, 13, 57–59, 69, 71, 80, 81, 259–261, 264, 265, 269, 285, 286, 290, 293, 387, 388, 518, 521
- regenerative process 81, 264, 269, 270, 440
- remodeling 14, 15, 33, 41–43, 45, 46, 68, 83, 149, 150, 152, 154, 155, 171, 175, 189, 203–205, 381, 383
- cellular 68, 240
- controlled 147
- vessel 183
- repair 10, 80–82, 87, 93, 94, 98, 103, 104, 109, 116, 409, 415, 417, 436, 437, 452, 456, 571
- cardiac 415
- fracture 97, 98, 110
- peripheral nerve 62, 73, 74
- scarless 44, 45
- spinal cord 65
- response 10, 11, 14, 82, 84, 112, 117, 120, 121, 128, 132, 135, 137, 144–146, 152, 199, 203
- angiogenic 201
- anti-inflammatory 139
- anti-tumor 144
- biomimetic 12, 14
- cell morphology 279
- febrile 543
- healing 87
- histopathology 541
- immunogenic 302
- mechanical 36
- molecular 89, 413
- pro-inflammatory 99
- regenerative 83
- systemic 531
- test system 537
- tolerogenic 10, 145
- vasculogenic 80
- wound-healing 148
- reversible addition fragmentation transfer (RAFT) 265
- RFP *see* red fluorescent protein
- RP *see* rapid prototyping

- scaffolds 4–6, 9–11, 178–186, 189, 190, 195–200, 223–234, 237–243, 245–250, 276–284, 298–302, 308–314, 388–397, 435–442, 456–458, 460–474
acellular 190, 388
autologous 437, 440
avascular 205
balloon-shaped 1, 8
bioactive 274
biocompatible 469
biological 470
biomimetic cardiac 232
blank 189
cell culture 289
ceramic 400, 467, 474
collagen-amorphous silica 457
collagen-based 309, 310, 384
collagen-bioactive glass 457
crosslinked 182
cylindrical 279
degradable 248
ductile 442
engineered hierarchical 406
fabricated 228, 239, 439, 461
fibrillar 225
fibrin 182
fibroin 219
fibrous-based 408
fibrous electrospun 578
gradient 238, 239
implantable 276
injectable 279, 475
macroporous 209, 274, 335
macrostructured 408
man-made 485
microfibrous 407
micropatterned 225, 408
multifocal-created 469
nanoscale 278
noncell-seeded 599
nonperfused 569
nonwoven 394
opaque 578
opaque coral 578
ophthalmological-engineered 275
optimal 190
polymer-based 268, 304
prototyped 6
regenerative 67
remodelable 248
seeded 269, 578
silk-based 398
starch-based fiber mesh 394, 420
structural 275
synthetic 247, 269, 389, 493
vascularized 204
scaffold vascularization 173, 174, 176, 178–180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 200, 202, 219
scanning electron microscopy (SEM) 358, 365, 403, 597
SCF *see* stem cell factor
SDS *see* sodium dodecyl sulfate
selective laser sintering (SLS) 436, 439, 458, 459, 463, 464, 475, 481
SEM *see* scanning electron microscopy
SFF *see* solid freeform fabrication
shear stress 39, 251, 351, 379, 501, 502, 558, 560, 562, 563, 565, 571, 572
signaling 70, 84, 106, 129, 139, 176, 234, 236, 237, 239, 437
bidirectional 176
biochemical 244
cellular 40
downstream 129
inflammatory 65
intercellular 237

- molecular 95
- pro-angiogenic 199
- signals 6, 11, 23, 43, 69, 98, 120, 137, 178, 190, 193, 232, 246, 285, 601
- biochemical 232, 240, 241, 244, 246, 248
- biological 151
- bioluminescent 578, 632
- biophysical 224
- capillary 621
- chemotactic 117
- danger 117, 118, 129, 139–141, 162, 166
- environmental 118
- exogenous 81
- intracellular 10
- magnetic 579
- mechanical 232, 638
- molecular 117, 120
- pro-angiogenic 182
- sinusoidal 497
- tracer 601
- simulations 3, 16, 498, 501, 502, 632
- SIS *see* small intestinal submucosa
- skin 30, 32, 82, 305, 306, 313, 316, 379, 382, 409, 410, 539, 542, 605, 608, 613, 640
 - adult 44
 - decellularized 310
 - embryonic 150
 - pig 379, 487
 - solid 467
 - thin 203
 - thin dorsal 605
- SLRPs *see* small leucine-rich PGs
- SLS *see* selective laser sintering
- small intestinal submucosa (SIS) 152, 155, 171, 243, 488, 489
- small leucine-rich PGs (SLRPs) 40, 41
- SMCs *see* smooth muscle cells
- smooth muscle cells (SMCs) 32, 36, 91, 92, 100, 154, 155, 174, 175, 182–184, 186, 189, 253, 255, 382, 520, 571–573, 592
- sodium dodecyl sulfate (SDS) 198
- soft tissues 7, 15, 17, 217, 234, 270, 275–277, 284, 304, 308, 337, 363, 578, 579, 617, 625
- solid freeform fabrication (SFF) 439, 513
- stem cell differentiation 22, 47, 66, 70, 76, 240, 243, 389
- stem cell factor (SCF) 91, 390, 403
- stem cell niche 46, 65, 67, 81, 89, 113, 243
- stem cells 65–67, 69, 70, 75, 76, 78, 79, 81, 82, 102, 105, 106, 108–110, 243, 250, 508, 516, 524, 582, 589
 - dental pulp 286
 - endogenous 93
 - human bone marrow 234
 - mesenchymal 82, 104
 - mouse embryonic 506, 524
 - murine embryonic 575
- stiffness 32, 36, 66, 76, 232–236, 280, 389, 438, 596
 - compressive 39
 - film 234
 - mechanical 224, 232, 249, 311, 348
 - modulated 268
 - neo-tissue 566
- stimulation 80, 82, 208, 493, 566, 568, 569, 580
 - biomechanical 270
 - flexural 573, 587
 - intermittent 580
 - lymphocyte 139
 - peptide-induced 137
 - pulsatile 569, 572

- stresses 6, 27, 120, 146, 288, 349–351, 389, 501, 523, 541, 560, 564, 565, 567, 570, 571
chemical 556
environmental 100
flexural 573
oscillation 351, 352
rheometer 350
substrates 64, 67, 68, 76, 230, 238, 328, 497, 501, 502, 510, 530, 608
soft 234
solid 13, 509
surfaces 9–11, 63, 64, 66, 121, 122, 130–134, 142, 203, 204, 224, 229–231, 234, 235, 280, 358, 412, 451–454, 498
active 65
adherent 61
aluminium 133
amorphous silica 449
antigen 128
articular 39
biomaterial 65, 119
biomedical device 372
bleeding 311
cellular 34
coated 132, 506
culture flask 507
device 497
disc 121
endothelialized 185
epimysium 40
fluid 496, 497
foreign 130
glass 452, 507
luminal 198, 572
micellar 283
nanoporous 132
non-adherent 184
non-flat 278
non-phagocytosable 120
nonthrombogenic 204
non-thrombogenic 184
non-thromobogenic 571
pathogen 128
patterned 229, 240
piezoelectric 497
protein-coated 10
silica 449
solid organ 605, 607
superficial 605
temperature-responsive 190
synthesis 32, 38, 43, 58, 67, 86, 88, 96, 292, 294, 296–298, 337, 355–358, 375, 376, 564, 565
chemical 303
man-made 301
polymer 301
tissue 454
urea 198
synthetic polymers 9, 11, 247, 248, 263, 264, 268, 270–272, 274, 276–278, 280, 282, 286, 288, 300–304, 388, 389, 440, 441
biodegradable 269, 293
enzyme-sensitive 239
systems 241–246, 263, 265–270, 272, 274, 280, 281, 283–290, 349, 350, 399, 401, 464, 493–495, 516, 517, 547, 577, 578
automated 518
bioactive 402
biocompatible 268
biological 277, 531
bio-microelectromechanical 418
circulatory 174, 268
co-culture 185, 196, 509, 628
compartmentalized 183
copolymer 265
dendritic 270

- excretory 274
- gel 511
- hybrid 601
- macromolecular 269
- macrovascular 592
- micro-electromechanical 498
- musculoskeletal 241
- nervous 436
- non-biodegradable 268
- organ 518
- peptide-based 289
- physiological 492, 493
- prevascularized 269
- synthetic 182
- ternary 400
- thixotropic 349
- tri-culture 186
- versatile 413

- T-cell receptors (TCRs) 136, 137
- TCRs *see* T-cell receptors
- TE *see* tissue engineering
- techniques 3, 5, 8, 10, 12–14, 67, 225–228, 231, 267, 269, 390, 395–397, 404–406, 410–412, 577–580
- emulsification/freeze-drying 400
- finite-difference/front-tracking 501
- laser guided 494
- nondestructive 547
- technologies 7, 9, 12, 14, 15, 64, 223, 225, 388, 390, 418, 495, 508, 509, 511, 578, 592
- bioimprinting 470
- biomaterial 8, 18
- corrosion cast 617
- ejection 509
- freeform fabrication 525
- hanging-drop 508
- inkjet printer 470
- micromachining 202

- microscale 224, 520
- nanofabrication 418
- textile-based 409
- TEDs *see* tissue engineered devices
- TEM *see* transmission electron microscope
- TERM *see* tissue engineering and regenerative medicine
- TEVGs *see* tissue engineered vascular grafts

- tissue
- adult 92, 100
- animal 243
- avascular 38
- biological 340, 470, 595
- cell-free bone 37
- complex-engineered 178
- computer-aided 5, 17, 595
- decalcified 546
- disc 407
- elastic 31, 33, 226
- embryonic 3
- engineered bone 558
- epithelial 436
- extraembryonic 612
- fabricated 518
- fibrous 36, 545
- fibrovascular 237
- gingival 605
- heart valve 320
- homogenous 555
- human 302, 304, 321, 405
- infected 128
- inflamed 42, 43
- interstitial 31
- mammalian 379
- mesenchymal stromal 545
- mineralized 394, 437, 444
- multicellular 494
- multilayered 191
- musculoskeletal 99, 274, 293
- necrotic 545
- neovascular 155
- nervous 382, 436

- non-cellular 639
- opaque 596
- ophthalmological 275
- orthopedic 310
- porcine 310
- prevascularized 196, 213, 214
- scaffold-based 190, 433
- skeletal 80, 84, 436
- sub-epithelial 128
- tracheal 243
- tumor 605
- unlabeled 608
- unstressed 36
- tissue engineered devices (TEDs) 145, 147, 168
- tissue engineered vascular grafts (TEVGs) 253, 570, 587
- tissue engineering (TE) 1–21, 76–81, 208–217, 245–253, 255–261, 289–298, 300–305, 322–337, 418–433, 467–477, 519–527, 583–587, 594–598, 624–628, 636–646
- tissue engineering and regenerative medicine (TERM) 388, 389, 395, 399, 414
- TLRs *see* Toll-like receptor
- TNF *see* tumor necrosis factor
- Toll-like receptor (TLRs) 89, 118, 129, 135, 138, 142, 160, 161, 166
- transmission electron microscope (TEM) 368, 597
- transplantation 2, 80, 103, 122, 124, 127, 153, 159, 171, 184, 204, 213, 389, 420, 574, 575
 - clinical 122, 126, 490
 - experimental 9
 - intraportal 126
- organ/cell 134
- tumor necrosis factor (TNF) 43, 87, 106, 118, 135, 178, 611
- tumors 80, 108, 138, 207, 509, 610, 628, 634
 - melanoma 144
- UCA *see* ultrasound contrast agent
- ultrasound contrast agent (UCA) 620, 621, 635
- vaccines 116, 137, 141, 142, 157, 166, 167
- valley of death 645, 646, 648
- vascular endothelial growth factor (VEGF) 84, 85, 87, 89, 90, 96, 97, 110, 111, 152, 154, 170, 175–177, 181–184, 189, 190, 200–202, 207–209, 219, 269
- vascular grafts 312, 382, 641
 - engineered 572
 - small diameter 571
 - tissue regenerative 409
- vascularization 4, 116, 151–154, 176, 179, 181, 199–201, 203, 205, 209, 210, 215, 217, 220, 436–438, 627, 628
 - adult 178
- vascularized tissue 148, 173, 178, 194, 196, 198, 201, 204, 213, 216, 268, 417
- vascular network 3, 174–176, 178, 179, 195, 202–206, 406, 511, 610, 617
- vascular smooth muscle cells (VSMCs) 91, 154, 174, 229, 236, 253, 255, 571
- vasculature 97, 174, 195, 198, 202, 204, 206, 511, 612, 618, 619, 633
- acellular 198
- intra-islet 195

- intrinsic 187
- native 192
- perfusible 198
- vein 619
- vasculogenesis 89–91, 107, 175, 178, 184, 193, 194, 206–208, 597, 614
- VEGF *see* vascular endothelial growth factor
- VEGF
 - native 201
 - wild-type 182
- vessel maturation 154, 170, 177–179, 206, 209
- vessels 174–176, 178, 183, 188, 191–193, 196, 198, 200, 202, 208, 220, 547, 613, 615, 619
 - capillary-sized 600
 - chimeric 220
 - healthy 69
 - intracortical 620
 - microvascular 611
- VSMCs *see* vascular smooth muscle cells
- wound 42, 80, 82, 86, 93, 99, 104, 110, 147, 150–152, 305–307, 311
 - adult 45, 150, 152
 - burn 487
 - dermal 150
 - diabetic 199, 215
 - embryonic 150
 - fetal 45
 - internal 150
 - post-natal 150
 - skin 44
- wound closure 109, 151, 152
- wound dressings 151, 305, 306, 314, 316, 332, 409, 640
- wound healing 22, 25, 29, 42–44, 54, 55, 57, 83–85, 87, 100, 103, 115–117, 147–149, 151, 152, 168, 310, 311