

# Index

- air 155, 160, 162
- alloys 75, 109, 157
- Anderson transition 40
- anode 47, 50–51, 53, 157–58, 160
- antiferromagnetic transition,  
partially disordered 88, 92,  
96, 100, 104
- antiferromagnetism 78, 85
- antiferromagnetic coupling 82, 88,  
138
- antiferromagnetic order 88, 104–5
- antiferromagnetic transition  
128–29, 143–44
- atomic nucleus 1, 148–50
  
- band insulator 143
- batteries 45–47, 50–51, 53, 58, 72,  
158
  - biological 45
  - chemical 45
  - history of 46–47
  - lithium ion 45–46, 48, 50, 52
  - physical 45
  - rechargeable 46–47
  - rechargeable lithium ion 45–46
  - wet cell 47
- BCS (Bardeen, Cooper, and  
Schrieffer) theory 109, 111
- Bloch–Wilson transition 40
- Bose–Einstein Condensation  
110–11
  
- cathode 47, 51, 53, 157–58, 160
- cathode material 48, 157–58,  
160–61
- cell voltage 160–61
- charge-ordered insulating states  
71
- chemical reactions 45, 51, 157
- clusters
  - octahedral 10–11
  - ordered 144
  - polaron 140, 142–43
- Co ions 10, 27–29, 32, 36, 40–41,  
65, 67, 82, 93, 99, 103–4, 148
- spin state of 27–29, 67, 99
- trivalent 30, 35
- valence and spin state of 28–29
- Co oxides 1, 27, 45, 63–64, 69,  
78–79, 115, 126, 128, 140,  
157
- conduction electron system 65, 67
- conductivity 36, 114, 122, 124,  
159–60
- CoO<sub>2</sub> 27, 35, 53, 61–63, 71, 127,  
148, 150–51
- CoO<sub>5</sub> 127
- CoO<sub>6</sub> 10–11, 82
- CoO<sub>6</sub> octahedra 87–88, 92–93
- edge-sharing 48, 61, 63, 88
- CoO<sub>6</sub> trigonal prism 87, 92–93
- copper 46–47
- copper oxides 116
- corner-sharing polarons 143–44
- Coulomb energy 11–12
- crystal field 9–10, 30

- crystal field parameters 29
- crystal field splitting 5, 29–30
- crystal structure 16, 32, 35,
  - 48–49, 61, 63–65, 79–80, 85,
  - 87–88, 92–93, 105, 127, 144,
  - 157–59, 162
- crystals, single 62, 89, 144
- cuprate superconductors,
  - high- $T_c$  110, 112–13
- Curie temperature 76, 114
- Curie–Weiss law 32, 37, 98, 104,
  - 142, 148, 150
- Curie–Weiss metal 115
- current density 12, 17, 19, 49,
  - 122–23, 160–61
  
- Daniell cell 46–47
- Debye model 21–22
- Debye temperature 16, 20
- degeneracy 9, 18, 28, 30, 69, 148
- depolarizer 47
  
- electric field 5, 9, 122
- electrical resistivity 20, 32, 37, 39,
  - 58–59, 61–63, 69–70, 109,
  - 121, 124, 128, 143, 146, 148,
  - 159
- electricity 46–48, 53
- electrode materials 1
- electrodes 46, 51, 156–57, 160
  - negative 46, 51
  - positive 46–49, 51
- electrolyte 47–48, 157, 161
- electrolyte solution 46
- electrolytic solution 51, 155
- electron configuration 9–10
- electron distribution 13–14
- electron spin resonance (ESR) 141
- electron system 1, 67, 86
- electron systems, strongly
  - correlated 3, 39, 64
- electron theory, solid-state 78
  
- electron thermal conductivity 21
- electronic states 10, 13
  - extended 30
- electronic structure 11–12, 34,
  - 39–40, 53–54, 70, 100, 131,
  - 146, 150
- electrons
  - conduction 1, 124
  - core 100
  - transition 9
  - valence 102
- elements, rare-earth 27, 32, 35,
  - 88, 114, 121, 127
- energy
  - binding 53, 100, 102, 125
  - charge transfer 11–12
  - crystal field 30
  - electrical 45–46, 158
  - internal 20–21, 65, 67, 86
- entropy 17–18, 69, 139
- ESR *see* electron spin resonance
  
- Fe 2, 10, 52, 61, 75–77, 80, 114,
  - 161
- Fe ions 32
- Fermi level 27, 31, 39–40, 70, 131
- Fermi particles 110
- Fermi surfaces 13, 114, 118, 123,
  - 131
- Fermi–Dirac distribution
  - function 14, 16, 19
- Fermi–Dirac function 13, 65
- ferromagnet,
  - room-temperature 79
- ferromagnetic interaction 91, 124,
  - 126
- ferromagnetic metals 76
- ferromagnetic order 81, 99, 104–5
- ferromagnetic phases 71, 140, 148
- ferromagnetic temperature 115
- ferromagnetic transition
  - temperature 78, 124

- ferromagnetism 75–76, 78–81, 85, 99, 115, 128, 140
  - bulk 80–81
  - room-temperature 75–76, 78–81
  - theory of 78
- ferromagnetism in transition metal oxides 78
- free-electron model 58, 67
- fuel cells 45, 72, 155
  
- gap energies 23, 146
- giant magnetoresistance (GMR) 121, 123–24, 131
- GMR *see* giant magnetoresistance
- graphene 49–50
- graphite 50–51
- ground state 30, 115, 132, 150
- Grove cell 46–47
  
- high spin 28, 82, 104, 133, 141, 146
- high spin state 28–30, 32, 82, 131
- high- $T_c$  superconductivity 112–13, 138
- hole doping 49, 129
- hydride anion 162
- hydrogen 157
  
- inelastic neutron scattering (INS) 117, 141
- inhomogeneity 137, 139
  - intrinsic 137–38, 140, 142, 144, 146, 148, 150
- INS *see* inelastic neutron scattering
- insulators 39–40, 62
- interaction
  - double-exchange 78–80, 124
  - nearest-neighbor 90, 92
- intercalation 116
- intermediate-spin states 82
  
- inverse susceptibility 96, 98
  
- Jahn–Teller distortion 34–35
- Jahn–Teller effect 10, 30
  
- lattice constant 30–31
- LiCoO<sub>2</sub> batteries 48–49, 51, 53
- low spin 28–30, 32, 34–36, 68, 103–4, 133, 141
- low-spin state 29–30, 34–35, 67–69, 131, 141
  - nonmagnetic 32, 146
  
- magnetic Co ions 32, 148
- magnetic field 13, 31, 69, 75, 78, 81, 86, 88–89, 94, 96, 122–23, 126, 131–32, 148–49
  - critical 111, 113
  - oscillating 149
- magnetic interactions 85, 100
- magnetic properties 36, 49, 78–79, 86–87, 127
- magnetic resonance imaging (MRI) 113, 150
- magnetic spins 77
- magnetic states 143
- magnetic structure 85, 105
- magnetic susceptibility 32, 35–36, 88–89, 116–17, 142–43
- magnetic transition 36, 85–86, 88
- magnetism 75, 78, 86–87, 89–93, 95, 97, 99, 101, 103, 105, 114, 124
- magnetization 76–78, 80–81, 89
- magnetoresistance 121–23, 127–29
  - large 121–22, 126, 131
  - negative 126, 128
- magnetoresistance effect 122–23, 125
- magnetoresistive effects 121, 124

- magnets 75
- manganese oxides 121, 124, 126
- MCFC *see* molten carbonate fuel cell
- metallic states 11
- metals 14, 20, 39, 46, 60, 62–63, 65, 109, 121, 123–24, 157
- microscopic techniques 99
- molecular orbital energy level 11
- molten carbonate fuel cell (MCFC) 155–56
- Mott insulator 17, 114, 116, 138
- MRI *see* magnetic resonance imaging
  
- $\text{NaCo}_2\text{O}_4$  41, 60–63, 69
  - crystal structure of 61, 88
- $\text{Na}_x\text{CoO}_2$  61, 63, 115–18, 148
- neutrinos 93
- NMR *see* nuclear magnetic resonance
- normalized asymmetry 95–96
- nuclear charge 53–54
- nuclear magnetic resonance (NMR) 32, 71, 94, 117, 141, 148–50
- nucleus spin 149
  
- octahedral sites 79–80, 99, 104
- one-electron band structure
  - calculations 34
- orbital angular momentum 3, 75
- orbital degeneracy 41–42
- orbital ordering 82
- orbital splitting 5, 30
- orbital states 127
- orbitals 1–3, 5, 7, 9–11, 28–31, 34, 38, 40, 121–22, 124, 126, 128, 130, 132, 134
  - antibonding 10, 30
  - atomic 10
  - molecular 10
- orbitals split 30
- oxygen 10–11, 32, 105, 111, 158, 162
- oxygen reduction 160–61
- oxygen reduction reaction 158, 161
- oxygen storage material 162
- oxygen vacancies 80, 82, 138, 157, 162
- oxyhydrides 162
  
- PAFC *see* phosphoric acid fuel cell
- paramagnetic metallic state 71
- partially disordered
  - antiferromagnetic transition 85–86, 88, 90, 92, 94, 96, 98–100, 102, 104
- PEFC *see* polymer electrolyte fuel cell
- Peierls transition 40
- perovskite structure 10, 32–33, 78, 124
- perturbations, external 1, 12–13, 15, 17, 19, 21, 23, 31, 147
- phase separation 137, 140, 144–45, 147, 149
- phase transitions 39, 127
- phases, electronic 3
- phonons 20–23
- phosphoric acid fuel cell (PAFC) 155–56
- physics, solid-state 110
- Planck distribution function 20, 22
- Poggendorff cell 46–47
- polymer electrolyte fuel cell (PEFC) 155–56
- prismatic sites 103–4
- pudding mold band 70

- resistance 161  
 resistivity 62, 71, 131, 143,  
     146  
     out-of-plane 131, 144, 146  
 resonating valence band (RVB)  
     110  
 rock-salt layer 112, 148, 150  
 rock-salt-type layer 150  
 RVB *see* resonating valence band
- scanning tunneling microscopy  
   (STM) 138  
 SDW *see* spin-density wave  
 SDW state 148, 150  
 semiconducting phases 140, 144,  
     146  
 Slater's law 53–54  
 SOFC *see* solid oxide fuel cell  
     structure of 157–58  
 solid oxide fuel cell (SOFC) 1,  
     155–61  
 spin angular momentum 3, 9–10,  
     149  
 spin blockade 121–22, 131,  
     133–34  
 spin clusters 140–42  
 spin configurations 1, 9–10,  
     28–29, 31, 68  
 spin-density wave (SDW) 140,  
     150–51  
 spin excitation 23  
 spin gap 23, 39  
 spin networks 23  
 spin-state crossover 27–28,  
     30–38, 40–42, 141, 146  
 spin-state distributions 37  
 spin-state polarons 142  
 spin-state transition 31–32,  
     35–36, 38–39, 67  
 spin thermal conductivity  
     22–23  
 STM *see* scanning tunneling  
     microscopy
- Sugano–Tanabe diagram 29  
 sulfuric acid 47  
 superconducting transition  
     temperature 113–14  
 superconductivity 27, 78, 109–10,  
     112, 114–16, 137  
     discovery of 114  
     room temperature 50  
 superconductors 61, 113, 115,  
     117  
     type II 117
- temperature dependence of  
     electrical resistivity 32, 159  
 temperature dependence of  
     electrical resistivity 146,  
     159  
 temperature dependence of  
     thermal conductivity 23, 41  
 thermal conductivity 13, 19–20,  
     23–24, 28, 40–41, 58–59, 62,  
     89  
     electronic 19–20, 41  
     phonon 22, 41  
 thermal rectifier 40–41  
 thermoelectric devices 57  
 thermoelectric generators 71–72  
 thermoelectric materials 1,  
     57–63  
 thermoelectric power 13, 15,  
     17–18, 27, 37, 49, 57–60,  
     62–72, 115, 129, 131, 143,  
     147–48  
 thermoelectric technology 71  
 transition metal ions 51, 79–80,  
     124  
 transition metal oxides 32, 78, 110  
 transition temperatures 34–35  
     metal–insulator 131  
     spin-state 34–35  
 transitions  
     ferrimagnetic 148, 150  
     metal–insulator 39–40

trimers 37–38  
  octahedral 36, 38

voltaic pile 46–47

Wiedemann–Franz law 20

X-ray photoemission spectroscopy  
  (XPS) 100–1

XPS *see* X-ray photoemission  
  spectroscopy

Zaanen–Sawatzky–Allen  
  diagram 11, 13

zero field 96–97, 131, 147,  
  150

zero temperature, absolute 14, 67,  
  109

zinc 47