

Index

- AAAs *see* annular aperture arrays
- absorption 10, 11, 22, 23, 30, 35,
37, 39, 124, 126, 130, 131,
180–183, 196, 197, 201, 203,
250, 251, 338, 339
- absorption bands 196, 292
- acoustic waves 283, 294, 295
- adsorption 54, 55, 58, 105–108,
116, 321
- AFM *see* atomic force microscopy
- annular aperture arrays (AAAs)
289, 291
- arrays 39, 111, 114, 339, 340, 343,
355, 375
- finite 38
- hexagonal 352, 353
- junction unit 351
- ordered 343
- periodic 349
- regular 318
- striped 108
- atomic force microscopy (AFM)
154, 157, 231
- blue phase liquid crystal (BPLC)
302
- BPLC *see* blue phase liquid crystal
- Brownian motion 161
- Brust protocol 61
- cells 48, 151, 289
- electrochemical 51
- fuel 355
- plant 145
- polymer-based 342
- quantum-dot-sensitized 342
- resonant 292
- chemical synthesis 145, 147, 149,
222, 254, 319, 320
- chromophores 74, 172, 200, 205,
223, 234, 235
- colloidal particles 77, 141, 149,
345
- colloidal suspension 124, 126,
149, 150, 162, 322
- colloids 77, 140, 149, 150, 163,
266
- composite materials 48, 251, 266
- concentrated solar power (CSP)
345
- conduction electrons 8, 15, 22, 34,
35, 247, 338
- conductors 8, 15, 19, 70, 247, 346
- ideal 21
- perfect 11
- coupling 101, 102, 108, 111, 113,
114, 189, 197, 201, 206, 207,
252, 365–368, 370, 371, 373,
375, 377–381, 383
- plasmon-gain 194
- particle-particle 81
- crystals 148, 150, 158, 159, 254,
283, 287
- crystal structures 43, 53, 147, 148,
155, 159
- CSP *see* concentrated solar power

- DDA *see* discrete dipole approximation
- Debye length 105, 162
- decay 4, 196, 204, 228, 367, 376, 383
 evanescent 18
 nonradiative 235
 radiative 146, 366
- decay length 22, 112, 373, 374
- defects 5, 43, 109, 159, 258, 259, 349
 quadrupolar 267
 structural 298
- dependence 36, 38, 157, 184, 233, 248, 346, 383
 angular 114
 harmonic time 16, 17, 27
 interdistance 194
 polarization 253
- devices 68, 157, 175, 223, 270, 282, 283, 287, 292, 336, 345, 346, 351
 acousto-optical 294
 cloaking 118
 coupled 324
 liquid-crystal-based 288
 nanowire-based 317
 opto-electronic 72
 photonic 289
 real 351
 sensitive 222
 single-junction 337
 thermoelectric 348
 thin film 353
- DFLC *see* dual-frequency liquid crystal
- dielectric constant 11, 35, 36, 185, 249–251
- dielectric function 10–13, 18, 20, 27, 29, 30, 217, 218, 220, 368
 complex 6, 9, 10, 31, 172
 frequency-dependent 249
- dielectric medium 173, 216, 219
- dielectric permittivity 4, 19, 185, 205, 249
- dipoles 28, 30, 34, 38, 113, 367–369, 371, 378
 dielectric 226
 electric 113, 219, 284, 368
 magnetic 117
 oscillating 29
 single-particle 368
 transition 177
- discrete dipole approximation (DDA) 37–39
- dispersion 17, 185
 ferroelectric nanoparticle 129
 hyperbolic 184, 186, 201, 205, 207
 narrow size 321
- DLS *see* dynamic light scattering
- Drude model 7–10, 40, 217, 249
- dual-frequency liquid crystal (DFLC) 285, 286
- dye molecules 172, 175, 189, 191, 199, 236
 fluorescent 187, 188
 organic 188
- dyes 179, 186, 188, 190, 195, 199, 206, 207
 active 189
 laser 173
 uncentered 177
- dynamic light scattering (DLS) 42, 153, 161
- EBL *see* electron beam lithography
- EDL *see* electrical double layer
- EF *see* enhancement factor
- effective medium theory (EMT)
- effective permittivity 185, 246, 247
- electrical conductivity 7, 346, 347, 349, 354
- electrical double layer (EDL) 104, 105, 162

- electric field 8, 9, 14, 15, 27–29, 34, 38, 217, 218, 284, 286, 319, 323, 327, 337, 342, 364, 366–369
 - alternating 33, 34
 - external 8, 217, 284, 285
 - local 38, 219
 - optical 22
 - scattered 30
 - static 27
- electromagnetic coupling 41, 253, 265
- electromagnetic fields 7, 216, 217, 247, 281, 364, 373, 379
 - interacting 37
 - oscillating 247
- electromagnetic radiation 34, 37, 156, 226, 246
 - incident 219
 - scattered 228
- electron beam 43, 154–156, 352
 - convergent 43
 - primary 156
 - thin 156
- electron beam lithography (EBL) 44, 102, 352, 370
- electron cloud oscillation 216, 217, 221
- electron density 34, 71, 249
- electron gas 7, 8, 14, 301
- electrons 7–9, 34, 35, 38, 40, 154, 156, 157, 160, 217, 218, 220, 247, 249, 337, 346, 349, 364, 365
 - emitted 160
 - mobile 7
 - photo-excited 337, 342
 - secondary 156
- electrostatic forces 103–105, 116, 139
- electrostatic interactions 71, 72, 104, 148
- emission 22, 124, 177, 183, 188, 195, 196, 207, 223, 326, 345
- chromophore 235
- short-living 190
- stimulated 173
- thermionic 154
- EMT *see* effective medium theory 184, 185
- energy 6, 12, 44, 144, 172, 176, 199, 208, 216, 218, 260, 336, 337, 339, 350
 - absorbed 292
 - anchoring 260
 - free 49
 - kinetic 156
 - mechanical deformation 260
 - photon 327, 336
 - thermal 8
- energy transfer 156, 173, 184, 196
 - nonradiative 188, 194
 - resonant 172, 189, 205
- enhancement factor (EF) 228, 229, 325, 326, 329
- EOT *see* extraordinary optical transmission
- etching 340, 343, 353
 - dry 343
 - electroless 343
 - metal-assisted chemical 354
 - reactive ion 343
 - wet chemistry-based 343
- excitation 15, 188, 191, 194, 218, 234, 318, 326, 338, 341
 - direct 48
 - elementary 216
 - fundamental 15
 - laser 290
 - localized 247
 - nonpropagating 247
 - resonant 247
- excitation energy 187, 193, 199, 200, 203, 208
- excitation frequency 185, 226
- excitation wavelength 185, 206, 322, 325, 326

- extinction spectrum 116, 117, 220, 322
- extraordinary optical transmission (EOT) 294, 295
- fabrication 5, 60, 70, 72, 73, 81, 102, 118, 129, 266, 282, 319, 321, 340, 345, 353
 - controlled 101
 - large-scale 352
 - lithographic 320
 - metamaterial 60, 81
- FIB *see* focused ion beam
- fluorescence 74, 172, 189, 195, 203
- fluorescent molecules 172, 189, 195
- focused ion beam (FIB) 102, 198, 199, 222, 284, 289
- free electrons 8, 9, 33, 34, 40, 41, 215, 218, 249, 281
- frequencies 4, 6, 11, 14, 18, 20, 33, 36, 175, 177, 218, 219, 224, 226, 227, 285, 364, 365
 - angular 8
 - crossover 285
 - fundamental 324, 326–328
 - laser 229
 - natural 15
 - optical 116, 172, 182, 201, 205
 - oscillation 35
 - plasma 10, 175, 185, 217
 - resonant 33, 34, 367
 - second-harmonic 326
- gain 31, 172, 174, 176, 178–180, 183, 184, 187, 189, 191, 193, 194, 196, 197, 199, 208, 264
 - effective 187
 - excess 178
 - optical 31, 173, 191
 - zero 180
- gain-assisted systems 173, 186, 189, 190, 200
- gain elements 183, 184, 187, 198, 199, 207
- gain-functionalized systems 186, 189, 197
- gain medium 171, 174, 194, 195, 197, 200
- gain molecules 172, 177, 184, 189, 194
- plasmon–gain interplay 174, 175, 177, 179, 181, 183, 185, 201
- gap 111, 367, 369, 372, 374–376, 378, 383
 - edge-to-edge 374
 - inter-particle 373, 375, 376
- gold 11, 12, 23, 107, 115, 152, 153, 175–179, 199, 205, 218, 248, 269, 317, 319, 321
 - bulk 220
 - crystalline 153
- gold cores 180, 188, 193, 194, 196
- gold film 284, 286
- gold nanoparticle layers 109, 110, 112, 113
- gold nanoparticles 103, 106, 108–111, 113, 114, 116, 118, 152, 153, 248, 250, 262, 266, 267, 370, 372, 378, 379, 381
 - charged 116
 - identical 370
 - isolated 116
 - multiple 112
 - nematogen-coated 262
- gold nanorods 49, 50, 103, 286, 293, 298, 301
 - aligned 293
 - dispersed 293
- gold nanostructures 368, 374, 378

- gold shell 317, 318, 320–322, 326–329
- HMMs *see* hyperbolic metamaterials
- hyperbolic metamaterials (HMMs) 184–186, 201, 205–207
- interface 4, 15, 16, 18–20, 22, 26, 173, 216, 259, 285, 338, 348
 - device 287
 - metal/dielectric 217, 218
 - vitroephilic 76
- interplay 101, 171, 174, 204, 207, 258
 - metal-gain 201
 - plasmon–exciton 194, 201
- layers 105, 106, 109–112, 206, 246, 264, 289
 - alternating 205
 - amino silane 321
 - cladding 292
 - concentric 221
 - conductive 337
 - gold 292
 - hydrogen-bonded 115
 - molecular 302
 - nanoparticle 109
 - organic 71
 - organic protecting 68
 - planar 319
 - redox hole transporting 342
 - Stern 105, 162
- LCs *see* liquid crystals
- ligands 68, 202, 266, 269, 345
 - bifunctional 70, 72
 - mesogenic 269
 - nitrogen-based 45
 - oxygen-based 45
 - phosphorus 45
 - pyrazole 71
 - sulfur 45
- light shutter 296
- linker 257, 258, 261–263, 265, 342
- liquid 124, 149, 158, 161, 282
 - ionic 62
 - layering 65
 - smectic 282
 - uniform 302
- liquid crystal host 248, 288
- liquid-crystalline phases 246, 255, 256, 268
- liquid crystals
 - azobenzene-doped 289
 - azo-dye-doped 303
 - cholesteric 282, 298, 301
 - dual-frequency 285
 - ferroelectric 302
 - host 267, 292
 - nematic 267, 282, 289, 294
 - photochromic 290
 - photoresponsive 289, 290
 - photosensitive 292
 - polymer-dispersed 296
 - polymer network 302
 - special 302
- liquid crystals (LCs) 73, 102, 103, 123, 126, 128, 129, 158, 159, 245, 246, 248, 250–252, 254–268, 270, 281–303, 363
- localized surface plasmon
 - resonance (LSPR) 175, 191, 219, 221–223, 232, 235, 248, 287, 317, 321, 322, 364, 380
- localized surface plasmons (LSPs) 6, 15, 22, 23, 25, 27, 29, 172, 173, 215–220, 222, 224, 226, 228, 230, 232, 247
- LSPR *see* localized surface plasmon resonance
- LSPs *see* localized surface plasmons

- materials 4, 5, 42, 103, 144–151, 153, 154, 158, 159, 172, 197, 222, 246, 251–253, 255, 256, 262, 263, 267–270, 315–317
 - active 222
 - anisotropic crystalline 319
 - artificial index 270
 - biological 155
 - bulk oxide 317
 - centrosymmetric 323
 - dielectric 247, 338
 - electromagnetic 73
 - homogenous 147, 150, 261
 - host 251, 252
 - liquid crystal 270
 - magneto-plasmonic 293
 - metallic 5
 - monodispersed 146
 - nanocrystal 342
 - nanocrystalline 43
 - nanostructured 6, 345
 - optoelectronic 283
 - piezoelectric 295
 - plasmonic nanocomposite 73
 - self-organized 246
 - transparent 223
- Maxwell's equations 4, 6, 13, 16, 17, 22, 36, 38
- MBE *see* molecular beam epitaxy
- medium 3, 4, 6, 10, 36, 40, 41, 117, 161, 163, 177, 183, 184, 215, 364, 378
 - alkaline 146
 - amplifying 176
 - artificial 201
 - background 176, 183
 - contrast 146
 - dispersing 73
 - gain-assisted 174
 - homogeneous 23, 31
 - ideal active 284
 - isotropic 184
 - left-handed 4
 - organic 62
 - right-handed 3, 4
- MEF *see* metal enhanced fluorescence
- MEGs *see* multiple exciton generation
- mesocapsules 181–184, 199–201
- mesogens 254, 256–258, 261–263, 265–268
 - cyanobiphenyl 267
 - native 254
 - rod-like 268
- metal enhanced fluorescence (MEF) 223, 233, 235, 236
- metal nanoparticles 29, 30, 33, 49, 148, 151, 153, 172, 217, 220, 245, 267, 269, 338–340, 355, 367
- metal nanostructures 172, 220, 223, 228, 232, 234, 235, 246
- metal oxides 74, 147–149
- metals 6, 7, 9–11, 13, 15, 20, 21, 34–36, 40, 173, 215–218, 222, 223, 227–229, 235, 246, 247, 249, 250, 317
 - diluted 247
 - heavy 152, 153
 - lanthanide 154
 - lossless 175
 - noble 10, 11, 49, 55, 317, 353, 354
 - plasmonic 220
 - precious 343
 - real 21, 175
 - thin 319
 - zero-valent 48
- metamaterials 4, 102, 171, 246, 247, 364
- micelles 49, 51, 54, 65
 - cylindrical 51
 - nonspherical 51
- microscopy 156, 157
 - electronic 154
 - scanning probe 42, 157
 - tunneling 157

- model 8, 174, 179–182, 200, 250, 251, 256–258, 261, 263, 265, 326, 367, 371, 378
 - analytical 31
 - classical 6–8
 - dipolar coupling 378
 - dipole-dipole coupling 373
 - dipole-dipole interaction 371
 - free-electron 11
 - mathematical 222
 - plasmon hybridization 112
 - retarded local field 371
 - semiempirical 234
 - theoretical 197, 200
- molecular beam epitaxy (MBE) 344
- molecules 40, 60, 61, 69, 70, 73, 74, 102, 145, 161, 224–230, 233, 245, 246, 256–259, 261–266, 270, 283, 284, 287
 - alkyne-terminated 69
 - biological 145, 223
 - carboxylated 153
 - cysteine 70
 - dendritic 255
 - diatomic 226
 - dimer 125
 - excited 48, 173
 - long-chain 345
 - mesogen 257, 263
 - organic 246, 255
 - solvent 105, 161
- multiple exciton generation (MEGs) 341, 342
- nanocrystals 43, 56, 147, 152, 177
- nanocubes 39, 59, 152
- nanodiscs 372–375, 377
- nanohole arrays 284, 285, 299, 352
- nanoparticles 102–105, 107–113, 123–126, 128, 145, 147–149, 151–153, 246–248, 250–252, 254–268, 338, 339, 343, 364–368, 373, 378, 379
 - charged 103, 108
 - coated 124, 126
 - conductive 247
 - discotic-capped 267
 - gold/silver 153
 - gold spherical 220
 - hemispherical 343
 - hydrophilic 75
 - hydrophobic 80
 - magnetic 147
 - mesogen-coated 266
 - mesogenic 268
 - organic 148
 - surfactant-coated 124
- nanorods 30, 31, 35, 147, 148, 221, 222, 293, 294, 365
- nanostructures 81, 82, 223, 229, 236, 284, 286, 291, 318, 322, 348, 352, 353, 355, 363–368, 370–380, 382, 383
 - core-shell 81, 317, 322
 - hybrid 208, 316, 317
 - metal-based 171, 208
 - metallo-dielectric 172
 - monodisperse 60
 - plasmon 207
 - plasmon-based 208
 - un-coupled 376
 - well-ordered 365
- nanowires 58, 148, 317–322, 325, 327, 329, 336, 338–340, 343, 344, 348, 349, 352–355
 - alkaline 319, 323
 - high-density 352
- oleic acid 62, 124–129, 131, 132, 134–137, 140, 141, 145
- oleic acid molecules 125, 126, 135
- optical materials 172, 208
- optical metamaterials 70, 74, 251
- optical microscopes 154, 322

- optical properties 27, 33–35, 71, 72, 101, 103, 108, 110, 218, 219, 246, 249, 259, 268, 270, 317, 327
 - collective 199
 - nonconventional 253
 - nonlinear 318
 - second-order 323
 - shape-dependent 73
 - solvent-dependent 60
 - tunable 116, 118
- optical resonances 316, 318
- organic solvents 50, 60–62, 66, 70, 73, 80
- PDLs *see* polymer-dispersed liquid crystal
- permittivity 4, 11, 163, 173, 176, 179, 181, 182, 217, 246, 323, 364, 368
 - complex 179
 - negative 247
 - positive 176, 183
 - relative 175
- phonons 156, 348, 349
- phonon scatterings 348, 349
- plasmon band 38, 41, 42, 72, 111, 188, 195, 196, 378
- plasmon coupling 365, 367, 369–371, 377, 378
- plasmon frequency 14, 42, 177, 179
- plasmonic absorbers 291, 292
- plasmonic devices 297, 301, 302
 - active 282, 284, 285, 302
 - controllable 295
 - liquid-crystal-based 301, 303
 - tunable 285, 295
- plasmonic nanoparticles 33, 34, 68, 69, 71, 73, 75, 77, 79, 81, 101, 117, 118, 246, 248, 263, 297, 302
- plasmonic nanostructures 222, 283, 284, 302, 303
- plasmonic resonances 171, 179, 187, 247, 285, 298, 322
- plasmon resonance 29, 31, 36, 38, 41, 113, 176–178, 197, 198, 208, 218, 223, 245, 247
- plasmons 15, 34, 101, 156, 178–180, 199, 208, 215–217, 219, 221, 222, 269, 383
 - conjugate 178, 179
 - dry 343, 353
 - electron 247, 249
 - gain-assisted 177
 - metal nanoparticle 268
- polyelectrolyte layers 110–115
- polymer-dispersed liquid crystal (PDLs) 296, 297
- polymers 45, 58, 73, 75, 102, 103, 145, 146, 148, 150, 296, 321, 352
 - conductive 342
 - elastic 282
- process 44, 46, 53, 58, 107–109, 124, 129, 146, 149–152, 154, 158, 187–189, 219, 379, 381
 - amino silane 321
 - ball-mill 130
 - biological 151
 - densification 149
 - detoxification 151
 - dissipation 341
 - extracellular 152
 - gelation 150
 - hydrothermal reaction 147
 - inter-band absorption 114
 - lift-off 285, 343
 - multiple-step 45
 - nanolithography 329
 - nonlinear optical 320
 - nonlinear physical 316
 - nucleation 47
 - optical driving 289
 - photochemical 49

- photogeneration 337
- plasma etching 353
- plasmon hybridization 187
- template-generating 352
- trans-cis isomerization 289, 290
- QDs *see* quantum dots
- quantum dots (QDs) 145, 146, 152, 175, 201–205, 317, 318, 341, 342, 355
- radiation 4, 5, 7, 21, 30, 173, 232
 - inelastic scattered 224
 - secondary 22
 - synchrotron 43
- Raman scattering 224–226
- Raman spectroscopy 223, 227, 232
- reactions 46, 49, 57, 58, 60, 75, 144, 146
 - biochemical 145
 - condensation 74
 - galvanic displacement 60
 - heterogeneous phase 147
 - ligand-exchange 75, 76
 - organic 60
 - redox 52
- reduction 44, 46, 48, 49, 51, 58, 61, 80, 191, 194, 197, 199, 206, 349, 380
 - biological 44
 - chemical 44, 62
 - extracellular 152
 - spontaneous 61
- refractive index 12, 22, 40, 41, 71, 72, 223, 248, 251, 270, 282–284, 294, 295, 298
- resonance 29, 33–35, 38, 113, 175, 177–179, 232, 247, 248, 252, 294, 322, 328
 - collective 182, 187
 - dipole 39, 40
 - electromagnetic 252
 - longitudinal plasma 41
 - Mie 117
 - red-shifted 198
- resonance conditions 35, 219, 220, 222, 366
- resonance frequency 29, 173, 175, 248, 292, 294, 365
- resonance peaks 39, 365
- samples 105, 107–110, 112–114, 118, 119, 133, 134, 154–158, 160, 161, 192, 194, 203–206, 236, 237, 283, 284, 300, 301, 370–372, 378–383
 - amorphous 109
 - dialyzed 105, 106
 - gain-assisted 190
 - isotropic 379
 - nanometric 160
 - polydispersed 68
 - spiked 237
 - structured nanoscale 102
- SAWs *see* surface acoustic waves
- scanning electron microscopy (SEM) 43, 44, 59, 155, 156, 318, 322, 383
- scattering 22, 24, 26, 27, 30, 34, 35, 37, 39, 117, 192, 193, 195, 219, 223, 227, 248, 251
 - elastic 156
 - electron-phonon 41
 - electron-surface 220
 - inelastic 156, 341
- second-harmonic generation (SHG) 316, 317, 319, 320, 324, 326, 327, 329
- seeds 44, 47, 55, 60, 74, 79, 321, 322, 344, 345
- SEM *see* scanning electron microscopy
- sensors 29, 70, 74, 222, 230

- classic 231
- infrared 351
- SERS *see* surface-enhanced Raman spectroscopy
- SHG *see* second-harmonic generation
- signals 156, 160, 161, 224, 229, 237, 324
 - electrical 156
 - nonlinear optical 329
 - optical 324
 - radio frequency 296
 - scattered 193, 196
 - single-molecule 228
 - transmission enhancement 192
- simulations 112, 117, 251, 291, 322, 326–328, 374
 - atomistic 349
 - molecular 260
 - theoretical 373
- size-selective precipitation (SSP) 65, 66, 338
- solar cells 60, 336, 339, 340
 - commercial 343
 - polymer-based 342
 - quantum dot 342
 - thin film 338, 339
- species 44, 57, 147, 148, 344
 - biological 233
 - conductive 345
 - crystalline 150
 - homologous 148
- spectrum 6, 41, 175, 177, 188, 193, 195, 203, 218, 285, 294
 - electromagnetic 218, 222
 - optical 41
 - reflectance 231
 - time-resolved 191
 - visible 12, 222, 366
 - visible-infrared 283
- SPPs *see* surface plasmon polaritons
- SPR *see* surface plasmon resonance
- SSP *see* size-selective precipitation
- structures 42, 43, 102, 104, 117, 146, 148, 150, 151, 153, 155, 159, 228, 247, 253, 254, 266, 268
 - assembled 82
 - carbon 148
 - columnar 353
 - device 338, 342
 - down-scale 102
 - homogeneous 147
 - lamellar 269
 - layered 119
 - ligand 255
 - mesogenic 292
 - molecular 202
 - nanohole 285
 - octamer 288
 - planar 316
 - rod-like 318
 - seeded 321
 - topological 259
- surface 33, 35, 101, 103–105, 108, 115, 116, 148, 157–160, 162, 227, 228, 262, 263, 267, 269, 366, 379
 - azide-labeled 69
 - cathode 52
 - charged 104, 105, 162
 - coated 150
 - curved 116, 247
 - homogeneous 144
 - metallic 75
 - nanowire 321
 - piezoelectric 294, 295
 - plasmonic 227
 - seed 47
- surface acoustic waves (SAWs) 294, 295
- surface chemistry 36, 42, 43, 54, 60, 65, 75, 116
- surface-enhanced Raman spectroscopy (SERS) 69, 73, 227–229, 236

- surface plasmon modes 187, 188, 194, 285
- surface plasmon oscillation 34, 37, 38, 41
- surface plasmon polaritons (SPPs) 6, 15, 17–22, 173, 216–219, 297, 338, 339
- surface plasmon resonance (SPR) 33–37, 42, 71, 82, 172, 175, 191, 193, 196, 216, 219, 286, 293, 317, 321, 322
- surface plasmons 21, 29, 34, 192, 215, 216, 227, 247, 289, 338, 339
- TCSPC *see* time-correlated single-photon counting
- techniques 42–44, 65, 67, 103, 124, 144–146, 150, 153–156, 159–161, 163, 223, 227, 282, 342, 343, 345
- chromatographic 67
- colloidal chemistry 36
- electrochemical deposition 344
- hydrothermal 320
- layer-by-layer 103
- lithography 372
- nanofabrication 282
- optical 42
- spectroscopic 232
- synthetic 62
- therapeutic 74
- time-correlated single-photon counting (TCSPC) 190, 205
- volume plasmons (VPs) 6, 15, 215, 218
- VPs *see* volume plasmons
- waves 13, 14, 16, 19, 21, 26, 185
 - diffracted 158, 159
 - evanescent 4, 5
 - fundamental 326
 - longitudinal 14, 296
 - phonon 349
- X-ray diffraction (XRD) 43, 158, 159, 318
- XRD *see* X-ray diffraction

