

Index

- anisotropy 97–98
annealing, thermal 220, 232
anti-Stokes scattering 278–280
AZO, *see* Al-doped ZnO
- bacteria 54–55
BCL, *see* block copolymer
 lithography
biomolecules 41, 52, 214, 220,
 256, 260
bioreceptors 36–37, 41, 43, 47
biosensing 22, 43, 91, 119–120,
 129, 350
biosensors, optical 22–23, 103
block copolymer lithography (BCL)
 208–210
block copolymers 231
bovine serum albumin (BSA) 47,
 329, 333–334, 336–337
BSA, *see* bovine serum albumin
- carboxymethylated dextran layers
 37, 39
cell membranes 89, 100, 112
cell-penetrating peptides (CPPs)
 103–104, 158
chemical vapor deposition 325
CMOs, *see* conducting metal oxides
colloidal gold 252–253
colorimetric sensors 253, 256
conducting metal oxides (CMOs)
 144, 146–147, 149, 151–152,
 157, 159–160, 162
- conductivity, optical 323–324,
 338–339
copper 226, 251, 282, 288, 325,
 328, 335
graphene-covered 335–336
copper foils 329
core–shell nanoparticles 224
coupled plasmonic systems 183,
 185
CPPs, *see* cell-penetrating
 peptides
- denaturant molecules 70
dielectric films 186–187, 189, 191
dielectric medium 2, 4, 6, 9–10,
 21, 24, 120–122, 126,
 128–129, 221, 289, 331
dipole 183, 290–292
dipole emission 287, 290, 292
dipole radiation enhancement
 291–292, 294
DNA 41, 67–70, 72, 75, 84–85,
 260, 265
DNA microarrays 62
Al-doped ZnO (AZO) 160–161
Drude model 6–7, 144–145,
 151–152, 157, 163,
 174–175, 178
- EBL, *see* electron beam lithography
EDL, *see* electrical double layer
EDSA, *see* evaporation-driven
 self-assembly

- electrical double layer (EDL) 323
 electrochemistry 43, 62, 67
 electromagnetic field intensities 93–94
 electromagnetic fields 5–6, 9, 12, 14, 22, 31, 92–93, 147
 electromagnetic mechanism 30, 91, 146, 284–285, 287, 313
 electron beam lithography (EBL) 203–204, 207, 219
 electronic mobility 153, 155–156
 electronic states 279–280, 284, 286
 electronic transitions 282, 286, 322–323, 338–339
 electrophoretic deposition 53, 225, 338
 electrostatic approximation 287–289
 ENFOL, *see* evanescent near-field optical lithography
 evanescent near-field optical lithography (ENFOL) 203
 evaporation-driven self-assembly (EDSA) 228–230
 extinction coefficient 92, 96–98
- FDTD, *see* finite difference time domain
 FIB, *see* focused ion beam
 finite difference time domain (FDTD) 186, 292
 fluorescence 23, 31, 61–62, 122–124, 132, 298
 fluorescence intensities 124, 131–132, 135
 focused ion beam (FIB) 203, 210–211, 219
 formamide 70–72
 free electron conductors 149–150
- full width half maximum (FWHM) 27, 84, 161, 194
 FWHM, *see* full width half maximum
- G-protein coupled receptors (GPCRs) 89–90, 100, 104–105, 107–108
 G-proteins 89, 104–105, 107–109 subtypes 107–108
 gate-tunable graphene plasmonics 338–339
 glycans 41, 49, 53–55
 gold evaporation 220
 gold films 43, 127–128, 130–131, 185, 216
 gold foils 326–327
 gold nanoparticles 121, 189, 227, 232, 253, 255, 258, 260–267, 290, 326 synthesis 252, 254
 gold nanorods 188, 204, 214, 254, 296, 339
 gold nanostars 268–269
 gold salts 221, 223, 252, 254
 gold surface 37, 40, 67, 69, 325, 327, 329–331, 337–338 polycrystalline 326–327
 gold surface atoms 257
 GPCRs, *see* G-protein coupled receptors
 graphene 52, 236, 319–323, 325–333, 335–342, 350 multilayer 328, 330 optical properties of 323–325 synthesis of 325, 327
 graphene-based plasmonics 319–342
 graphene coating 332, 334
 graphene functionalized SPR sensors 332–333

- graphene layers 52, 325–327, 329–330, 332–334, 337
 graphene oxide 53, 337–338
 graphene oxide functionalization 337
 graphene plasmonics 236
 graphene plasmons 339
 graphene supercapacitors 324
 graphene surface 320, 323, 332–334, 336–337
 graphene–metal surface 328–329, 331–332
 graphene–silver surfaces 331
- high mobility conducting metal oxides 161
 hydrogel 120, 132–134
 hydrogel film 133–134
 hydrogel matrix 133, 136
 hydrogen peroxide 268–269
- IMI, *see* insulator–metal–insulator
 indium tin oxide (ITO) 52, 113, 144–147, 149, 151, 153–154, 157–160, 194, 236
 infrared plasmonic sensors 207
 high-throughput fabrication of 207
 infrared surface plasmon resonance 143–164
 insulator–metal–insulator (IMI) 17
 internal reflecting element (IRE) 146–150
 IRE, *see* internal reflecting element
 ITO, *see* indium tin oxide
- Kretschmann configuration 20–21, 63, 123, 147, 330–331
- lamellar SPR structures 47, 49, 51, 53
 Langmuir–Blodgett technique 226–227, 231
 laser ablation 212
 layer-by-layer (LbL) 227
 LbL, *see* layer-by-layer
 LbL technique 227–228
 lectins 49, 54, 347
Lens culinaris 49–50, 54
 ligand binding 106, 109
 lipid bilayer membranes 95, 97
 lipid membranes 90, 96, 99, 102, 104–105, 111, 113
 lipid model systems 89–90
 lipids 96, 100, 103–104, 107–108, 111–113, 263
 anionic 111–112
 liquid helium 320–321
 lithography 170, 200, 203, 214
 block copolymer 208–210
 multilevel interference 205–206
 nanosphere 208–209
 nanostencil 206–208
 lithography techniques 201, 205, 209
 localized surface plasmon (LSP)
 31, 170, 174, 176–177, 186–187, 189, 191, 193, 195, 209
 localized surface plasmon resonance (LSPR) 31, 144–146, 151–152, 157, 169–182, 184, 186, 188, 190–192, 194, 196, 220, 225, 254, 287
 long-range surface plasmon (LRSP) 120, 126–131, 134–135, 137
 long-range surface plasmon fluorescence spectroscopy 126–131
 LRSP, *see* long-range surface plasmon

- LRSP excitation 127, 129, 131
LRSP modes 128–130, 133,
136–137
LSP, *see* localized surface
plasmon
LSP resonances 220–222,
234–235
LSPR, *see* localized surface
plasmon resonance
- melting curves analysis 62, 78, 85
metal deposition 201, 210, 214,
218
metal dielectric function 287–288
metal-insulator-metal (MIM) 17,
19
metal nanoparticles 171, 174–175,
200, 210, 287, 295
metal-oxide-semiconductor
(MOS) 320
metallic gold 252
metallic nanoparticles 187,
230
metallic nanostructures 236,
276, 282, 284
mid-infrared surface plasmon
polaritons 159
MIM, *see* metal-insulator-metal
molecular polarizability 97–98,
277–279
molecular recognition 263, 265,
267
molecules
 bio-recognition 23
 biological 52, 336
 thiolated 41–42
monolayer protected
 clusters (MPCs) 254
monolayers
 ordered nanoparticle 229
 self-assembled 37, 40, 214,
 225, 256
- Monte Carlo simulation 301–302,
304, 307–308, 310, 312
MOS, *see* metal-oxide-
semiconductor
MPCs, *see* monolayer protected
clusters
- nano-imprint lithography (NIL)
217–219
nanoparticles
 hollow 212
 spherical 178, 254
nanospheres 208–209, 221,
288–289, 295, 302
nanostencils 207–208
nanostructures 31, 157, 192, 203,
208, 213–214, 285, 292, 298,
302, 306–308, 313
NIL, *see* nano-imprint lithography
noble metals 6–7, 144, 162, 200
- oligonucleotides 80–81, 259–260,
267
- particle beam lithography 201,
204
PCR, *see* polymer chain reaction
PECVD, *see* plasma-enhanced
chemical vapor deposition
penetratin 104, 111
peptides 111–112, 261–262, 264
 amyloid 89, 111–112
periodic nanostructure 186–187,
189, 191, 193, 195
photolithography 201–204, 207,
219, 227
plasma-enhanced chemical vapor
deposition (PECVD) 48

- plasmon dispersion 24–25
 plasmon modes 126, 176–177,
 288, 291
 localized 182–183
 plasmon spectroscopy 90–99
 plasmon-waveguide resonance 90,
 94, 104, 108
 plasmon-waveguide resonance
 (PWR) 90, 93–95, 104–106,
 108, 111–113
 plasmon waveguide resonance
 spectroscopy 89–90, 92, 94,
 96, 98, 102, 104, 106, 108,
 110, 112
 plasmonic interfaces 35–36, 38,
 40, 42, 44, 46, 48, 50, 52, 54,
 56, 191
 plasmonic materials 147, 163,
 211, 226, 236
 plasmonic metal deposition
 207–208
 plasmonic metal nanoparticles
 251
 plasmonic nanoparticles 201, 213,
 219, 221, 225–227, 230
 self-organization of 201, 225
 plasmonic nanostructures 7, 214,
 225, 268, 292, 313
 fabrication of 199–230
 plasmons 14–16, 19, 24, 27, 48,
 52, 91, 93–94, 144–145, 149,
 151, 176–177, 319–322,
 339–340, 342
 hybrid 157
 point mutation detection 84–85
 polymer chain reaction (PCR) 62,
 80, 83, 85
 polymers 43, 53–54, 129, 209,
 214, 225
 polypeptides 261–263
 polypyrrole-3 44–46
 prostate specific antigen (PSA)
 125–126, 269
 proteases 261, 264
 proteins 40, 85, 96, 103–105,
 108, 112, 121, 253, 261–262,
 334, 337, 352
 PSA, *see* prostate specific antigen
 PWR, *see* plasmon-waveguide
 resonance
 pyrrole 44, 67, 69
 quantum dots 227, 230
 quasi-static approximation
 172–173, 175–179
 Raman scattering 30, 276–282,
 287, 290–291, 294
 Raman spectra 295, 327–329
 reactive ion etching (RIE)
 209–210, 233
 replica molding 214–216
 rhodopsin 105, 108
 RIE, *see* reactive ion etching
 SA, *see* sialic acid
 SAMs, *see* self-assembled
 monolayers
 self-assembled monolayers
 (SAMs) 37, 40–42, 68, 214,
 225–226, 256
 SERS, *see* surface enhanced
 Raman scattering
 SERS enhancement factor 30,
 294–295
 SERS substrates 276, 295, 297,
 306, 310
 short-range surface plasmon
 (SRSP) 120
 sialic acid (SA) 104, 112
 silica 47, 93, 95–96, 103, 106,
 174–175, 320

- silica substrate 183–185
 silver 7–8, 10, 15, 51–53, 93, 95,
 175–177, 226, 234, 282,
 288–290, 320, 325, 329, 334
 optical properties of 51–52
 silver colloid 297–298
 silver electrode 283, 298–299
 silver nanocrystals 268
 silver nanoparticles 223,
 252–253, 290
 silver nanospheres 290, 294
 silver nanostructures 334
 silver surfaces 283, 328–329, 332,
 334
 single-molecule detection 275,
 283, 301, 306, 309, 313
 single-molecule SERS 295,
 297–299, 301, 303, 305,
 307, 309, 311, 313
 single nucleotide point (SNP) 62,
 79, 85
 single point mutation 76–84
 SNP, *see* single nucleotide point
 SPFS, *see* surface plasmon
 fluorescence spectroscopy
 SPP, *see* surface plasmon
 polariton
 SPR, *see* surface plasmon
 resonance
 SPR imaging (SPRi) 61–63,
 65–67
 SPR sensors 23, 27, 29, 36, 224,
 332, 334, 337
 SPRi, *see* SPR imaging
 SPWs, *see* surface plasmon waves
 SRSP, *see* short-range surface
 plasmon
 surface enhanced Raman
 scattering (SERS) 30–31,
 275–276, 282–285, 287,
 289–293, 295, 297–298,
 300–302, 304, 306, 310,
 312–313
 surface plasmon excitation 63, 91,
 93, 137, 284
 surface plasmon fluorescence
 spectroscopy (SPFS) 120,
 122, 124–125, 131–132
 surface plasmon modes 120, 122,
 137, 182, 186, 287, 289, 291,
 294, 296
 surface plasmon polariton (SPP)
 2–3, 10, 19–24, 29–32, 119,
 144, 146–147, 149–152,
 156, 158–159, 161, 213, 236,
 319–320, 328–332
 surface plasmon resonance (SPR)
 20, 28–29, 35–37, 54–56,
 61–62, 91–94, 119, 143–144,
 148–149, 151–152, 162–163,
 200, 291–292, 313, 347–352
 surface plasmon waves (SPWs) 2,
 22–23, 27
 surface-wave enhanced biosensing
 119–120, 122, 124, 126, 128,
 130, 132, 134, 136, 138
 two-photon polymerization
 212–213